



## Heat Exchanger Pipe Benchtop Ultrasonic Cleaner / Ultrasonic Industrial Cleaning Equipment

### Our Product Introduction

#### Basic Information

- Place of Origin: China Mainland
- Brand Name: skymen
- Certification: CE
- Model Number: JP-3072
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 300units /month



#### Product Specification

- Tank Size: 1000x600x600mm (LxWxH)
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Max Power: 3600W
- Heater: 20 To 80 Adjust
- Optional: Oil Filtration System
- Timer: 1~99 Hours
- Heating Power: 9KW, Hot Plate
- Material: Stainless Steel
- Highlight: **ultrasonic washing machine,  
ultrasonic cleaning unit**



## Product Description

### PVC rods ultraosnic cleaning machine:

Ultrasonic cleaner is thought to be the most cleaing tool for:

Auto parts ,machinery parts,  
Lab and medical instrument;  
Die castings parts and electronics

Ultrasonic works on metal parts, plasticware and glassware. This machine is a good option for PVC rods cleaning

### Product specification:



### Ultrasonic cleaning machine :

Model	<b>JTM-3072</b>
Ultrasonic Tank Dimension(mm)	1700*600*800
Rinsing tank dimension(mm)	1500*500*500
Max. Capacity	360/tank (Customized size are available)
Construction Case	SUS304 (Mirror shining image available)
Construnction Tank	SUS304
Transducer Number	24 pcs
Ultrasonic power(Max.)	1200W
Ultrasonic frequency	40kHz
Temperature range	~99C adjustable
Heating power	3KW
Timer	1~99h
Drain	3/4" Valve
Lid & Basket	Available, material: SUS304
Cleaning Tank voltage	AC220V/AC380V 3phase
Generator Voltage	AC110V / 220V 1phase
Features	With double tank for cleaning and rinsing. With filtration system Multi-direction castors with brake;



#### **How does ultrasonic cleaning work?**

Specially designed transducers transform electric energy into mechanical vibrations. These are transmitted into the cleaning liquid, creating many tiny vacuum-filled bubbles which rapidly implode. This process, called cavitation, releases highly energetic jets of liquid which remove all kinds of contamination from metal, glass, and plastic surfaces. Every surface that comes in contact with the fluid is thoroughly cleaned.


Skyman --- a professional manufacturer for 10 years, dedicated in ultrasonic cleaner.  
Excellent engineer team, can satisfy any requirement from our customers.

#### **JTS-1072 Specifications:**

- Adjustable ultrasonic power
- With digital timer and heater; easy to operate
- SUS304/316L tank
- Adaptable for continuous operation
- Adjustable thermo controller
- Adjustable ultrasonic power
- With separate control ultrasonic electronic generator
- Digital timer control
- Boost mode & oil skimmer upon client's requirement
- Ultrasonic cleaner could remove small particulate and adhering contamination from parts where entrapment areas limit or restrict access through mechanical means

The cleanliness of your products and components directly affects the safety of your crew —ultrasonic cleaning technology contributes to your efforts to maximise the safety and reliability of aerospace components while achieving optimal cleanliness standards.

Before and After of using an ultrasonic cleaner:



#### Package

Packing , loading, delivery time	
Packing unit	1set / wooden case
Packing method	Export wooden case
Loading port	Shenzhen / Hongkong
Delivery time	About 20 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea



**SkyMen Technology Corporation Limited**

☎ 86-755-27094405

✉ [info@skymen.cc](mailto:info@skymen.cc)

🌐 [skymenultrasonic.com](http://skymenultrasonic.com)

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen