

Oil and dust removing cleaning machine tubocharge ultrasonic cleaner

Basic Information

Place of Origin: China MainlandBrand Name: skymen

• Certification: CE

Model Number: JP-1216ST
Minimum Order Quantity: 1 unit
Price: Negotiation

• Packaging Details: 1pcs / wooden case packing

• Delivery Time: In Stock

Payment Terms: T/T, Western UnionSupply Ability: 300units /month



Product Specification

• Tank Size: 1500*1000*1000 (LxWxH)

Ultrasonic Frequency: 28khz/40khzUltrasonic Max Power: 10800W

Heater: 20 To 80 AdjustOptional: Oil Filtration System

Timer: 1~99 Hours
Heating Power: 36KW, Hot Plate
Material: Stainless Steel

 Highlight: ultrasonic cleaning device, ultrasonic washing machine



More Images



Product Description

Oil pump Ultrasonic cleaning solution

Function: To remove the dust, carbon and containimnet from Oil pump



Ultrasonic cleaning machine :		
oniasonic cleaning machine .		
Model	JP-1216ST	
Ultrasonic Tank Dimension(mm)	1500*1000*1000	
Ovel all dimension(mm)	1750*1300*1500	
Max. Capacity	77L/tank	
Construction Case	SUS304 (Mirror shining image available)	
Construnction Tank	SUS304	
Transducer Number	216 pcs	
Ultrasonic power(Max.)	10800W	
Ultrasonic frequency	40kHz	
Temperature range	~99C adjustable	
Heating power	зкw	
Timer	1~99h	
Drain] 3/4" Valve	
Lid & Basket	Available, material: SUS304	
Cleaning Tank voltage	AC220V/AC380V 3phase	
Generator Voltage	AC110V / 220V 1phase	
Features	For large indsutrial parts cleaning ; Multi-direction castors with brake;	

How to use :

Directions for use

Step 1





Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ON

Step 2



Slowly add the oil/Carbon-Removal Powder

Step 3



Load the tank with your dirty pots, pans, vent hood filters into the tank and Close the lid, leaving the items in the tank to soak, and walk away!

Step 4



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

JTS-1216ST Specifications:

Adjustable ultrasonic power With digital timer and heater;easy to operate SUS304/316L tank

Original BLT type transducer

Adaptable for continuous operation

Adjustable thermo controller

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Sweep mode control available

Digital timer control

Boost mode& oil skimmer upon client's requirement

How is ultrasonic cleaner work?

Cavitation, the collapse of millions of tiny bubbles created by ultrasonic vibrations, releases high energy and enormous cleaning power. This cleaning action gently and thoroughly removes dirt, oil, and contaminants from every surface in contact with the cleaning fluid. Because the liquid can penetrate into very small crevices, ultrasonic cleaning can clean intricate items that cannot be cleaned by hand.

Ultrasonic works is also suitable for :

Ultrasonic Auto Parts Cleaner

Ultrasonic Surgical Instrument & Medical Cleaner

Ultrasonic Aircraft Parts (Aerospace) Cleaner

Ultrasonic Semiconductor Cleaner

Ultrasonic Jewelry Cleaner

Ultrasonic Solar Cleaner

Ultrasonic Hard Disk Drive Cleaner

Ultrasonic Industrial Cleaner

Ultrasonic Circuit Cleaner

Ultrasonic Ceramics Cleaner

Ultrasonic Lens & Eyeglass Cleaner

Ultrasonic Tungsten Carbide Cleaner

Ultrasonic Plastics Cleaner

Ultrasonic Oil & Gas Refinery Equipment Cleaner

Ultrasonic Gun & Case Cleaner

Ultrasonic Bike Cleaner

Ultrasonic Musical Instrument Cleaner

Ultrasonic Dental Cleaner

Ultrasonic Coin Cleaner

Glass ware

Chemical dust,

Package

Packing , loading, delivery time		
Packing unit	1set / wooden case	
Packing method	Export wooden case	
Loading port	Shenzhen / Hongkong	
Delivery time	About 20 working days	
Minimum Order Quantity	1set	
Transport method	By express company / air / sea	



Detailes Before and after:

Rust romove



Dust and oil remove



Before



After







Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen