


## **1.2 Liters Detachable Household Ultrasonic Cleaner With Digital** Timer

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:

- skymen/OEM
- JP-1200FT
- 1 unit

- Payment Terms:
- Supply Ability:



China

- Negotiation
  - caarton box: 255\*250\*210mm
  - In Stock
  - L/C, T/T, Paypal
    - 500 units /day



#### **Product Specification**

- Tank Material:
- . Housing Material:
- Ultrasonic Power:
- Timer:
- Tank Size:
- Unit Size:
- Highlight:

| Stainless SUS304     |
|----------------------|
| ABS                  |
| 70W                  |
| 5 Timer Setting      |
| 168*126*64mm         |
| 228*218*157mm        |
| omoli ultroconio ele |

small ultrasonic cleaner, ultrasonic vegetable cleaner



Our Product Introduction

#### **Product Description**

#### 1.2 Liters Detachable Household Ultrasonic Cleaner With Digital Timer

| Specification :  |                           |
|------------------|---------------------------|
| Model            | JP-1200FT                 |
| Ultrasonic power | 70/35W (1pc transducers)  |
| Frequency        | 40KHz                     |
| Housing material | ABS                       |
| Tank material    | SUS304                    |
| Tank capacity    | 1.2 L                     |
| Timer            | 5 Digital Timer Settings  |
| Voltage          | AC 100~120V, 60Hz         |
|                  | AC 220~240V, 50Hz         |
| Tank size        | 168*126*64MM              |
| Unit size        | 230*200*160MM             |
| Packing size     | 235*203*167MM             |
| N.W.             | 2.3 Kg                    |
| G.W.             | 2.7 Kg                    |
| Certificate      | ISO9001:2008;CE; RoHS;FCC |

Features:

Detachable tank,

Stainless steel SUS 304 tank and ABS housing, exquisite appearance.

LED display for timer setting;

Touch control panel ,easy to operate;

With 90S/180S/280S/380s/480S ,5 cleaning cycles;

In gently removing compounds, fingerprints, soap and other dirt, will not cloud, dull or scratch; help reduce cleaning times, improve production speed and finish quality.

# Different Angles



**Our Product Introduction** 

| Product L:168M W:126MM | Parameters                                 |
|------------------------|--|
| Modle                  | JP-1200FT                                  |
| Capacity               | 1.2L                                       |
| Imput Voltage          | AC110V-120V-60Hz/50Hz AC220-240V/50Hz/60Hz |
| Power                  | 70W  |
| Tank material          | SUS304                                     |
| onic Frequenc          | 40KHz                                      |
| Timer                  | 5 time is adjustable                       |
| Tank size:             | 168*126*64mm                               |
| Packge size            | 228*218*157mm                              |
| N.W./G.W.              | 2.3KG/2.7KG                                |

