

## 3600W Industrial Ultrasonic Cleaning equipment For Vehicle Radiators

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: China Mainland
- Brand Name: skymen
- Certification: CE
- Model Number: JP-720ST
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 300units /month



### Product Specification

- Tank Size: 1000x600x600mm (LxWxH)
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Max Power: 3600W
- Heater: 20 To 95 Adjust
- Optional: Oil Filtration System
- Timer: 1~99 Hours
- Heating Power: 9KW, Hot Plate
- Material: Stainless Steel
- Highlight: **dual frequency ultrasonic cleaner, ultrasonic washing machine**



### More Images



## Product Description

Large industrial ultrasonic cleaning machine for Vehicle Radiators and aluminum parts

Function: To remove the dust, carbon ,residual polymer, rubber, latex and release agents from Injection molds

### **How is ultrasonic cleaner work ?**

Cavitation, the collapse of millions of tiny bubbles created by ultrasonic vibrations, releases high energy and enormous cleaning power. This cleaning action gently and thoroughly removes dirt, oil, and contaminants from every surface in contact with the cleaning fluid. Because the liquid can penetrate into very small crevices, ultrasonic cleaning can clean intricate items that cannot be cleaned by hand.

### **Competitive Advantage of ultrasonic cleaner :**

Ultrasonic cleaning , clean small blind holes, joints, threads, cavities, and crevices

Remove dust,rust ,carbon ,oil on injection molds;

With Filtration System: for heavy duty oil removing, cycle cleaning solvent,prevent second pollution.

### **Basics:**

Ultrasonic cleaning machine :	
Model	<b>JP-720ST</b>
Tank size (mm)	1000*600*600
Max. Capacity	360L/tank
Construction Case	SUS304 (Mirror shining image available)
Construnction Tank	SUS304
Transducer Number	72 pcs
Ultrasonic power(Max.)	3600W
Ultrasonic frequency	28kHz or 40khz
Temperature range	~99C adjustable
Heating power	9KW
Timer	1~99h
Drain	1/2" Valve
Lid & Basket	Available, material: SUS304
Cleaning Tank voltage	AC220V/AC380V 3phase
Generator Voltage	AC110V / 220V 1phase
Features	Single tank for cleaning With lift system Multi-direction castors with brake;

Product pictures:



**Ultrasonic cleaner is also work with other metal parts, glasswares.**

Ultrasonic Auto Parts Cleaner  
Ultrasonic Surgical Instrument & Medical Cleaner  
Ultrasonic Aircraft Parts (Aerospace) Cleaner  
Ultrasonic Semiconductor Cleaner  
Ultrasonic Jewelry Cleaner  
Ultrasonic Solar Cleaner  
Ultrasonic Hard Disk Drive Cleaner  
Ultrasonic Industrial Cleaner  
Ultrasonic Circuit Cleaner  
Ultrasonic Ceramics Cleaner  
Ultrasonic Lens & Eyeglass Cleaner  
Ultrasonic Tungsten Carbide Cleaner  
Ultrasonic Plastics Cleaner  
Ultrasonic Oil & Gas Refinery Equipment Cleaner  
Ultrasonic Gun & Case Cleaner  
Ultrasonic Bike Cleaner  
Ultrasonic Musical Instrument Cleaner  
Ultrasonic Dental Cleaner  
Ultrasonic Coin Cleaner  
Glass ware  
Chemical dust,

**How to use an ultrasonic cleaner :**

1 Fill in the tank with water



2 Put the cleaning items in, the cleaning items should fully immersed in the water.  
For oil removed, chemicals is necessary.



3 Set up washing time and temperature:  
Put the lid and wait till the wash cycle finished.



**Before and after of using ultrasonic cleaner:**



**Package**

Packing , loading, delivery time	
Packing unit	1set / wooden case
Packing method	Export wooden case
Loading port	Shenzhen / Hongkong
Delivery time	About 20 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea



**Skymen Technology Corporation Limited**

☎ 86-755-27094405

✉ [info@skymen.cc](mailto:info@skymen.cc)

🌐 [skymenultrasonic.com](http://skymenultrasonic.com)

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen