



SUS304/316 Ultrasonic Cleaning tank of Machinery and Aluminum Parts with filtration system

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE
- Model Number: JP-600G
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 100 /month



Product Specification

- Material: Stainless Steel SUS304/316L
- Use: Cleaning , Degreasing
- Control: Separate Generator
- Optional: Oil Filter System
- Special: Multi Tank
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Power: 3000W
- Power: Adjustable Ultrasonic Power
- Heater: 20 To 80 Asjudt
- Highlight: **dual frequency ultrasonic cleaner, ultrasonic cleaning unit**



Product Description

Large-Capacity Industrial Ultrasonic Cleaners

Large-capacity ultrasonic industrial cleaning units are designed to handle large and heavy duty equipment and parts, including a variety of industrial parts, automotive and aerospace parts. These units typically feature rinse and dry stations and other features.

What ultrasonic cleaner can do ?

To remove carbon,oil, dust,rust that bulild on any items.
No damage to object surface and improve cleaning efficiency.

Specification:

Ultrasonic Frequency	40KHz/28KHz
Material	Stainless Steel SUS304
Tank Capacity	264 Liter
Transducer	60pcs
Timer	1-99Hours adjustable
Heater	20°C to 95°C adjustable
Power Supply	AC380V, 3 phase/50Hz
Heating Power	9000W
Ultrasonic Power	3000W
Generator	2pcs
Tank Size (LxWxH)	800x600x550mm
Unit Size	1060*1400*950mm
Packing Size	1120*1460*1070mm Wooden case
Warranty	1 year

Single tank industrial ultarsonic cleaner:

Model	JP-360ST	JP-480ST	JP-600ST	JP-720ST	JP-1108ST
Tank size(MM)	600*500*450	700*500*500	800*600*550	1000*600*600	1000*900*600
Tank capacity	135L	175L	264L	360L	540L
Transducers	36	48	60	72	108
Ultrasonic power	1800W	2400W	3000W	3600W	5400w
Heating power	4500W	6000W	6000W	9000W	18 kw
Frequency	40KHZ/28KHZ				
Tank material	304/316SUS				
Tank thickness	2MM				
Timer	1S-99hours adjustable/Normally open				
Heater	20-95c adjustable				
Drain valve	1 inch				
Basket & Lid	standard equipped				
Machine Voltage	AC 220V/380V, 3phases				
Generator Voltage	AC 110V/220V, 1phase				
Features	With casters with brake				
Packing	wooden case				
Warranty	1 year				

Applications:



Ultrasonic cleaner is a very effecinet cleanig tool for :
engine block degrease,
radiator clean,
electronic parts.
Carburetor
Castings
Fuel Injectors
Machined Parts
Stamped Parts
Switches

Competitive Advantage:

Material : SUS304/316L with 2mm thickness
15 years experience engineer will design the machine for you
Filtration System: for heavy duty oil removing, cycle cleaning solvent, prevent second polution and better cleaning effects.
PCB Board: manufactured by Skymen factory, more stable



Before and after of use ultrasonic cleaner:



Skymen Technology Corporation Limited

☎ 86-755-27094405

✉ info@skymen.cc

🌐 skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen