



28khz / 40khz Frequency Ultrasonic Cleaning Machine For Steel / Cooper Mold

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE
- Model Number: JP-600S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: 1pcs / wooden case packing
- Delivery Time: In Stock
- Payment Terms: T/T, Western Union
- Supply Ability: 100 /month



Product Specification

- Material: Stainless Steel SUS304/316L
- Use: Mold Cleaned
- Control: Digital Controller
- Ultrasonic Power: 3 KW
- Ultrasonic Frequency: 28khz/40khz
- Ultrasonic Power: 6kw
- Power: Adjustable Ultrasonic Power
- Heater: 20 To 80 Asjudt
- Highlight: **dual frequency ultrasonic cleaner, ultrasonic washing machine**



Product Description

Skymer can manufacture large and heavy **mold cleaning** machines at the request of customers. Ultrasonic cleaner remove tough resin, rubber and other dirt, to help the mold be clean.

Specification



Ultrasonic cleaner is very easy to operate. The basic solvent is water, fill in the tank with water, put your cleaning items in, and set up time and you can just walk away!

Thus the first factor of choose the ultrasonic cleaner is the size.

Small size for small parts:

Model	JP-120ST	JP-180ST	JP-240ST	JP-300ST
Tank size(MM)	500*300*250	500*350*300	550*400*350	550*450*400
Tank capacity	38L	53L	77L	99L
Transducers	12	18	24	30
Ultrasonic power	600W	900W	1200W	1500W
Heating power	1500W	3000W	3000W	3000W
Frequency	40KHZ/28KHZ			
Tank material	304/316SUS			
Tank thickness	2MM			
Timer	1-99min adjustable/Normally open			
Heater	20-95c adjustable			
Drain valve	1 inch			
Basket & Lid	standard equipped			
Voltage	AC 110V/220V, 1phase			
Features	With casters with brake			
Packing	wooden case			
Warranty	1 year			

Medium size :

Model	JP-360ST	JP-480ST	JP-600ST	JP-720ST
Tank size(MM)	600*500*450	700*500*500	800*600*550	1000*600*600
Tank capacity	135L	175L	264L	360L
Transducers	36	48	60	72
Ultrasonic power	1800W	2400W	3000W	3600W
Heating power	4500W	6000W	6000W	9000W
Frequency	40KHZ/28KHZ			
Tank material	304/316SUS			
Tank thickness	2MM			
Timer	1S-99hours adjustable/Normally open			

Heater	20-95c adjustable			
Drain valve	1 inch			
Basket & Lid	standard equipped			
Machine Voltage	AC 220V/380V, 3phases			
Generator Voltage	AC 110V/220V, 1phase			
Features	With casters with brake			
Packing	wooden case			
Warranty	1 year			

Most large tank are customized ,Customized are welcome!

Before and after of using ultrasonic cleaner



To remove carbon,oil, dust,rust.
No damage to object surface and improve cleaning efficiency.

Applications and industrial of ultrasonic cleaner:

Ultrasonic cleaner is not only for mold cleaning ,It is effective for all metal parts including:
engine block degrease,
radiator clean,
electronic parts.
Carburetor
Castings
Fuel Injectors
Machined Parts
Stamped Parts
Switches

How does ultrasonic cleaning work?

Cavitation, the collapse of millions of tiny bubbles created by ultrasonic vibrations, releases high energy and enormous cleaning power. This cleaning action gently and thoroughly removes dirt, oil, and contaminants from every surface in contact with the cleaning fluid. Because the liquid can penetrate into very small crevices, ultrasonic cleaning can clean intricate items that cannot be cleaned by hand.

Thus Ultrasonic cleaner can help you saving your cost and time.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen