

40 KHz Table Top Ultrasonic Cleaner Adjustable Heater For Petrochemicals

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: SKYMEN
- Certification: CE, FCC, RoHS
- Model Number: JP-100S
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1 unit/carton box
- Delivery Time: In Stock
- Payment Terms: T/T, Paypal, Citibank
- Supply Ability: 1000 unit/per month



Product Specification

- Tank Capacity: 30L
- Tank Size: L500*W300*H200
- Unit Size: L530*W325*H325mm
- Tank Material: SUS304
- Ultrasonic Power: 600W
- Ultrasonic Frequency: 40KHz
- Heating Power: 500W
- Timer: 0~30 Min Digital Adjustable
- Heater: 0~80°C Adjustable
- G W.: 16kg
- Highlight: **skymen ultrasonic cleaner, stainless steel ultrasonic cleaner**



Product Description

An ultrasonic digital cleaning system **allows the elimination of dirt, grease or oil from any type of part or tool**, even the most intricate or difficult to clean. Additionally, and unlike the traditional industrial cleaning methods, a digital ultrasonic cleaner will tune-up your components, guaranteeing their optimal performance.

Features:

1. stainless steel tank has resistance to wear and long work life.
2. tank capacity:30L(8gallon), with Digital timer & heater control
3. with Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. industrial control chip microcontroller. flexible circuit boards control, more secure & stable
6. with drainage

Different size models

Digital timer and heater adjustable series						
Model	JP-008	JP-008PLUS	JP-009	JP-010S	JP-010T	100S
Capacity(L)	0.8	0.8	1.3	2	2	30
Tank size(MM)	150*85*65	150*85*65	150*135*65	150*135*100	150*135*100	500*300*200
Packing size(MM)	178*110*130	178*110*130	175*160*175	175*160*210	175*160*210	530*325*325
Frequency(KHz)	40KHz					
Ultrasonic power (W)	35	80	80	80	80	600
Heating power(W)			100	100	100	500
Timer(min)	30min, 18 times for option	30min, 18 times for option	0-60	0-30	0-60	0-30
Heater(° C)			20-65	20-80	20-65	20-80
Tank Material	SUS304					



Specification of ultrasonic cleaner :

Product parameters

Product model	JP-100S	Inner tank size	500x300x200mm (LxWxH)
Ultrasonic Frequency	40KHz	Unit size	530x330x350mm (LxWxH)
Ultrasonic power	600W (10pcs transducer)	Package size	635x400x440mm (LxWxH)
Capacity	30L	Timer	digital control (1-30mins adjustable)
Heating power	500W	Power supply	AC100-120V,AC220-240V
Inner tank material	stainless steel (SUS304)	Weight	N.W.18kg,G.W.20.5KG

Don't replace filters when they become clogged with dirt, grease or other contaminants; ultrasonic cleaners can restore many types of filters to look and function like new

Ultrasonic parts washers are particularly effective for filters made of metal or plastic mesh; the gentle yet powerful process is much less damaging than traditional cleaning methods that use a brush and high-velocity chemical cleaning solutions. Ultrasonic cleaners use water based solutions that won't damage filters yet reach every crack and crevice for the best possible clean.


Ultrasonics efficiently removes:


carbons
varnishes and paints
petrochemicals
oil and grease
metal shavings
lubricants
rusts
carcinogens
polymers

Benefits of ultrasonics for filters:

Cleans delicate parts without damage
Cleans **cracks and crevices** that would be difficult to reach with the hand
Does not require line-of-sight for effective cleaning
Doesn't use harsh chemical solvents that are dangerous for workers and the environment
Safe for aluminum, magnesium and zinc
Biodegradable cleaner
Clean multiple pieces at once without having to brush by hand – saves time and money

Before and after:





Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen