



40KHz Ultrasonic Generators And Transducers Stainless Steel Ultrasonic Cleaner For Radiator

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Skymen
- Certification: CE
- Model Number: JTM-1036I
- Minimum Order Quantity: 1 set
- Price: Negotiation
- Packaging Details: Packing size: 430x280x380mm(LxWxH) for 1pcs; packed by box and foam; 18pcs per CBM
- Delivery Time: In Stock
- Payment Terms: Western Union, L/C, T/T, Paypal
- Supply Ability: 600 sets per month



Product Specification

- Model: JP-1036I
- Warranty: 1 Year
- Ultrasonic Frequency: 20 / 22 / 28 / 40 / 68kHz
- Ultrasonic Power: 1800W
- Material: SUS304 / 316L
- Feature: Cr+ Plating
- Highlight: **submersible ultrasonic transducer, ultrasonic extraction equipment**

Product Description

Production description:

JP-1036I

Specification details:

Ultrasonic transducer box size (mm):500x460x100(LXWXH)

Housing material: SUS304/SUS316L

Surface finishing: Hard-Cr plating treatment (20+microns)

Ultrasonic frequency: 28KHz / 40KHz

Ultrasonic transducers: 36pcs

Ultrasonic power: 1800W

Electronic generator: KG1800, Ultrasonic generator work separately control transducers

power supply: AC 110V/220V or 220/240V, 1,13AMP

Features:

Original BLT type transducer

SUS stainless steel housing Hard-Cr plating Treatment (20 + microns)

Adaptable for continuous operation

Adjustable ultrasonic power

With separate control ultrasonic electronic generator

Custom made size is available


Transducer no./transducer box: range[6pcs~40pcs per box]

Ultrasonic power: range[300W~2000W]

How this Unit works?

-The ultrasonic transducer plate is design for the person who already have a tank. Put this unit into the tank, and your normal water tank can be a ultrasonic Cleaner.

There are several ways to mount the transducer plate into the tank:



1. side mounted
2. bottom mounted
3. top mounted

Skymen will design proper mounted way for you according to your requirements and existing tank specifications.

28khz Submersible Ultrasonic Transducer could be a tool to remove:

Contaminants can include dust, dirt, oil, pigments, rust, grease, algae, fungus, bacteria, lime scale, polishing compounds, flux agents, fingerprints, soot wax and mold release agents, biological soil like blood, and so on

Packing & delivery details:

Packing , loading, delivery time	
Packing unit	1set/wooden case
Packing method	Export wooden case
Loading port	Shenzhen
Delivery time	About 15 working days
Minimum Order Quantity	1set
Transport method	By express company / air / sea

The picture of immersible ultrasonic pack



How to use an immersible transducer:

Just put the immersible transducer pack into the tank, and the tank becomes an ultrasonic cleaning machine.





86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen