

360 Watt Industrial Ultrasonic Cleaner , 15L Ultrasonic Parts Washer For Valve 40KHz

Basic Information

Place of Origin: ChinaBrand Name: Skymen

Certification: CE ROHS FCC SGS

Model Number: 060S
Minimum Order Quantity: 1 unit
Price: Negotiation
Packaging Details: 1 unit per carton
Delivery Time: In Stock
Payment Terms: T/T

• Supply Ability: 8000 pcs per month



Product Specification

Model: 060S Tank Volume: 15L

• Internal Tank Dimension: 330*300*150mm(L X W X H)

Ultrasonic Power: 360WHeating Power: 300WLead Time: 7 Days

Heater: 20~80°C Adjustable
 Highlight: ultrasonic bath cleaner, table top ultrasonic cleaner



More Images



Product Description

15L Ultrasonic Cleaner 360W for Moulds, precision parts, valve 40KHz

060S product specification:

Model	060S
Tank capacity	15L
Internal tank size	330x300x150mm(L x W x H)
Ultrasonic Power	360W
Heating Power	300W
Frequency	40KHz
Timer	0~30 minutes adjuable
Heater	20~80℃

Cleaning effect:



Features:

Every effective to clean cracks where hand can't reach.

With drainage

Fast delivery, it's in enough stock, you can receive it with 1 week after payment

The ultrasonic could come to hidden corner, zig zag passenge, give a throughout cleaning

Do no harm to any parts. Saving labor and cost;

Varies application for all metal parts, Such as other printer head, disel injector, PCB board, Jewelelry ,watch ,razor ,glass options

Stainless steel tank has resistance to wear and long work life.

Powerful industrial transducer output;

Can be used at home and factory.

How to use?

1 Fill the tank with water

2 put the clieaning items into the tank

3 start the ultraosnics and set the temperature/cleaning time.

Package Includes:

- 1 x Digital Ultrasonic Cleaner
- 1 x Cleaning Basket
- 1 x Manual

Application:

Auto part and machinery parts,

Lab and medical instruments;

Die casting and injection module;

All metal / plastic parts are suitable for ultrasonic cleaner .

A machine, a compact unit, for varies cleaning items!

What is ultrasonic cleaner?

Specially designed transducers transform electric energy into mechanical vibrations. These are transmitted into the cleaning liquid, creating many tiny vacuum-filled bubbles which rapidly implode. This process, called cavitation, releases highly energetic jets of liquid which remove all kinds of contamination from metal, glass, and plastic surfaces. Every surface that comes in contact with the fluid is thoroughly cleaned.

Other models for your choice

Mode	Tank size	Unit size	Volum	Ultrasonic	Ultrasonic	Heating	Time	Heating
ļ			е	power	frequency	power	r	temperature
	L×W×H(mm)	L×W×H(mm)	(L)		(kHz)	(W)	(MIN)	(°C)
				(W)				
010S	150×135×100	175×160×210	2	60		100	1-30	0-80
020S	240×135×100	265×165×220	3.2	120	1	100	1-30	0-80
030S	300×150×100	325×180×225	4.5	180	1	200	1-30	0-80
031S	300×150×150	325×180×280	6.5	180	1	200	1-30	0-80
040S	300×240×150	325×265×280	10.8	240]	200	1-30	0-80
060S	330×300×150	360×325×285	15	360	1	300	1-30	0-80
0000	000,000,100	000.020.200		000		000	1. 00	0 00

C)80S	500×300×150	530×325×285	22	480	40	500	1-30	0-80
1	00S	500×300×200	530×325x325	30	600		500	1-30	0-80
L									

Free service of Skymen:

Free for inquiry before purchase, relevant information is available

Free experimentation of cleaning technology
Free equipment configuration and equipment installation

Free training for your technical and operational staff

Provide timely, efficient supply of spare parts accessories to all users.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen