Our Product Introduction

20L Ultrasonic Cleaning Equipment 480W SUS 304 Material For Moulds / **Precision Parts**

Basic Information

. Place of Origin: China . Brand Name: Skymen

CE ROHS FCC SGS · Certification:

080S Model Number: • Minimum Order Quantity: 1 unit • Price: Negotiation · Packaging Details: 1unit per carton • Delivery Time: In Stock Payment Terms: T/T

. Supply Ability: 8000 pcs per month



Product Specification

080S Model: • Tank Volume: 22L

500*300*150mm(L X W X H) • Internal Tank Dimension:

Ultrasonic Power: 480W 500W . Heating Power: Material: SUS 304 40KHz • Frequency: Transducers: 8pcs

• Highlight: ultrasonic bath cleaner, table top ultrasonic cleaner



Product Description

20L Ultrasonic Cleaner 360W for Moulds, precision parts, Nozzle 40KHz


080S product specification:

Model	080S
Tank capacity	22L
Internal tank size	500x300x150mm(L x W x H)
Ultrasonic Power	480W
Heating Power	500W
Frequency	40KHz
Timer	0~30 minutes adjuable
Heater	20~80℃





Cleaning effect:









Features:

Every effective to clean cracks where hand can't reach.

With drainage

Fast delivery, it's in enough stock, you can receive it with 1 week after payment

The ultrasonic could come to hidden corner, zig zag passenge, give a throughout cleaning

Do no harm to any parts. Saving labor and cost;

Varies application for all metal parts, Such as other printer head, disel injector, PCB board, Jewelelry ,watch ,razor ,glass options

Stainless steel tank has resistance to wear and long work life.

Powerful industrial transducer output;

Can be used at home and factory.

How to use?

- 1 Fill the tank with water
- 2 put the clieaning items into the tank
- 3 start the ultraosnics and set the temperature/cleaning time.

Package Includes:

- 1 x Digital Ultrasonic Cleaner
- 1 x Cleaning Basket
- 1 x Manual

Application:

Auto part and machinery parts,

Lab and medical instruments;

Die casting and injection module;

All metal / plastic parts are suitable for ultrasonic cleaner .

A machine, a compact unit, for varies cleaning items!

What is ultrasonic cleaner?

Specially designed transducers transform electric energy into mechanical vibrations. These are transmitted into the cleaning liquid, creating many tiny vacuum-filled bubbles which rapidly implode. This process, called cavitation, releases highly energetic jets of liquid which remove all kinds of contamination from metal, glass, and plastic surfaces. Every surface that comes in contact with the fluid is thoroughly cleaned.

Other models for your choice

Mode	Tank size	Unit size	Volum	Ultrasonic	Ultrasonic	Heating	Time	Heating
ı			е	power	frequency	power	r	temperature
	L×W×H(mm)	L×W×H(mm)	(L)		(kHz)	(W)	(MIN)	(°C)
				(W)				
010S	150×135×100	175×160×210	2	60		100	1-30	0-80
)20S	240×135×100	265×165×220	3.2	120	7	100	1-30	0-80
030S	300×150×100	325×180×225	4.5	180	7	200	1-30	0-80
031S	300×150×150	325×180×280	6.5	180		200	1-30	0-80
040S	300×240×150	325×265×280	10.8	240	7	200	1-30	0-80
060S	330×300×150	360×325×285	15	360	\neg	300	1-30	0-80
080S	500×300×150	530×325×285	22	480	40	500	1-30	0-80
		,						

100S	500×300×200	530×325x325	30	600	500	1-30	0-80

Free service of Skymen:
Free for inquiry before purchase, relevant information is available
Free experimentation of cleaning technology
Free equipment configuration and equipment installation

Free training for your technical and operational staff
Provide timely, efficient supply of spare parts accessories to all users.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen