



## 5400W Industrial Ultrasonic Cleaner 540L Barbecue Grills / Gears / Wheels Applied

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-1108ST
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 1000 pcs per month



### Product Specification

- Model: JP-1108ST
- Capacity: 540L
- Ultrasonic Power: 5400W
- Heating Power: 18000W
- Frequency: 40KHz/28KHz
- Internal Tank Size: 1000X900X600mm (L\*W\*H)
- Unit Size: 1300\*1200\*1050mm (L\*W\*H)
- Packing Size: 1360\*1260\*1170mm (L\*W\*H)
- Highlight: automotive ultrasonic cleaner, ultrasonic cleaning device



### More Images



## Product Description

### 540L Barbecue Grills, Gears, Wheels 5400W Ultrasonic Cleaner with Heating Function 28/40KHz

#### Product Applications

##### Clean Your Saw Blades, Router Bits, Shapers, Hogs, CNC Spirals in minutes!

1. stainless steel tank has resistance to wear and long work life.
2. tank capacity: 540 Liter
3. with Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. industrial control chip  
microcontroller. flexible circuit boards control, more secure & stable
6. with drainage, basket, lid and Multi-direction castors
7. Transducer : Korea technique
8. PCB board is independent research and development design production by skymen
9. It can applied to clean cast iron, steel, stainless steel, brass, bronze

#### PRODUCT FEATURES

- Fast cleaning of all types of tools including sawblades, router bits, shapers, knives, etc •
- Eliminates need for secondary wire brushing •
- Heated tank adjustable from RT-90 Celcius degrees •
- 304 Stainless Steel construction for long life •
- Ultrasonic Transducers direct bonded to Polished interior walls for most efficient cleaning •
- Twin Power Generator Sweeps 40khz frequency +- 1Khz for even distribution of cleaning force •
- Inlet and Outlet plumbing for easy cleaning and refill •
- Small Footprint allows access in the tightest shops •
- Detached Generator Unit can be mounted up to 15ft away from mist and dirt

Product Specification

--

Ultrasonic Frequency	40KHz
Material	Stainless Steel SUS304
Tank Capacity	540 Liter

Transducer	108pcs
Timer	1-99Hours adjustable
Heater	20°C to 95°C adjustable
Power Supply	AC380V, 3 phase/50Hz
Heating Power	18000W
Ultrasonic Power	5400W
Max Power	23400W
Inlet Pipe	Diameter 1.2 inch
Drain Value	Diameter 1.2 inch
All direction wheel	Diameter 65mm

Current Lead	3m
Generator	2pcs
Tank Size (LxWxH)	1000x900x600mm
Unit Size	1300x1200x1100mm
Packing Size	1370x1270x1225mm Wooden case
NW/GW	210KG/217KG
Warranty	1 year

#### Product Specification



Model	JP-1108ST
Tank Volume	540L
Internal tank dimension	1000X900X600mm (L*W*H)
Unit size	1300*1200*1050mm (L*W*H)
Packing size	1360*1260*1170mm (L*W*H)
Transducers	108pcs
Ultrasonic Power	5400W
Heating Power	18000W
Frequency	28 / 40KHz
Power Supply	AC 380V 60Hz 3 phase; AV 220 50Hz 3 phase

#### Product Images:





Clean effect:



Dirty Valve

Clean Valve





#### Other similar models:

Model	Tank size	Volume	Ultrasonic Power	Heating Power	Transducer
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
JP-120ST	500X300X250	38L	600W	1500W	12pcs
JP-180ST	500X350X300	53L	900W	1500W	18pcs
JP-240ST	550X400X350	77L	1200W	3000W	24pcs
JP-300ST	550X450X400	99L	1500W	3000W	30pcs
JP-301ST	800X300X400	96L	1500W	3000W	30pcs
JP-360ST	600X500X450	135L	1800W	4500W	36pcs
JP-480ST	700X500X500	175L	2400W	6000W	48pcs
JP-600ST	800X600X550	246L	3000W	6000W	60pcs
JP-720ST	1000X600X600	360L	3600W	9000W	72pcs
<b>JP-1108ST</b>	<b>1000X900X600</b>	<b>540L</b>	<b>5400W</b>	<b>18000W</b>	<b>108pcs</b>
JP-1144ST	1200X1000X800	960L	7200W	27000W	144pcs

#### How to Use an Ultrasonic Cleaner for Medical & Surgical Instruments?

Medical and surgical instruments in a variety of sizes and complexity can pose challenges when it comes to cleaning, disinfecting and sterilizing them after use. An ultrasonic cleaner is an ideal tool for the first step in this three step process to protect medical personnel and patients from possible infection due to pathogens that remain on the instruments after a procedure.

#### Delivery

Usually we ship your cargo by FedEx, DHL, UPS or any other logistic company.

You can also use your own shipping agent.

RFQ

Q: What is your MOQ?

A: 1 set.

Q: How to solve the equipment trouble during using ?

A: Please email us about problem with pictures or a small video will be better, we will find the problem and solve it. If broken, we will send you a new free part if in the warranty period.

Feedbacks

We value any comments, suggestions from you. If you got any problem, please contact us



**Skymen Technology Corporation Limited**

☎ 86-755-27094405

✉ info@skymen.cc

🌐 skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen