



Cylinder Industrial Ultrasonic Cleaner 28/40KHz With 100L Rinsing Tank / Filter

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-2060G
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



Product Specification

- Model: JP-2060G
- First Tank Volume: 99L
- First Tank Size: 550X450X400mm
- Transducers: 60cs; 60pcs Of Every Tank
- Ultrasonic Power: 3000W; 1500W Of Every Tank
- Heating Power: 6000W; 3000W Of Every Tank
- Filtration Cycle System: Connected With 1st Tank
- Frequency: 28/40KHz
- Highlight: **ultrasonic cleaning device, ultrasonic washing machine**



for more products please visit us on skymenultrasonic.com

Product Description

80L Ultrasonic Cleaner for Heavy Grease/oil 28/40KHz With Rinsing Tank and Filter

Specification

Model	JP-2060G
1st Tank Volume	99L
2nd Tank Volume	99L
First tank size	550X450X400mm
Second tank size	550X450X400mm
Transducers	60pcs 50W of every transducer, 30pcs of every tank
Ultrasonic Power	3000W 1500W of every tank
Heating Power	6000W 3000W of every tank
Frequency	28KHz/40KHz
Filtration Cycle System	1 set
Generator	2 set
Unit size	1500*1150*850mm
Packing size	1560*1210*970mm
Timer	0~99 minutes adjustable
Heater	Room temperature~99°C adjustable
Material	SUS 304 default, can be SUS 316
Power Supply	AC 220V 3 phase ; AC 380V 3 phase
N.W.	230KG
G.W.	260KG Wrapped by film in wooden case
Lead time	18 working days
Warranty	1 year warranty period, technique support all time
Certificates	CE, RoHS, FCC, SGS
Advantage	Filter the dirty water; keep the water clear in tank; lower the frequency of changing water

Same series with different size:

Model	Size of every tank L*W*H (mm)	Tank Volume (L)	Ultrasonic Power (W)	Heating Power (W)	Transducer (pcs)
JP-2024G	500X300X250	38L*2	600W*2	1500W*2	24pcs
JP-2036G	500X350X300	53L*2	900W*2	1500W*2	36pcs
JP-2048G	550X400X350	77L*2	1200W*2	3000W*2	48pcs
JP-2060G	550X450X400	99L*2	1500W*2	3000W*2	60pcs
JP-2072G	600X500X450	135L*2	1800W*2	4500W*2	72pcs
JP-2096G	700X500X500	175L*2	2400W*2	6000W*2	96pcs
JP-2120G	800X600X550	264L*2	3000W*2	6000W*2	120pcs
JP-2144G	1000X600X600	360L*2	3600W*2	9000W*2	144pcs
JP-2216G	1000X900X600	540L*2	5400W*2	18000W*2	216pcs
JP-2288G	1200*1000*800	960L*2	7200W*2	27000W*2	228pcs

Images:




Clean effect:

Korean BBQ Grill Plate
Cleaner




Bakery Rack Cleaner



Roasting Pan Cleaner




Sheet Pan Cleaner






Engine block with heavy oil before cleaning (photo from customer workshop):



Engine block photo after cleaning by Skymen ultrasonic cleaner (from customer):



If you want choose other function, please see the buying guide as below:

1. Choose suitable tank size based on cleaning objects, size can be customized
2. Choose suitable frequency, 40kHz for common use and 28kHz for heavy duty oil removal
3. Choose tank material based on solvent, SUS304 or SUS316L
4. Other function optional, Ultrasonic cleaning tank + Ultrasonic Rinsing tank; Ultrasonic cleaning tank + Air agitation Rinsing tank; Ultrasonic cleaning tank + Water Rinsing tank; Ultrasonic cleaning tank + Hot air drying tank; Oil filtration system: detergent recycle use to save much cost.

RFQ

Q: How to control the cleaning time?

A: Generally, 3minutes is enough for daily goods clean.

Q: Does ultrasonic cleaner damage the articles?

A: Ultrasonic cleaning is considered safe for most parts; although in some cases it is necessary to observe caution. Although the effect of thousands of implosions per second is very powerful, the cleaning process is safe.

Q: What about after-sale service?

A: our company provides 1 Year warranty. If any technical problem during warranty time, replacement parts will be sent free of charge. After warranty time, technical support is also available for every customer.

Q: What kind of cleaning solution should I use?

A: A large variety of different formulas designed for specific applications. Proper selection is crucial for acceptable cleaning activity and to prevent unwanted reactions with the work piece.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen