



540L Dual Tanks Industrial Ultrasonic Cleaner for Printing Stencil 28KHz

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-2108GH
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



Product Specification

- Tank Volume: 540L
- Tank Size: 1000X900X600mm
- Transducers: 108pcs
- Ultrasonic Power: 5400W
- Heating Power: 18000W
- Filtration Cycle System: Connected With 1st Tank
- Frequency: 28/40KHz
- Highlight: **ultrasonic cleaning device,
ultrasonic washing machine**



Product Description

540L Dual Tanks Industrial Ultrasonic Cleaner for Printing Stencil 28KHz

If you are interested in our Ultrasonic cleaner, pls leave us message about:

1. What do you want to clean?
2. What the size of your cleaning item?

Cleaning process of this Ultrasonic cleaner:

1. Put cleaning item in basket in 1st tank, cleaned by Ultrasonic wave for about 10 minutes.
2. Move basket in 2nd tank for hot air drying about 5 minutes.

Same series Ultrasonic cleaner with different size and capacity:

| Model | Size of every tank | Tank Volume | Ultrasonic Power | Heating Power | Transducer |
|-----------------|---------------------|---------------|------------------|-----------------|---------------|
| | L*W*H (mm) | (L) | (W) | (W) | (pcs) |
| JP-2024G | 500X300X250 | 38L*2 | 600W*2 | 1500W*2 | 24pcs |
| JP-2036G | 500X350X300 | 53L*2 | 900W*2 | 1500W*2 | 36pcs |
| JP-2048G | 550X400X350 | 77L*2 | 1200W*2 | 3000W*2 | 48pcs |
| JP-2060G | 550X450X400 | 99L*2 | 1500W*2 | 3000W*2 | 60pcs |
| JP-2072G | 600X500X450 | 135L*2 | 1800W*2 | 4500W*2 | 72pcs |
| JP-2096G | 700X500X500 | 175L*2 | 2400W*2 | 6000W*2 | 96pcs |
| JP-2120G | 800X600X550 | 264L*2 | 3000W*2 | 6000W*2 | 120pcs |
| JP-2144G | 1000X600X600 | 360L*2 | 3600W*2 | 9000W*2 | 144pcs |
| JP-2216G | 1000X900X600 | 540L*2 | 5400W*2 | 18000W*2 | 216pcs |
| JP-2288G | 1200*1000*800 | 960L*2 | 7200W*2 | 27000W*2 | 228pcs |

Specification of this Ultrasonic cleaner:

| | |
|-------------------------|---|
| Model | JP-2108G |
| 1st Tank Volume | 540L |
| 2nd Tank Volume | 540L |
| First tank size | 1000X900X600mm |
| Second tank size | 1000X900X600mm |
| Transducers | 216pcs 50W of every transducer, 108pcs of every tank |
| Ultrasonic Power | 10800W 5400W of every tank |
| Heating Power | 36000W 18000W of every tank |
| Frequency | 28KHz/40KHz |
| Filtration Cycle System | 1 set |
| Generator | 4 set |
| Unit size | 2450*1600*1050mm |
| Packing size | 2510*1660*1170mm |
| Timer | 0~99 minutes adjustable |
| Heater | Room temperature~99°C adjustable |
| Material | SUS 304 default, can be SUS 316 |
| Power Supply | AC 220V 3 phase ; AC 380V 3 phase |
| N.W. | 500KG |
| G.W. | 550KG Wrapped by film in wooden case |
| Lead time | 18 working days |
| Warranty | 1 year warranty period, technique support all time |
| Certificates | CE, RoHS, FCC, SGS |
| Advantage | Filter the dirty water; keep the water clear in tank; lower the frequency of changing water |

Features below,

- 2 tanks: ultrasonic cleaning +ultrasonic rinsing+Filtration cycle system. If you want to add more function, pls tell us.
- With digital timer and heater,easy to operate.
- SUS304/316L tank ,thickness 2mm. Durable and anti-rust.
- Heater 20- 99°C; timer: 1-99mins
- With separate control ultrasonic electronic generator.
- With rollers and brakes
- Safe switch, protect machine and your life
- Machine components: control box, basket, inlet valve, drain valve, silencer cover, casters etc.

Images:




Clean effect:

Engine block with heavy oil before cleaning (photo from customer workshop):



Engine block photo after cleaning by Skymen ultrasonic cleaner (from customer):




DIRT ELIMINATION PROCESS THROUGH ULTRASONIC TECHNOLOGY


- Cleaning effect will be much better if using the machine together with proper solvent.



As ultrasonic wave through the solution in the tank, cause alternating high and low pressures in the solution.



During the low pressure stage, millions of microscopic bubbles form and grow. This process is called "CAVITATION".



During the high pressure stage, the bubbles implode releasing enormous amounts of energy. They work in all directions, attacking surface and invading all recesses and openings.

Application:

Service line, Electron line, Medical & Surgical instrument, Laboratory, Machine line, Horniness alloy line, Chemistry line. Industry and mining enterprise, universities, colleges and institutes scientific research unit laboratory; Hospital; Electronic workshop assembly line; Clock and watch eyeglasses shop, jewelry; Jeweler's shop, Family. you will use ultrasonic cleaner for everywhere.

Clean Items: Electronic products, mechanical hardware fitting, eyeglasses, jewelry, clock and watch, coins, fruit and so on.

Jewellery, Shaver Heads, Toothbrushes, Waterproof Watches, Glasses Motor Parts, Ink Cartridges,

Machine Nozzles, Chiropody Instruments, Laboratory parts

Coins, Pen Heads, Printer Heads, Printed Circuit Boards Veterinary Instruments

Why choos us and what benefit can i get?

1. We are original manufacture of ultrasonic cleaner, we provide quality and durable product with competitive price, and 1 year warranty.
2. 24 hours best service
3. Secure packaging to make sure goods deliver your customer without any damage.
4. We make standard ultrasonic cleaner with stock, customer do not have to wait long production time.
5. We accept OEM service, printed logo are acceptable.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen