



## Adjustable Timer Industrial Ultrasonic Cleaner 175L For Polishing / Finishing

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JTS-3096GPH
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



### Product Specification

- Model: JTS-3096GPH
- First Tank Volume: 175L
- First Tank Size: 700X500X500mm
- Transducers: 48pcs In 1st Tank; 48pcs In 2nd Tank
- Ultrasonic Power: 2400W\*2
- Heating Power: 6000W\*2
- Function: Ultrasonic Clean+rinsing+filter+drying
- Frequency: 28/40KHz
- Highlight: **automotive ultrasonic cleaner, ultrasonic cleaning device**



### More Images



## Product Description

### Ultrasonic Cleaning Machine 175L for Polishing, Finishing with Rinsing, Filter, Dryer

#### Features

1. Digital LED screen display
2. Fast and effective cleaning, convenient for users
3. Clean rings, earrings, necklaces, new features of diamonds,
4. Use only tap water or add a small amount of detergent for better cleaning
5. The cleaning effect is obvious
6. Cleaning items shine like new ones
7. Compact cover design to reduce noise

#### Specification

Model	JTS-3096GPH
1st Tank Volume	175L Ultrasonic Cleaning tank with filtration cycle system
2nd Tank Volume	175L Ultrasonic Rinsing tank
3rd Tank Volume	175L Drying tank
1st tank size	700X500X500mm
2nd tank size	700X500X500mm
3rd Tank size	700X500X500mm
Transducers	48pcs in 1st tank; 48pcs in 2nd tank
Ultrasonic Power	2400W*2
Heating Power of Ultrasonic tank	6000W*2
Heating Power of Drying tank	750W
Frequency	28KHz/40KHz
Drying System	1 set
Unit size	2780*1300*1100mm
Packing size	2840*1360*1220mm
Timer	0~99 minutes adjustable
Heater	Room temperature~99°C adjustable
Material	SUS 304 default, can be SUS 316
Power Supply	AC 220V 3 phase ; AC 380V 3 phase
N.W.	450G
G.W.	490KG Wrapped by film in wooden case
Lead time	18 working days
Warranty	1 year warranty period, technique support all time
Certificates	CE, RoHS, FCC, SGS
Advantage	Filter the dirty water; keep the water clear in tank; lower the frequency of changing water

#### Same series with different size for your choice:



Model	Size of every tank	Tank Volume	Ultrasonic Power	Heating Power of Ultrasonic tank	Heating Power of drying tank	Transducer
	L*W*H (mm)	(L)	(W)	(W)	750W	(pcs)
JP-3024GPH	500X300X250	38L*3	600W	1500W*2	750W	24pcs
JP-3036GPH	500X350X300	53L*3	900W	1500W*2	750W	36pcs
JP-3048GPH	550X400X350	77L*3	1200W	3000W*2	750W	48pcs
JP-3060GPH	550X450X400	99L*3	1500W	3000W*2	750W	60pcs
JP-3072GPH	600X500X450	135L*3	1800W	4500W*2	750W	72pcs
<b>JP-3096GPH</b>	<b>700X500X500</b>	<b>175L*3</b>	<b>2400W</b>	<b>6000W*2</b>	<b>750W</b>	<b>96pcs</b>
JP-3120GPH	800X600X550	264L*3	3000W	6000W*2	750W	120pcs
JP-3144GPH	1000X600X600	360L*3	3600W	9000W*2	750W	144pcs
JP-3216GPH	1000X900X600	540L*3	5400W	18000W*2	1100W	216pcs
JP-3288GPH	12000*1000*800	960L*3	7200W	24000W*2	1500W	288pcs

#### Images:




Clean effect:






## DIRT ELIMINATION PROCESS THROUGH ULTRASONIC TECHNOLOGY


- Cleaning effect will be much better if using the machine together with proper solvent.



As ultrasonic wave through the solution in the tank, cause alternating high and low pressures in the solution.



During the low pressure stage, millions of microscopic bubbles form and grow. This process is called "CAVITATION".



During the high pressure stage, the bubbles implode releasing enormous amounts of energy. They work in all directions, attacking surface and invading all recesses and openings.

### How to Use an Ultrasonic Cleaner for Medical & Surgical Instruments?

Medical and surgical instruments in a variety of sizes and complexity can pose challenges when it comes to cleaning, disinfecting and sterilizing them after use. An ultrasonic cleaner is an ideal tool for the first step in this three step process to protect medical personnel and patients from possible infection due to pathogens that remain on the instruments after a procedure.

#### History:

Skymen Cleaning Equipment Shenzhen Co., Ltd., was founded in 2007, which follows the brand development strategy of "based in Shenzhen, radiating throughout the country, expanding overseas".

Skymen also owns a professional R&D team to keep the pace with international ultrasonic technology. A passionate and young sales team sell to the world through different channels.



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen