



CE 264L Industrial Ultrasonic Cleaner Adjustable Timer For Turbine Fuel Nozzle

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JTS-3120GPH
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



Product Specification

- Model: JTS-3120GPH
- First Tank Volume: 264L
- First Tank Size: 800X600X550mm
- Transducers: 60pcs In 1st Tank; 60pcs In 2nd Tank
- Ultrasonic Power: 3000W*2
- Heating Power: 6000W*2
- Function: Ultrasonic Clean+rinsing+filter+drying
- Frequency: 28/40KHz
- Highlight: **automotive ultrasonic cleaner, ultrasonic cleaning device**

Product Description

264L Ultrasonic Cleaning Machine for turbine fuel nozzle with Rinsing, Filter, Dryer

Ultrasonic cleaning machines are widely used in surface coating processing industry, machinery industry, electronics industry, medical industry, semiconductor industry, watch and jewelry industry, optical industry, textile printing and dyeing industry.

Other industries, etc., the use of ultrasonic cleaning machine is as follows

1. Surface spray treatment industry: (cleaning attachments: oil, mechanical chips, abrasives, dust, polishing wax) Removal of carbon deposits before plating, removal of oxide scales, removal of polishing paste, degreasing and derusting, cleaning before ion plating, Phosphating treatment, metal workpiece surface activation treatment, etc. Stainless steel polishing products, stainless steel knives, tableware, knives, locks, lighting, pre-painting of hand ornaments, cleaning before plating.

2. Machinery industry: (cleaning attachments: cutting oil, abrasive grains, iron filings, dust, fingerprints) Removal of rust preventive grease; cleaning of measuring tools; degreasing and derusting of mechanical parts; engine, engine parts, gearbox, damper, bearing bush, grease nipple, cylinder block, valve body, carburetor and auto parts and chassis paint Cleaning before degreasing, descaling, phosphating; cleaning of filters, piston fittings, filters, etc. Precision mechanical parts, compressor parts, camera parts, bearings, hardware parts, molds, especially in the railway industry, are suitable for degreasing and decontaminating train compartment air conditioners, rust prevention, rust removal and degreasing of various parts of the train head.

Specification

Model	JTS-3120GPH
1st Tank Volume	264L Ultrasonic Cleaning tank with filtration cycle system
2nd Tank Volume	264L Ultrasonic Rinsing tank
3rd Tank Volume	264L Drying tank
1st tank size	800X600X550mm
2nd tank size	800X600X550mm
3rd Tank size	800X600X550mm
Transducers	60pcs in 1st tank; 60pcs in 2nd tank
Ultrasonic Power	3000W*2
Heating Power of Ultrasonic tank	6000W*2
Heating Power of Drying tank	750W
Frequency	28KHz/40KHz
Drying System	1 set
Unit size	3060*1400*1150mm
Packing size	3120*1460*1270mm
Timer	0~99 minutes adjustable
Heater	Room temperature~99°C adjustable
Material	SUS 304 default, can be SUS 316
Power Supply	AC 220V 3 phase ; AC 380V 3 phase
N.W.	500G
G.W.	550KG Wrapped by film in wooden case
Lead time	18 working days
Warranty	1 year warranty period, technique support all time
Certificates	CE, RoHS, FCC, SGS
Advantage	Filter the dirty water; keep the water clear in tank; lower the frequency of changing water



Same series with different size for your choice:

Model	Size of every tank	Tank Volume	Ultrasonic Power	Heating Power of Ultrasonic tank	Heating Power of drying tank	Transducer
	L*W*H (mm)	(L)	(W)	(W)	750W	(pcs)
JP-3024GPH	500X300X250	38L*3	600W	1500W*2	750W	24pcs
JP-3036GPH	500X350X300	53L*3	900W	1500W*2	750W	36pcs
JP-3048GPH	550X400X350	77L*3	1200W	3000W*2	750W	48pcs
JP-3060GPH	550X450X400	99L*3	1500W	3000W*2	750W	60pcs
JP-3072GPH	600X500X450	135L*3	1800W	4500W*2	750W	72pcs
JP-3096GPH	700X500X500	175L*3	2400W	6000W*2	750W	96pcs
JP-3120GPH	800X600X550	264L*3	3000W	6000W*2	750W	120pcs
JP-3144GPH	1000X600X600	360L*3	3600W	9000W*2	750W	144pcs
JP-3216GPH	1000X900X600	540L*3	5400W	18000W*2	1100W	216pcs
JP-3288GPH	12000*1000*800	960L*3	7200W	24000W*2	1500W	288pcs

Images:




Clean effect:




DIRT ELIMINATION PROCESS THROUGH ULTRASONIC TECHNOLOGY


- Cleaning effect will be much better if using the machine together with proper solvent.



As ultrasonic wave through the solution in the tank, cause alternating high and low pressures in the solution.



During the low pressure stage, millions of microscopic bubbles form and grow. This process is called "CAVITATION".



During the high pressure stage, the bubbles implode releasing enormous amounts of energy. They work in all directions, attacking surface and invading all recesses and openings.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen