



## Dental Tools Benchtop Ultrasonic Cleaner 10L Tank Volume 240 Watt 1 Year Warranty

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Skymen
- Certification: RoHS, CE, FCC, SGS
- Model Number: 040S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 8000 pcs per month



### Product Specification

- Model: 040S
- First Tank Volume: 10L
- Tank Size: 300\*240\*150mm
- Ultrasonic Power: 240W
- Heating Power: 200W
- Frequency: 40KHz
- Timer: 0~30 Minutes Adjustable
- Temperature: 20~80°C Adjustable
- Highlight: **ultrasonic bath cleaner, table top ultrasonic cleaner**



### More Images



## Product Description

### 10L Ultrasonic Cleaner 240W for dental tools, medical tools, injector, 40KHz

#### Specification

|                      |                       |
|----------------------|-----------------------|
| Model                | 040S                  |
| Ultrasonic frequency | 40,000Hz              |
| Material of tank     | SUS304                |
| Material of shell    | SUS304                |
| Capacity             | 10L                   |
| Timer                | 0~30 mins adjustable  |
| Temperature          | 20~80°C adjustable    |
| Power supply type 1  | AC 100~120V, 50/60Hz  |
| Power supply type 2  | AC 220~240V, 50/60Hz  |
| Drain value          | 1 set                 |
| Ultrasonic power     | 240W                  |
| Heating Power        | 200W                  |
| Tank inner dimension | 300*240*150mm         |
| Unit dimension       | 380*290*280mm         |
| Packing size         | 440*365*360mm         |
| N.W.                 | 7.555kg               |
| G.W.                 | 8.55kg                |
| Warranty             | 1 year                |
| Certificate          | SGS & FCC & CE & RoHS |

#### Similar models with different capacity:

##### ***Stainless Bench Top***



| Model       | Capacity  | Tank Size          | Ultrasonic Power | Heating Power | Frequency |
|-------------|-----------|--------------------|------------------|---------------|-----------|
|             | (L)       | (L*W*H)mm          | (W)              | (W)           | (KHz)     |
| 008         | 0.8       | 150*85*65          | 35               | 0             | 40        |
| 009         | 0.9       | 150*135*65         | 60               | 100           | 40        |
| 010T        | 2         | 150*165*100        | 60               | 100           | 40        |
| 020S        | 3.2       | 240*135*100        | 120              | 100           | 40        |
| 030S        | 4.5       | 300*150*100        | 180              | 200           | 40        |
| 031S        | 6.5       | 300*150*150        | 180              | 200           | 40        |
| <b>040S</b> | <b>10</b> | <b>300*240*150</b> | <b>240</b>       | <b>200</b>    | <b>40</b> |
| 060S        | 15        | 330*300*150        | 360              | 300           | 40        |
| 080S        | 22        | 500*300*150        | 480              | 500           | 40        |
| 100S        | 30        | 500*300*200        | 600              | 500           | 40        |

Image:









**If you want choose other function, please see the buying guide as below:**

1. Choose suitable tank size based on cleaning objects, size can be customized
2. Choose suitable frequency, 40kHz for common use and 28kHz for heavy duty oil removal
3. Choose tank material based on solvent, SUS304 or SUS316L
4. Other function optional, Ultrasonic cleaning tank + Ultrasonic Rinsing tank; Ultrasonic cleaning tank + Air agitation Rinsing tank; Ultrasonic cleaning tank + Water Rinsing tank; Ultrasonic cleaning tank + Hot air drying tank; Oil filtration system: detergent recycle use to save much cost.



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen