



## 38L Tank Benchtop Ultrasonic Cleaner 720 Watt For Oven Tray Boiler Bottles Auto Parts Surgical 720W Sonic Cleaner

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-120S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 8000 pcs per month



### Product Specification

- Model: JP-120S
- First Tank Volume: 38L
- Tank Size: 500\*300\*250mm
- Ultrasonic Power: 720W
- Heating Power: 750W
- Frequency: 40KHz
- Timer: 0~99 Minutes Adjustable
- Temperature: 20~80°C Adjustable
- Highlight: **ultrasonic bath cleaner, table top ultrasonic cleaner, 38L Benchtop Ultrasonic Cleaner**



### More Images



## Product Description

### 38L Ultrasonic Cleaner 720W for Oven tray, boiler, bottles, bottle cap, filters 40KHz

#### Allication in Engine:

After a long period of use, there will be a lot of oil on the engine surface. If you do not remove these oils, it will affect the use of the car, reduce the service life of the car, and even have certain safety hazards. Therefore, engine cleaning is very necessary. Traditional cleaning is the use of manual cleaning or high pressure water guns. However, manual cleaning is difficult to clean some blind holes and gaps in the engine; the effect of high-pressure water gun on oil pollution is not very significant. The effect of ultrasonic cleaning is very remarkable. The oil on the surface and the oil on the gap can be effectively removed under the impact of tens of thousands of ultrasonic waves. And with the application of the filtration circulation system, it can effectively filter out the concentrated treatment of oil, which greatly saves water resources and has negligible impact on the environment.

#### Specification

Model	JP-120S
Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	38L
Timer	0~99 mins adjustable
Temperature	20~80°C adjustable
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Drain value	1 set
Ultrasonic power	720W
Heating Power	750W
Tank inner dimension	500*300*250mm
Unit dimension	585*345*385mm
Packing size	680*455*450mm
N.W.	19kg
G.W.	25kg
Warranty	1 year
Certificate	SGS & FCC & CE & RoHS

#### Similar models with different capacity:

##### **Stainless Bench Top**





Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

**Image:**





## Skymer tabletop ultrasonic cleaner

Product Process



1 Raw Material



2 Semifinished tanks



3 Transducer installation



4 Transducer wiring



5 Assembling



6 Onsite testing



7 Age Testing



8 Finished



9 Shipping packing

### Ultrasonic Cleaner's Features

1. Digital LED screen display
2. Fast and effective cleaning, convenient for users
3. Clean rings, earrings, necklaces, new features of diamonds,
4. Use only tap water or add a small amount of detergent for better cleaning
5. The cleaning effect is obvious
6. Cleaning items shine like new ones
7. Compact cover design to reduce noise

### Our service:

Pre-sale Service

1. Reply your messages or emails within 12 hours.
  2. OEM&ODM acceptable(Custom- made logo or package).
  3. Professional solutions are provided.
  4. New product recommendation.
  5. Drop- shipping available
- After- sales Service  
Within 12 months, if there will be any problem with the machine, we will allow the professional person to handle it for you or to the site.



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen