



SUS304 Benchtop Ultrasonic Cleaner 600 Watt 30L For Stamping Oil / Finstock / Wax

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, REACH
- Model Number: JP-100S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 8000 pcs per month



Product Specification

- Model: JP-100S
- First Tank Volume: 30L
- Tank Size: 500*300*200mm
- Ultrasonic Power: 600W
- Heating Power: 500W
- Frequency: 40KHz
- Timer: 0~30 Minutes Adjustable
- Temperature: 20~80°C Adjustable
- Highlight: **table top ultrasonic cleaner, ultrasonic cleaning equipments**

Product Description

30L Ultrasonic Cleaner for Stamping oil, Finstock, Wax 600 Watt

Specification:


Model	JP-100S
Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	30L
Drain value	On the left side
Timer	0~30 mins adjustable
Temperature	20~80°C adjustable
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Ultrasonic power	600W
Heating Power	500W
Tank inner dimension	500*300*200mm
Unit dimension	585*327*333mm
Packing size	680*455*400mm
N.W.	16kg
G.W.	14.35kg
Certificate	FCC & CE & RoHS & REACH

Similar models with different capacity:

Stainless Bench Top

Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
JP-010T	2	150*165*100	60	100	40
JP-020S	3.2	240*135*100	120	100	40
JP-030S	4.5	300*150*100	180	200	40
JP-031S	6.5	300*150*150	180	200	40
JP-040S	10	300*240*150	240	200	40
JP-060S	15	330*300*150	360	300	40
JP-080S	22	500*300*150	480	500	40
JP-100S	30	500*300*200	600	500	40

Image:





Compared to traditional cleaning methods, ultrasonic cleaners show great advantages. Especially in specialized and group-oriented production enterprises, ultrasonic cleaning has gradually replaced traditional dipping, brushing, pressure washing, vibration cleaning and steam cleaning.

Ultrasonic cleaners are highly efficient and clean, thanks to the penetrating and cavitation shock waves that their sound waves travel through the medium. Therefore, it is easy to clean the parts with complicated shapes, and the general degreasing, descaling, phosphating and other processes can be completed in two or three minutes under the action of ultrasonic waves, and the speed can be several times higher than the conventional method. To a few dozen degrees, the cleanliness can also reach a high standard, which highlights the results that are difficult or impossible to replace with other treatment methods in many cases where the surface quality and production efficiency of the product are high



Sky men Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen