

38 Liter Benchtop Ultrasonic Cleaner 720W For Medical Instruments

Basic Information

. Place of Origin: Shenzhen, China

. Brand Name: Skymen

RoHS, CE, FCC, REACH · Certification:

JP-120S Model Number:

• Minimum Order Quantity:

• Price: Negotiation Packaging Details: Wooden case • Delivery Time: In Stock Payment Terms: T/T

. Supply Ability: 8000 pcs per month



Product Specification

Model: JP-120S First Tank Volume: 38L

500*300*250mm Tank Size: • Custom Size: Acceptable 720W • Ultrasonic Power: . Heating Power: 800W 40KHz • Frequency:

. Time Setting: 0~30 Minutes Adjustable • Temperature: 20~80°C Adjustable

SUS 304 Material:

• Highlight: 38 Liter Benchtop Ultrasonic Cleaner,

Medical Instruments Benchtop Ultrasonic

, Table Top Ultrasonic Cleaner 720W

Product Description

Multi-function 38 Liter Ultrasonic Cleaning Machine for Medical Instruments

Four advantages of ultrasonic cleaning machine

The reason why the current affordable industrial ultrasonic cleaner can get more and more attention in many different workpiece cleaning methods is not only because it can better meet our high requirements and high standards for workpiece cleaning, but also because it has Lots of cleaning advantages.

1. Clean thoroughly

Compared with other manual or other cleaning methods, professional and reliable industrial ultrasonic cleaners have a very significant cleaning effect, and can completely and effectively clean each dead corner of the workpiece, so that it can truly remove the dead corners and hidden corners of complex workpieces. Cleaning requirements.

2. Batch cleaning

Whether it is a single workpiece with a complex structure or a large number of batches, we only need to put these workpieces in the cleaning liquid and ensure that all parts can contact the liquid, then the industrial ultrasonic cleaning machine can perform very efficient cleaning jobs.

3. Multifunctional cleaning

Quality-assured industrial ultrasonic cleaners can combine different solvents to achieve different cleaning effects, and can also meet different supporting production processes, such as dust removal, rust removal, oil removal, wax removal, or passivation, phosphating, ceramics And plating.

4. Energy saving and environmental protection.

Industrial ultrasonic cleaning machine can not only effectively reduce pollution and have a good environmental effect, but also can reduce the damage caused by toxic solvents to human beings. In addition, it is equipped with a cleaning cycle filtration system, so we can recycle and reuse the cleaning solvent, which is very meaningful for the cost of cleaning solvents, saving water resources and improving the environmental protection image of the company.

In summary, the currently popular industrial ultrasonic cleaners not only have the four advantages described above, there are many advantages that we need to know after we have used them ourselves. As a consumer at this moment, if you have doubts about the cleaning effect of an industrial ultrasonic cleaner, you may wish to experience the benefits of ultrasonic cleaning yourself.

Specification:

Model	JP-120S
Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	30L
Drain value	Yes
Timer	0~30 mins adjustable
Temperature	20~80°C adjustable
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Ultrasonic power	720W
Heating Power	800W
Tank inner dimension	500*300*250mm
Unit dimension	585*347*385mm
Packing size	680*455*450mm
N.W.	19kg
G.W.	20kg
Certificate	FCC & CE & RoHS & REACH

Other model choice:

0.8~38L

Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency
	(L)	(L*W*H)mm	(W)	(W)	(KHz)
800	8.0	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010S	2	150*165*100	60	100	40
JP-020S	3.2	240*135*100	120	100	40
JP-030S	4.5	300*150*100	180	200	40
JP-031S	6.5	300*150*150	180	200	40
JP-040S	10	300*240*150	240	200	40
JP-060S	15	330*300*150	360	300	40
JP-080S	22	500*300*150	480	500	40
JP-100S	30	500*300*200	600	500	40
JP-120S	38	500*300*250	720	800	40

38~960 Liter:

Model	Capaci	Tank Size	Transduce	Ultrasonic	Heating	Frequenc
	ty		rs	Power	Power	у
	(L)	(L*W*H)mm	(pcs)	(W)	(W)	(KHz)

JP- 120ST	38	500X300X250	12	600	1500	28/40
JP- 180ST	53	500X350X300	18	900	1500	28/40
JP- 240ST	77	550X400X350	24	120	3000	28/40
JP- 300ST	99	550X450X400	30	1500	3000	28/40
JP- 301ST	99	800X300X400	30	1500	3000	28/40
JP- 360ST	135	600X500X450	36	1800	4500	28/40
JP- 480ST	175	700X500X500	48	2400	6000	28/40
JP- 600ST	264	800X600X550	60	3000	6000	28/40
JP- 720ST	360	1000X600X60 0	72	3600	9000	28/40
JP- 1108ST	540	1000X900X60 0	108	5400	18000	28/40
JP- 1144ST	960	1200X1000X8 00	144	7200	27000	28/40



Our service: Pre-sale Service

- Reply your messages or emails within 12 hours.
 OEM&ODM acceptable(Custom- made logo or package).
- 3. Professional solutions are provided.
- 4. New product recommendation.
- 5. Drop- shipping available After- sales Service

Within 12 months, if there will be any problem with the machine, we will allow the professional person to handle it for you or to the site.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen