

CE, RoHS, FCC, REACH

China SKYMEN

040S

Negotiation

Carton box

5000pcs per month

In Stock

1

Stainless Steel Tank Industrial Ultrasonic Cleaner 10 Liter Removing Rust / Grease

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T
- Supply Ability:



Product Specification

- Model:
- Capacity:
- Certification:
- Cleaning Type:
- Internal Tank Size:
- Transducer:
- Ultrasonic Power:
- Heating Power:
- Highlight:

040S
10L
CE, RoHS, FCC
Immersion / Soak
300*240*150cm
4pcs
240W

200W


ultrasonic cleaning device, ultrasonic washing machine



Our Product Introduction

Product Description

Chain Ultrasonic Cleaner 10 Liter Removing Rust and Grease with 200W Heating Power



Industrial Ultrasonic Cleaning Machine



	Capaci	Tank Size	Transduce	Ultrasonic	Heating	Frequenc
Model	ty		rs	Power	Power	у
	(L)	(L*W*H)mm	(pcs)	(W)	(W)	(KHz)
JP- 120ST	38	500X300X250	12	600	1500	28/40
JP- 180ST	53	500X350X300	18	900	1500	28/40
JP- 240ST	77	550X400X350	24	120	3000	28/40
JP- 300ST	99	550X450X400	30	1500	3000	28/40
JP- 301ST	99	800X300X400	30	1500	3000	28/40
JP- 360ST	135	600X500X450	36	1800	4500	28/40
JP- 480ST	175	700X500X500	48	2400	6000	28/40
JP- 600ST	264	800X600X550	60	3000	6000	28/40
JP- 720ST	360	1000X600X60 0	72	3600	9000	28/40

JP- 1108ST	540	1000X900X60 0	108	5400	18000	28/40
JP- 1144ST	960	1200X1000X8 00	144	7200	27000	28/40

Cleaning Effect:



Before



After





Main performance characteristics

The washing machine is operated by single chip software.

The cleaning machine's sound reduction cover and cleaning tank are made of high quality stainless steel. The washing machine has good sealing performance and has sound insulation and heat insulation effect.

Digital display over temperature, over voltage, over current, low water level, no solution protection indication.

Digital memory, setting display ultrasonic working time, ultrasonic power, liquid level (and actual liquid level), heating temperature (and actual temperature).

The cleaning machine circuit has an automatic frequency sweep function, which can generate a continuous pulse jet, which makes the cleaning effect more obvious and the work is more stable.

The cleaning circuit and device are upgraded and matched, and the power conversion rate is high and the reactive power loss is low.

