

53L 900W Three tanks Ultrasonic cleaner for cleaning engine block

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T
- Supply Ability: 100 per week



Product Specification

- Ultrasonic Power:
- Ultrasonic Frequency:
- Inner Tank Size:
- Capacity:
- Heating Power:
- Dry Power:
- Diy i owci.
- Application:
- Highlight:

900W
28Khz Or 40 Khz
500*350*300 Mm
53 L

China

skymen

CE,SGS

1

JP-3036GH

Negotiation

carton box

In Stock

3000 W 3000 W

- 0000 W
- Industry Hardware ,auto Parts Spot Portable Ultrasonic Welder,
- 2000W Ultrasonic Welding Equipment



More Images




Product Description

Newest digital smart 20KHz frequency continuous semi auto production lace earloop ultrasonic welding machine

Utrasonic frequency	28Khz or 40 Khz
Power supply	AC380V 50Hz
Ultrasonic Power	900W
Unit size	475*450*170mm
Heating power	3000 W
Drying power	3000 W

Details Specification

	-						· · · · · ·		
Tank Size(mm)	Capacity	Timer	Frequency	Transducer pcs	Ultrasonic Power	Heating Power	Filtration	Drying Power	Drying Temperature
500X300X250	38L	1-99h	40/28KHz	24	600W*2	1.5KW*2	YES	3000W	20-150°C
500X350X300	53L	1-99h	40/28KHz	36	900W*2	1.5KW*2	YES	3000W	20-150°C
550X400X350	77L	1-99h	40/28KHz	48	1200W*2	3KW*2	YES	3000W	20-150°C
550X450X400	99L	1-99h	40/28KHz	60	1500W*2	3KW*2	YES	4500W	20-150°C
800X300X400	96L	1-99h	40/28KHz	30	1500W*2	3KW*2	YES	4500W	20-150°C
600X500X450	135L	1-99h	40/28KHz	72	1800W*2	4.5KW*2	YES	4500W	20-150°C
700X500X500	175L	1-99h	40/28KHz	96	2400W*2	6KW*2	YES	6000W	20-150°C
800X600X550	264L	1-99h	40/28KHz	120	3000W*2	6KW*2	YES	6000W	20-150°C
1000*600*600	360L	1-99h	40/28KHz	144	3600W*2	9KW*2	YES	6000W	20-150°C
1500X700X400	420L	1-99h	40/28KHz	168	4200W*2	15KW*2	YES	6000W	20-150°C
1200X500X800	480L	1-99h	40/28KHz	192	4800W*2	15KW*2	YES	9000W	20-150°C
1000X900X600	540L	1-99h	40/28KHz	216	5400W*2	18KW*2	YES	9000W	20-150°C
1000X800X800	640L	1-99h	40/28KHz	240	6000W*2	18KW*2	YES	9000W	20-150°C
L000X1000X800	800L	1-99h	40/28KHz	264	6600W*2	24KW*2	YES	12000W	20-150°C
200X1000X800	960L	1-99h	40/28KHz	288	7200W*2	30KW*2	YES	12000W	20-150°C
500X1000X1000	1500L	1-99h	40/28KHz	432	10800W*2	36KW*2	YES	18000W	20-150°C
	500X300X250 500X350X300 550X400X350 550X400X350 800X300X400 600X500X450 600X500X450 800X600X550 1000*600*600 1200X500X800 1000X900X600 1000X800X800 000X1000X800	500X300X250 38L 500X350X300 53L 500X350X300 53L 550X400X350 77L 550X400X350 99L 800X300X400 99L 800X300X400 96L 600X500X450 135L 700X500X500 175L 800X600X550 264L 1000*600*600 360L 1200X500X800 480L 10000X900X600 540L 1000X800X800 640L 0000X1000X800 800L 200X1000X800 96L	500X300X250 38L 1-99h 500X350X300 53L 1-99h 500X350X300 53L 1-99h 550X400X350 77L 1-99h 550X450X400 99L 1-99h 800X300X400 96L 1-99h 600X500X450 135L 1-99h 600X500X500 175L 1-99h 800X600X550 264L 1-99h 800X600X550 264L 1-99h 1000*600*600 360L 1-99h 1200X500X800 480L 1-99h 1000X800X800 640L 1-99h	500X300X250 38L 1-99h 40/28KHz 500X350X300 53L 1-99h 40/28KHz 500X350X300 53L 1-99h 40/28KHz 550X400X350 77L 1-99h 40/28KHz 550X450X400 99L 1-99h 40/28KHz 800X300X400 96L 1-99h 40/28KHz 600X500X450 135L 1-99h 40/28KHz 600X500X500 175L 1-99h 40/28KHz 700X500X500 175L 1-99h 40/28KHz 800X600X550 264L 1-99h 40/28KHz 1000*600*600 360L 1-99h 40/28KHz 1200X500X800 480L 1-99h 40/28KHz 1200X500X800 540L 1-99h 40/28KHz 1000X800X800 640L 1-99h 40/28KHz 1000X800X800 640L 1-99h 40/28KHz 1000X1000X800 800L 1-99h 40/28KHz 1000X1000X800 640L 1-99h 40/28KHz <	Number of the second	Soox 200X 200X 200X 200X 38L 1-99h 40/28KHz 24 600W*2 500X300X250 38L 1-99h 40/28KHz 36 900W*2 500X350X300 53L 1-99h 40/28KHz 36 900W*2 550X400X350 77L 1-99h 40/28KHz 48 1200W*2 550X400X350 77L 1-99h 40/28KHz 60 1500W*2 800X300X400 99L 1-99h 40/28KHz 30 1500W*2 800X300X400 96L 1-99h 40/28KHz 30 1500W*2 800X500X450 135L 1-99h 40/28KHz 72 1800W*2 700X500X500 175L 1-99h 40/28KHz 120 3000W*2 800X600X550 264L 1-99h 40/28KHz 144 3600W*2 1200X500X800 480L 1-99h 40/28KHz 192 4800W*2 1200X500X800 540L 1-99h 40/28KHz 192 4800W*2 1000X800X800 640L 1-99h	Number of the sector	Number of the second	Since Control Society Power



Strict quality inspection

Self-inspection team detection, real-time sampling of each process





Skymen Technology Corporation Limited

86-755-27094405

info@skymen.cc

e skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen