

Dental 2L 60W SUS304 Mechanical Ultrasonic Cleaner

Basic Information

• Price:

. Place of Origin: China . Brand Name: Skymen CE ROHS FCC · Certification: JP-010 Model Number: • Minimum Order Quantity: 1 unit

Negotiation · Packaging Details: 1unit per color box, 8 units per big carton

• Delivery Time: In Stock

• Supply Ability: 8000 pcs per month



Product Specification

JP-010 Model: · Capacity:

150*135*100mm . Tank Size: Unit Size: 180*165*205mm Paking Size: 260*240*265mm

. Big Carton: 530*510*560mm For 8pcs

• Ultrasonic Power: 60W

Timer: 0-30 Minutes Adjustable

• Frequency: 40KHz Material: SUS 304 • G.W: 2.8KG

AC 110V; AC 220V · Power Supply:

. Heating Power: 100W

• Highlight: SUS 304 Dental Ultrasonic Cleaner, 60W SUS304 Ultrasonic Cleaner



Product Description

Mechanical Knob Ultrasonic Cleaner Ultrasonic Surgical Instrument Cleaning Bath

Features

More convenient for operation

Stainless steel tank has resistance to wear and long work life.

Tank capacity: 2L

With Stainless steel basket

Use just tab water, or industrial solvent cleaner for more higher cleaning requirement Industrial control chip microcontroller.flexible circuit boards control, more secure & stable

JP-010 product specification:

JP-010 product specification:						
Ultrasonic frequency	40,000Hz					
Material of tank	SUS304					
Material of shell	SUS304					
Capacity	2L					
Timer	0~30 mins					
Heater	100W					
Power supply type 1	AC 100~120V, 50/60Hz					
Power supply type 2	AC 220~240V, 50/60Hz					
Ultrasonic power	60W					
Tank inner dimension	150*135*65mm					
Unit dimension	180*165*205mm					
Inner Packing size	260*240*265mm					
Big carton for 12pcs	525*500*485mm for 8pcs					
N.W.	2kg					
G.W.	2.5kg					
Certificate	ISO9001:2008 & CE & RoHS					

Mehanical timer hater adjustable series									
Model	JP-010	JP-202	JP-030	JP-031	JP-040	JP-060	JP-080	JP-100	
Capacity(L)	2	3.2	4.5	6.5	10	15	22	30	
Tank size(MM)	150*135*100	240*135*10 0	300*150*10 0	300*150*15 0	300*240*15 0	330*300*15 0	500*300*15 0	500*300*20 0	
Packing size(MM)	180*165*205	270*185*23 0	330*200*23 5	375*200*27 5	380*290*28 0	400*350*28 0	585*330*15 0	585*327*33 3	
Frequency(KH z)	40KHz								
Ultrasonic power (W)	60	120	180	180	240	360	480	600	
Heating power(W)	100	100	200	200	200	300	500	500	
Timer(min)	0-30 minutes								
Heater(° C)	20-80° C								
Tank Material	SUS304								

Images of this model:

How to Use an Ultrasonic Cleaner for Medical & Surgical Instruments

Medical and surgical instruments in a variety of sizes and complexity can pose challenges when it comes to cleaning, disinfecting and sterilizing them after use. An ultrasonic cleaner is an ideal tool for the first step in this three step process to protect medical personnel and patients from possible infection due to pathogens that remain on the instruments after a procedure.

Suggested Ultrasonic Cleaning Procedure

In all cases manufacturers' instructions should be followed when using an ultrasonic cleaning process. These are representative steps.

Fill the ultrasonic cleaning tank with an approved medical instrument cleaning solution such as CLN-LR012 available from Tovatech following dilution instructions provided. Turn the cleaner on to start the degassing process. This step removes entrained air in new solutions that interferes with the efficiency of cavitation and takes approximately 10 minutes. In the meantime:

Segregate instruments by alloy or composition to avoid potential damage (Chromium plated instruments should not be cleaned ultrasonically)

Instruments with movable parts should be disassembled to facilitate cleaning

Place the instruments the ultrasonic cleaner's mesh basket, taking care that they do not come in contact with each other Cannulated or lumened instruments should be positioned to insure interiors are wetted with the cleaning solution. In some instances placing them on an angle will facilitate this

Set the control panel per manufacturers' instructions and start the cleaning process

At the end of the cycle, remove the instruments from the ultrasonic cleaning bath and thoroughly rinse them to remove all traces of the cleaning solution. Deionized water rinses will avoid spotting. If the instruments are not to be immediately disinfected and sterilized be certain that they are thoroughly dried and protected. Part reassembly can occur after sterilization. Procedures should be in place to guide the replacement of used ultrasonic cleaning solutions. In some instances it is recommended that solution be drained and tanks thoroughly cleaned and dried after each ultrasonic cleaning cycle. Most solutions available today are biodegradable, which facilitates disposal but local authorities should be consulted on proper practices.

The ultrasonic cleaner uses ultrasonic waves (vibration) using water with detergents or enzymatic products to break up soil and organic material on medical instruments/devices. These devices are rinsed then autoclaved (sterilized). The autoclave sterilizer uses heat, steam, and pressure to kill all pathogenic microorganisms and their spores.

Package Includes:

- 1 x Digital Ultrasonic Cleaner
- 1 x Cleaning Basket
- 1 x Manual



1.Warranty:

 $12 \ months \ warranty \ for \ Skymen \ ultrasonic \ cleaner.$

If any technical problem during warranty time, replacement parts will be sent free of charge.

Technical support is also available in whole time.

2.After-sales

Our machines undergo an extensive and strict testing and quality control procedure, ensuring every item purchased meet global quality standards.

♦Payment Methods♦

These payments of T/T, Western Union, Paypal are accepted. If you have any problem with the payment, please leave a message to us.

♦Logistics**♦**

DHL, EMS and Fedex are our choices. If you prefer other reliable shipping company, please leave a message to us.

♦Tracking Number♦

Tracking number will be informed within 2-3 work days after delivery goods. If you have any problem with it, please leave a message to us.

♦Feedback

Any comments, suggestions are accepted. We will be very grateful to your positive footprints left in our company. If you have any problem with our products, please leave a message to us.

♦Refund♦

Any damage or shortage of our goods after you receive your items, please take some photos for a witness. We will deal with it in 24 hours. Frequently, we will send a new part of items for heavy-damage. Before refund is accepted, please leave a message to us.

Please choose the size fits for you, or cotact for professional suggestions:



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen