Skymen Technology Corporation Limited skymenultrasonic.com

15 Liters 40KHz Bench Top Ultrasonic Cleaner SUS304

Basic Information

Place of Origin:
 Shenzhen, China

• Brand Name: Skymen

Certification:
 RoHS, CE, FCC, SGS

Model Number: 060S Minimum Order Quantity: 1

Price: Negotiation
Packaging Details: Carton
Delivery Time: In Stock

Payment Terms: T/T.Paypal,credit cardSupply Ability: 8000 pcs per month



Product Specification

Model: 060SFirst Tank Volume: 15L

• Tank Size: 330*300*150mm

Ultrasonic Power: 360WHeating Power: 300WFrequency: 40KHz

Timer: 0~30 Minutes Adjustable
 Temperature: 20~80°C Adjustable

Material: SUS304

• Highlight: 40KHz Bench Top Ultrasonic Cleaner,

Bench Top Ultrasonic Cleaner SUS304, 15 Liters Heated Ultrasonic Cleaner



More Images





Product Description

15 liters professional commercial bench top ultrasonic cleaner digital control for circuit board

Specifications:


Ultrasonic Frequency	40KHz			
Material	Stainless Steel SUS304			
Tank Capacity	15L			
Timer	1-30minutes , Digital timer			
Heater	20°C to 80°C			
Power Supply	AC 100 ~ 120V, 50 / 60Hz			
	AC 220 ~ 240V, 50 / 60 Hz			
Ultrasonic Power	360W			
Heating Power	300W, Digital Heating			
Tank Size	330 x 300 x 150 mm (L x W x H)			
Unit Size	400 x 350 x 280 mm (L x W x H)			
Package Size	460 x 410 x 340 mm (L x W x H)			
N.W.	9.5 kg			
G.W.	11 kg			

Similar models with different capacity:

Stainless Bench Top



Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency
	(L)	(L*W*H)mm	(W)	(W)	(KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40



Details:

PRODUCT DETAIL

SKYMEN specialize in ultrasonic cleaners manufacturing since 2007, Professional team, quality assurance






Cooling vents

Quickly cool the internal components of the machine, protecting the circuit board.

2

Insulation handle

Insulation handle design, anti-static, anti-high temperature, not slippery hand, more secure.





3


Double insurance

Independent switch operation safety, built-in spare fuse, double insurance.



SUS304 tank

Thickness 1.1mm, heat-resisting and corrosion-resisting, safety and health







Drain valve

The drain vavle is made of high quality stainless steel, corrosion-resistant and switch adjustable



Non-slip pad

Non-slip anti-shock pad, place all surfaces without sliding



- 1. Lower noise.
- 2. tank capacity:15L, with Digital timer & heater control
- 3. with Stainless steel basket
- 4.Use just tab water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
- 5.industrial control chip microcontroller.flexible circuit boards control, more secure & stable
- 6. 1 year warranty and technologe support all life.

Application:

Most hard, non-absorbent materials (metals, plastics, etc.) not chemically attacked by the cleaning fluid are suitable for ultrasonic cleaning. Ideal materials for ultrasonic cleaning include small electronic parts, cables, rods, wires and detailed items, as well as objects made of glass, plastic, aluminium or ceramic.

Domestic & Professional Use

- 1. Jewelry: Earrings, Necklaces, Rings, Bracelets, and Diamonds.
- 2. Glasses and Timepieces: Glasses, Sunglasses, Optical Lenses, Contact Lens Accessories, Watch Chains, and Waterproof Watches.
- 3. Tools of the Trade: Tattoo Guns and Tubes, Electric Shaving Heads, Razor Blades, Combs, and Toothbrushes.
- 4. Stationery: Printer-heads, Ink Cartridges, and Seals.
- 5. Metal Articles: Antique Coins, Badges, Valves, Machine Nozzles, Electronic Components, and Mechanical Parts.
- 6. Metal Dishware: Forks, Knives, Spoon, Other Small Silverware, etc.

Cleaning effect:

CLEANING EFFECT

Better cleaning when cleaning with detergent



















Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen