



168L Soaking Tank for Bakery Rack with 1.5KW Heating SUS304/316

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-168
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



Product Specification

- Model: JP168L
- Tank Volume: 168L
- Heating Power: 1500W
- Internal Tank Size: 655*410*625MM
- Basket Size: 605*390*595MM
- Gross Weight: 120KG
- Highlight: **SUS316 Kitchen Soak Tank,
2mm Thickness Kitchen Soak Tank,
FCC Heated Tank Cleaning Machine**



More Images



Product Description

168L Soaking Tank for Bakery Rack with 1.5KW Heating SUS304/316

Suggest cleaning time:

Item	Cleaning time
Pot& Pans	Initial soak 12 hours
Hot plates & grills	Minimum of 12 hours
Deep fry baskets	Minimum 3~4 hours
Hood filter	1 hour
Roasting pans	Initial soak 12 hours
Gas rings& Cooker tops	Minimum 12 hours
Bakery trays and racks	Initial soak 12 hours
Serving dishes	1-2 hours
Oven Racks	Initial soak 12 hours

Benefits:

Cleans equipment effortlessly
No Scrubbing- Just Soak;
Safe for people and environment
Eliminates the worst job in the kitchen;
Save water, time and money

Directions for use

Step 1



Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ON

Step 2



Slowly add the oil/Carbon-Removal Powder

Step 3



Load the tank with your dirty pots, pans, vent hood filters into the tank and Close the lid, leaving the items in the tank to soak, and walk away!

Step 4



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

What a heating soak tank can do ?

Heated Soak Tank used in Commercial Kitchens and Bakeries to clean Carbon Build up and Fats, Oils & Grease from equipment including aluminum baking pans, hood filters, baking racks, floor mats and more.

What items is to clean:

Pots; Pans; Sheet Pans ;Oven Racks; Muffin Pans; Roasting Dishes; Rubber Mats; Cutting Boards Wire Baskets; Baking Racks

Grills; Hood Filters; Stove parts

Application Industrial:

Restaurants;

Bakery shops;

Hotel;

Supermarkets;

Schools, colleges, caterers;

Food production facilities

Small tank: for canopy filters, grill tops, pans and small trays;

Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks;

Large tank: suitable for greasy filters, pots, baking trays, etc;

Skymen also offer custom sizes for larger applications.

PRODUCT CONFIGURATION





PRODUCT SPECIFICATIONS

1	Model	JP-168	
		Function	Hot water cleaning/soaking
		Tank Material	SUS 304 (SUS 316 can be customized)
		Inner tank dimension	655*410*625mm


2	1st Tank	Tank Capacity	168L
		Heating tube	1pcs
		Heating Power	1500W
		Time setting	0~99 hours
		Temperature setting	Room temperature ~ 80°C adjustable
		Thickness of tank	2mm
		Drain value	Yes, in the right side of machine
		Water inlet/outlet	Yes
		Lid	Yes, hinged with machine body, with gasket
		Handle of the basket	Yes
4	Packing	Basket load	200KG
		Overall size	755*510*785mm
		Packing size	855*610*920cm
		Packing detail	By wooden case(No logs, free of fumigation)
5	Warranty	1 year warranty for spare parts, all life technical support	
6	Certificate	CE, RoHS; FCC, REACH	
7	Production time	5 days if there is stock; 20 days if there is no stock	

Cleaning Effect show:

Korean BBQ Grill Plate Cleaner



Bakery Rack Cleaner



Roasting Pan Cleaner




Sheet Pan Cleaner



Cake Pan Cleaner






Muffin Pan Cleaner



Rotisserie Basket Cleaner






Soaking tank with different capacity:

Model	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material
JP-168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304
JP-211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304
JP-258	258L	890*480*605	840*460*575	990*580*800	3KW	

JP-274	274L	840*480*680	790*460*650	940*580*875	3KW	SUS 304
JP-388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	SUS 304
JP-483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304

Factory and Warehouse









Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen