



## Soaking Tank for Sheet Pan in Airline Comapny with 1.5KW Heating Power 170L

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Skymen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-168
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



### Product Specification

- Model: JP-168L
- Tank Volume: 168L
- Heating Power: 1500W
- Internal Tank Size: 655\*410\*625MM
- Basket Size: 605\*390\*595MM
- Gross Weight: 120KG
- Highlight: SUS316 Kitchen Soak Tank,  
2mm Thickness Kitchen Soak Tank,  
FCC Heated Tank Cleaning Machine



### More Images



## Product Description

### Soaking Tank for Sheet Pan in Airline Comapny with 1.5KW Heating Power 170L PRODUCT SPECIFICATIONS

1	Model	JP-168	
2	1st Tank	Function	Hot water cleaning/soaking
		Tank Material	SUS 304 (SUS 316 can be customized)
		Inner tank dimension	655*410*625mm
		Tank Capacity	168L
		Heating tube	1pcs
		Heating Power	1500W
		Time setting	0~99 hours
		Temperature setting	Room temperature ~ 80°C adjustable
		Thickness of tank	2mm
		Drain value	Yes, in the right side of machine
		Water inlet/outlet	Yes
		Lid	Yes, hinged with machine body, with gasket
		Handle of the basket	Yes
		Basket load	200KG
4	Packing	Overall size	755*510*785mm
		Packing size	855*610*920cm
		Packing detail	By wooden case(No logs, free of fumigation)
5	Warranty	1 year warranty for spare parts, all life technical support	
6	Certificate	CE, RoHS; FCC, REACH	
7	Production time	5 days if there is stock; 20 days if there is no stock	

#### Application Industrial:

Restaurants;  
Bakery shops;  
Hotel;  
Supermarkets;  
Schools, colleges, caterers;  
Food production facilities  
Small tank: for canopy fitlers, grill tops, pans and small trays;  
Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks;  
Large tank: suitable for greasy filters, pots, baking trays, etc;  
Skymen also offer custom sizes for larger applications.

Restaurants;  
Bakery shops;  
Hotel;  
Supermarkets;  
Schools, colleges, caterers;  
Food production facilities  
Small tank: for canopy fitlers, grill tops, pans and small trays;  
Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks;  
Large tank: suitable for greasy filters, pots, baking trays, etc;  
Skymen also offer custom sizes for larger applications.

#### PRODUCT CONFIGURATION







**Suggest cleaning time:**

Item	Cleaning time
Pot& Pans	Initial soak 12 hours
Hot plates & grills	Minimum of 12 hours
Deep fry baskets	Minimum 3~4 hours
Hood filter	1 hour
Roasting pans	Initial soak 12 hours

Gas rings& Cooker tops	Minimum 12 hours
Bakery trays and racks	Initial soak 12 hours
Serving dishes	1-2 hours
Oven Racks	Initial soak 12 hours

## Directions for use

### Step 1



Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ON

### Step 2



Slowly add the oil/Carbon-Removal Powder

### Step 3



Load the tank with your dirty pots, pans, vent hood filters into the tank and Clean

Load the tank with your dirty pots, pans, vent hood filters into the tank and close the lid, leaving the items in the tank to soak, and walk away!

## Step 4



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

### Cleaning Effect show:

Korean BBQ Grill Plate Cleaner



Bakery Rack Cleaner



Roasting Pan Cleaner



Sheet Pan Cleaner





Cake Pan Cleaner



Muffin Pan Cleaner



Rotisserie Basket Cleaner



BEFORE



AFTER



Before



After


Pot Cleaner



Pan Cleaner



Floor Mat Cleaner



Hood Filter Cleaner




Impinger Belt Cleaner



Pizza Pan Cleaner






#### Soaking tank with different capacity:

Model	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material
JP-168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304
JP-211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304
JP-258	258L	890*480*605	840*460*575	990*580*800	3KW	SUS 304
JP-274	274L	840*480*680	790*460*650	940*580*875	3KW	
JP-388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	
JP-483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304

#### Factory and Warehouse









**Sky men Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen