Skymen Technology Corporation Limited skymenultrasonic.com

Bakery Cake Pan Soaking Tank Machine with 1.5KW Heating Power

Basic Information

. Place of Origin: Shenzhen, China

. Brand Name: Skymen

RoHS, CE, FCC, SGS · Certification:

JP-168 Model Number: • Minimum Order Quantity:

• Price: Negotiation · Packaging Details: Wooden case • Delivery Time: In Stock Payment Terms: T/T

. Supply Ability: 800 pcs per month



Product Specification

JP-168L Model: • Tank Volume: 168L . Heating Power: 1500W

• Internal Tank Size: 655*410*625MM Basket Size: 605*390*595MM

. Gross Weight: 120KG

Highlight: SUS316 Kitchen Soak Tank,

2mm Thickness Kitchen Soak Tank, FCC Heated Tank Cleaning Machine



More Images







Product Description

Bakery Cake Pan Soaking Tank Machine with 1.5KW Heating Power 170L

Directions for use

Step



Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ON

Step

2



Slowly add the oil/Carbon-Removal Powder

Step



Load the tank with your dirty pots, pans, vent hood filters into the tank and Close

Step 4



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

PRODUCT SPECIFICATIONS

1	Model		JP-168				
2		Function	Hot water cleaning/soaking				
	1st Tank	Tank Material	SUS 304 (SUS 316 can be customized)				
		Inner tank dimension	655*410*625mm				
		Tank Capacity	168L				
		Heating tube	1pcs				
		Heating Power	1500W				
		Time setting	0~99 hours				
		Temperature setting	Room temperature ~ 80°C adjustable				
		Thickness of tank	2mm				
		Drain value	Yes, in the right side of machine				
		Water inlet/outlet	Yes				
		Lid	Yes, hinged with machine body, with gasket				
		Handle of the basket	Yes				
		Basket load	200KG				
4	Packing	Overall size	755*510*785mm				
		Packing size	855*610*920cm				
		Packing detail	By wooden case(No logs, free of fumigation)				
5	Warranty	1 year warranty for spare parts, all life technical support					
6	Certificate	CE, RoHS; FCC, RE	CE, RoHS; FCC, REACH				
7	Production time	5 days if there is stock; 20 days if there is no stock					

PRODUCT CONFIGURATION









Suggest cleaning time:

33						
Item	Cleaning time					
Pot& Pans	Initial soak 12 hours					
Hot plates & grills	Minimum of 12 hours					
Deep fry baskets	Minimum 3~4 hours					
Hood filter	1 hour					
Roasting pans	Initial soak 12 hours					

Gas rings& Cooker tops	Minimum 12 hours		
Bakery trays and racks	Initial soak 12 hours		
Serving dishes	1-2 hours		
Oven Racks	Initial soak 12 hours		

Cleaning Effect show:

Korean BBQ Grill Plate





Roasting Pan Cleaner








Cake Pan Cleaner










Rotisserie Basket Cleaner









Pot Ci







Floor Mat Cleaner





















Application Industrial:

Restaurants;

Bakery shops;

Hotel;

Supermarkets;

Schools, colleges, caterers;

Food production facilities

Small tank: for canopy fitlers, grill tops, pans and small trays;

Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks;

Large tank: suitable for greasy filters, pots, baking trays, etc;

Skymen also offer custom sizes for larger applications.

Application Industrial:

Restaurants;

Bakery shops;

Hotel;

Supermarkets;

Schools, colleges, caterers;

Food production facilities

Small tank: for canopy fitlers, grill tops, pans and small trays;

Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks;

Large tank: suitable for greasy filters, pots, baking trays, etc;

Skymen also offer custom sizes for larger applications.

Soaking tank with different capacity:

Soaking tank with unferent capacity.									
Model	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material			
JP- 168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304			
JP- 211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304			
JP- 258	258L	890*480*605	840*460*575	990*580*800	3KW				
JP- 274	274L	840*480*680	790*460*650	940*580*875	3KW	SUS 304			
JP- 388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	SUS 304			
JP- 483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304			













Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen