

Shenzhen, China

RoHS, CE, FCC, SGS

Skymen

JP-211

Negotiation

In Stock

Wooden case

800 pcs per month

1

200L Soaking Tank Machine for Pizza Pan in Kitchen with 1500W Heating Power

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T
- Supply Ability:



Product Specification

- Model:
- Tank Volume:Heating Power:

15

- Internal Tank Size:
- Basket Size:
- Gross Weight:
- Highlight:
- JP-211L 211L 1500W 750*450*625MM 700*430*595MM 150KG **SUS316 Kitchen Soak Tank**,
- 2mm Thickness Kitchen Soak Tank, FCC Heated Tank Cleaning Machine



More Images



Product Description

Application Industrial: Restaurants; Bakery shops; Hotel; Supermarkets; Schools, colleges, caterers; Food production facilities Small tank: for canopy fitlers, grill tops, pans and small trays; Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks; Large tank: suitable for greasy filters, pots, baking trays, etc; Skymen also offer custom sizes for larger applications.

200L Soaking Tank Machine for Pizza Pan in Kitchen with 1500W Heating Power

PRODUCT CONFIGURATION







Cleaning time Item Initial soak 12 hours Pot& Pans Hot plates & grills Minimum of 12 hours Deep fry baskets Minimum 3~4 hours Hood filter 1 hour Roasting pans Initial soak 12 hours Gas rings& Cooker Minimum 12 hours tops Bakery trays and racks Initial soak 12 hours 1-2 hours Serving dishes

Initial soak 12 hours

Directions for use




1

Oven Racks



Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ON





carbon fragments.

Cleaning Effect show:





Gas Buner Cleaner





Stove Parts Cleaner

Stove Parts Cleaner



PRODUCT SPECIFICATIONS

	Model	JP-211				
2	1st Tank	Function	Hot water cleaning/soaking			
		Tank Material	SUS 304 (SUS 316 can be customized)			
		Inner tank dimension	750*450*625mm			
		Tank Capacity	211L			
		Heating tube	1pcs			
		Heating Power	1500W			
		Time setting	0~99 hours			
		Temperature setting	Room temperature ~ 80°C adjustable			
		Thickness of tank	2mm			
		Drain value	Yes, in the right side of machine			
		Water inlet/outlet	Yes			
		Lid	Yes, hinged with machine body, with gasket			
		Handle of the basket	Yes			
		Basket load	200KG			
4	Packing	Overall size	850*550*785mm			
		Packing size	950*650*920cm			
		Packing detail	By wooden case(No logs, free of fumigation)			
5	Warranty	1 year warranty for spare parts, all life technical support				

6 C	Certificate	CE, RoHS; FC	CE, RoHS; FCC, REACH						
/	Production me	5 days if there i	5 days if there is stock; 20 days if there is no stock						
Soaki	ng tank wit	h different capacity:							
Mode	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material			
JP- 168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304			
JP- 211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304			
JP- 258	258L	890*480*605	840*460*575	990*580*800	3KW				
JP- 274	274L	840*480*680	790*460*650	940*580*875	3KW	SUS 304			
JP- 388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	SUS 304			
JP- 483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304			

Factory and Warehouse







Skymen V Okymen Fechnology Corporation Limited
86-755-27094405 Sinfo@skymen.cc Bior 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen