Skymen Technology Corporation Limited skymenultrasonic.com

Soaking Tank Machine In Bakery Shop For Rabble With 1500W Heating **Power**

Basic Information

. Place of Origin: Shenzhen, China

. Brand Name: Skymen

RoHS, CE, FCC, SGS · Certification:

JP-211 Model Number: • Minimum Order Quantity:

• Price: Negotiation · Packaging Details: Wooden case • Delivery Time: In Stock Payment Terms: T/T

. Supply Ability: 800 pcs per month



Product Specification

JP-211L Model: Tank Volume: 211L . Heating Power: 1500W

• Internal Tank Size: 750*450*625MM Basket Size: 700*430*595MM

. Gross Weight: 150KG

• Highlight: SUS316 Kitchen Soak Tank,

2mm Thickness Kitchen Soak Tank, **FCC Heated Tank Cleaning Machine**



More Images







Product Description

Soaking Tank Machine In Bakery Shop For Rabble With 1500W Heating Power **Application Industrial:**

Restaurants;

Bakery shops;

Hotel;

Supermarkets; Beauty Salon

Schools, colleges, caterers;

Food production facilities

Small tank: for canopy fitlers, grill tops, pans and small trays;

Medium tank (popular size): suitable for busy medium sized pans and large trays & oven racks; Large tank: suitable for greasy filters, pots, baking trays, etc;

Skymen also offer custom sizes for larger applications. **PRODUCT CONFIGURATION**









Directions for use

Step



Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ${\sf ON}$

Step 2





Step 3



Load the tank with your dirty pots, pans, vent hood filters into the tank and Close the lid, leaving the items in the tank to soak, and walk away!

Step 4



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

PRODUCT SPECIFICATIONS

| 1 | Model | JP-211 | | |
|---|----------|----------------------|--|--|
| | | Function | Hot water cleaning/soaking | |
| | | Tank Material | SUS 304 (SUS 316 can be customized) | |
| | | Inner tank | 750*450*625mm | |
| | | dimension | | |
| | | Tank Capacity 211L | | |
| | | Heating tube | 1pcs | |
| | 1st Tank | Heating Power 1500W | | |
| 2 | | Time setting | 0~99 hours | |
| | | Temperature setting | Room temperature ~ 80°C adjustable | |
| | | Thickness of tank | 2mm | |
| | | Drain value | Yes, in the right side of machine | |
| | | Water inlet/outlet | Yes | |
| | | Lid | Yes, hinged with machine body, with gasket | |
| | | Handle of the basket | Yes | |
| | | Basket load | 200KG | |
| | | Overall size | 850*550*785mm | |
| 4 | Packing | Packing size | 950*650*920cm | |

| | | Packing detail By wooden case(No logs, free of fumigation) | |
|---|-----------------|---|--|
| 5 | Warranty | 1 year warranty for spare parts, all life technical support | |
| 6 | Certificate | CE, RoHS; FCC, REACH | |
| 7 | Production time | 5 days if there is stock; 20 days if there is no stock | |

Cleaning Effect show:

Korean BBQ Grill Plate Cleaner





Roasting Pan Cleaner

















Rotisserie Basket Cleaner









Pan Cleaner









Floor Mat Cleaner

Hood Filter Cleaner







Impinger Belt Cleaner









Gas Buner Cleaner





Stove Parts Cleaner

Stove Parts Cleaner





Soaking tank with different capacity:

| Model | Volume(L) | Internal tank size(MM) | Basket size(MM) | Unit size(MM) | Heating power | Material |
|------------|-----------|---------------------------|-----------------|---------------|---------------|----------|
| JP- 168 | 168L | 655*410*625 | 605*390*595 | 755*510*785 | 1.5KW | SUS 304 |
| JP- 211 | 211L | 750*450*625 | 700*430*595 | 850*550*785 | 1.5KW | SUS 304 |
| JP- 258 | 258L | 890*480*605 | 840*460*575 | 990*580*800 | 3KW | |
| JP- 274 | 274L | 840*480*680 | 790*460*650 | 940*580*875 | 3KW | SUS 304 |
| JP- 388 | 388L | 1080*460*680 | 1060*440*650 | 1480*560*875 | 4.5KW | SUS 304 |
| JP- 483 | 483L | 1365*520*680 | 1315*500*650 | 1465*620*875 | 6KW | SUS 304 |

Factory and Warehouse











Suggest cleaning time:

| Item | Cleaning time | | |
|------------------------|-----------------------|--|--|
| Pot& Pans | Initial soak 12 hours | | |
| | Minimum of 12 hours | | |
| Deep fry baskets | Minimum 3~4 hours | | |
| Hood filter | 1 hour | | |
| Roasting pans | Initial soak 12 hours | | |
| Gas rings& Cooker tops | Minimum 12 hours | | |
| Bakery trays and racks | Initial soak 12 hours | | |
| Serving dishes | 1-2 hours | | |
| Oven Racks | Initial soak 12 hours | | |



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen