

Soaking Tank Machine In Bakery Shop For Oven With 1500W Heating Power

Basic Information

• Place of Origin: Shenzhen, China

• Brand Name: Skymen

• Certification: RoHS, CE, FCC, SGS

Model Number: JP-211Minimum Order Quantity: 1

Price: Negotiation
Packaging Details: Wooden case
Delivery Time: In Stock
Payment Terms: T/T

• Supply Ability: 800 pcs per month



Product Specification

Model: JP-211LTank Volume: 211LHeating Power: 1500W

Internal Tank Size: 750*450*625MM
 Basket Size: 700*430*595MM

• Gross Weight: 150KG

• Highlight: SUS316 Kitchen Soak Tank,

2mm Thickness Kitchen Soak Tank, FCC Heated Tank Cleaning Machine



More Images







Product Description

Soaking Tank Machine In Bakery Shop For Oven With 1500W Heating Power

What a heating soak tank can do?
Heated Soak Tank used in Commercial Kitchens and Bakeries to clean Carbon Build up and Fats, Oils & Grease from equipment including aluminum baking pans, hood filters, baking racks, floor mats and more.

Directions for use

Step



Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ON

Step



Slowly add the oil/Carbon-Removal Powder

Step



Load the tank with your dirty pots, pans, vent hood filters into the tank and Close the lid, leaving the items in the tank to soak, and walk away!

Step 4



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

PRODUCT CONFIGURATION









PRODUCT SPECIFICATIONS

1	Model	JP-211		
	1st Tank	Function	Hot water cleaning/soaking	
		Tank Material	SUS 304 (SUS 316 can be customized)	
		Inner tank	750*450*625mm	
		dimension		
		Tank Capacity	211L	
		Heating tube	1pcs	
		Heating Power	1500W	
2		Time setting	0~99 hours	
_		Temperature setting	Room temperature ~ 80°C adjustable	
		Thickness of tank	2mm	
		Drain value	Yes, in the right side of machine	
		Water inlet/outlet	Yes	
		Lid	Yes, hinged with machine body, with gasket	
		Handle of the basket	Yes	
		Basket load	200KG	
4	Packing	Overall size	850*550*785mm	
		Packing size	950*650*920cm	
		Packing detail	By wooden case(No logs, free of fumigation)	
5	Warranty	1 year warranty for spare parts, all life technical support		
6	Certificate	CE, RoHS; FCC, REACH		
7	Production time	5 days if there is stock; 20 days if there is no stock		

Cleaning Effect show:

Korean BBQ Grill Plate



Bakery Rack Cleaner



Roasting Pan Cleaner











Cake Pan Cleaner

Muffin Pan Cleaner









Rotisserie Basket Cleaner









Pan Cleaner









Floor Mat Cleaner

Hood Filter Cleaner



Impinger Belt Cleaner

Pizza Pan Cleaner







Gas Buner Cleaner



Stove Parts Cleaner

Stove Parts Cleaner





Soaking tank with different capacity:

Model	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material	
JP- 168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304	
JP- 211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304	
JP- 258	258L	890*480*605	840*460*575	990*580*800	3KW		
JP- 274	274L	840*480*680	790*460*650	940*580*875	3KW	SUS 304	
JP- 388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	SUS 304	
JP- 483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304	

Factory and Warehouse











Suggest cleaning time:

Item	Cleaning time		
Pot& Pans	Initial soak 12 hours		
	Minimum of 12 hours		
Deep fry baskets	Minimum 3~4 hours		
Hood filter	1 hour		
Roasting pans	Initial soak 12 hours		
Gas rings& Cooker tops	Minimum 12 hours		
Bakery trays and racks	Initial soak 12 hours		
Serving dishes	1-2 hours		
Oven Racks	Initial soak 12 hours		



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen