

Shenzhen, China

RoHS, CE, FCC, SGS

Skymen

JP-388

Negotiation

In Stock

T/T

Wooden case

800 pcs per month

1

4500W Heating Kitchen Soak Tank SUS316 388L For Saucepan

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Model:
- Tank Volume:
- Heating Power:
- Internal Tank Size:
- Basket Size:
- Gross Weight:
- Highlight:

JP-388L
388L
3000W
1080*460*680MM
1060*440*650MM
250KG

4500W Heating Kitchen Soak Tank, Kitchen Soak Tank SUS316, 388L Saucepan Soak Tank



More Images



Product Description

SUS304 Soaking Tank For Saucepan In Kitchen With 4500W Heating Power

Suggest cleaning time:

Item	Cleaning time	
Pot& Pans	Initial soak 12 hours	
Hot plates & grills	Minimum of 12 hours	
Deep fry baskets	Minimum 3~4 hours	
Hood filter	1 hour	
Roasting pans	Initial soak 12 hours	
Gas rings& Cooker	Minimum 12 hours	
tops		
Bakery trays and racks	Initial soak 12 hours	
Serving dishes	1-2 hours	
Oven Racks	Initial soak 12 hours	

PRODUCT SPECIFICATIONS

1	Model	JP-388					
	1st Tank	Function	Hot water cleaning/soaking				
		Tank Material	SUS 304 (SUS316 can be customized)				
		Inner tank dimension	890*480*605mm				
		Tank Capacity	388L				
2		Heating tube	3pcs				
		Heating Power	4500W				
		Time setting	0~99 hours				
		Temperature setting	Room temperature ~ 80°C adjustable				
		Thickness of tank	2mm				
		Drain value	Yes, in the right side of machine				
		Water inlet/outlet	Yes				
		Lid	Yes, hinged with machine body, with gasket				
		Handle of the basket	Yes				
		Basket load	200KG				
	Packing	Overall size	1480*560*875mm				
4		Packing size	1580*660*1000cm				
		Packing detail	By wooden case(No logs, free of fumigation)				
5	Warranty	1 year warranty for spare parts, all life technical support					
6	Certificate	CE, RoHS; FCC, REACH					
7	Production time	5 days if there is stock; 20 days if there is no stock					
Soaking tank with different capacity:							
		Intornal tank	Heating				

Model	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material
JP- 168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304
JP- 211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304
JP- 258	258L	890*480*605	840*460*575	990*580*800	3KW	
JP- 274	274L	840*480*680	790*460*650	940*580*875	3KW	SUS 304
JP- 388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	SUS 304
JP- 483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304

LOWER ENERGY BILLS

The Skymen Clean Tank System can save a single kitchen location thousands of \$\$ per year in energy costs.

Kitchens can use up to 3 times more energy than other commercial facilities. Much of this energy comes from heating water to clean equipment as well as heating stoves to cook food.

Standard 3-compartment sinks and power sinks must be regularly refilled with hot water to maintain the appropriate sanitary conditions, and dish and pot washer machines dispose of the heated water with each washing cycle.

The equipment cleaned in traditional sinks does not remove the baked on coated carbon crust and that makes them harder to heat on a stovetop, creating an inefficient cooking process that wastes gas and or electricity.

The Skymen Clean Tank System Double walled insulated Tank is Thermostatically controlled so water is kept at a constant 75 degrees and equipment comes out perfectly clean and sanitised. By using The Skymen Clean Tank System you potentially eliminate the need to heat up to Thousands of Litres of running hot water per year and save Kw-hours used per year. **PRODUCT CONFIGURATION**





Cleaning Effect show:

Korean BBQ Grill Plate Cleaner



Roasting Pan Cleaner

Bakery Rack Cleaner



Sheet Pan Cleaner





Pot Cleaner

Pan Cleaner




Floor Mat Cleaner Hood Filter Cleaner

Impinger Belt Cleaner

Pizza Pan





Factory and Warehouse









86-755-27094405

Skymen Technology Corporation Limited

info@skymen.cc 📀 skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen