

Steel Basket 264 Liters Ultrasonic Parts Cleaner SUS316 For DPF

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China
- Brand Name: SkyMen/OEM
- Certification: CE/FCC/RHoS/REACH
- Model Number: JP-600ST
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: wooden case
- Delivery Time: In Stock
- Payment Terms: T/T, L/C, Paypal
- Supply Ability: 5000 units per month



Product Specification

- Material: SUS 304/316
- Tank Capacity: 264L
- Tank Size: 800X600X550 Mm
- Unit Size: 1060*855*940 Mm
- Paking Size: 1140*920*1055 Mm Wooden Case
- Ultrasonic Power: 3000W
- Heating Power: 6000W
- Timer: 1-99 Minutes Adjustable
- Heater: 20~95C Adjustable
- Frequency: 40KHz / 28KHz
- Power Supply: AC 220V 3 Phase 50Hz / AC 380V, 3 Phase 50Hz
- Transducer: 60pcs
- Model: JP-600ST
- Highlight: **264 Liters Ultrasonic Parts Cleaner, SUS316**



More Images



Product Description

264L Industrial Ultrasonic Bath

Function:

Ultrasound is the most efficient and cost effective method of removing Carbon ,oil, rust ,build-up dirt

Features:

1. stainless steel tank has resistance to wear and long work life.
2. tank capacity:264Liter
3. with Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. industrial control chip microcontroller. flexible circuit boards control, more secure & stable
6. with drainage, basket, lid and Multi-direction castors
7. Transducer : Korea technique
8. PCB board is independent research and development design production by skymen
9. It can applied to clean cast iron, steel, stainless steel, brass, bronze

Specificatoin:

Model	JP-600ST
Ultrasonic power	3000W (60pcs transducers)
Frequency	40KHz / 28KHz
Housing material	SUS304
Tank material	SUS304 / 316
Heating power	6000W
Tank capacity	264L
Timer	Digital 1-99 min adjustable
Heater	0~80°C
Voltage	AC 220V, 3phase 50Hz AC 380V, 3phase 50Hz
Tank size	800X600X550mm
Unit size	1060*855*940mm
Packing sizex	1140*920*1055mm Wooden case
N.W.	150 Kg
G.W.	180 Kg
Certificate	ISO9001:2008 CE & RoHS

From 10 galles to 200 gallons ,size could be customized

The whole set machine including:

- 1* cleaning machine
- 1* lid
- 1* basket



Similar models with different tank volume:

Model	Tank size	Volume	Ultrasonic Power	Heating Power	Transducer
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
JP-120ST	500X300X250	38L	600W	1500W	12pcs
JP-180ST	500X350X300	53L	900W	1500W	18pcs
JP-240ST	550X400X350	77L	1200W	3000W	24pcs
JP-300ST	550X450X400	99L	1500W	4500W	30pcs
JP-301ST	800X300X400	96L	1500W	4500W	30pcs
JP-360ST	600X500X450	135L	1800W	4500W	36pcs
JP-480ST	700X500X500	175L	2400W	6000W	48pcs
JP-600ST	800X600X550	246L	3000W	6000W	60pcs
JP-720ST	1000X600X600	360L	3600W	9000W	72pcs
JP-1108ST	1000X900X600	540L	5400W	18000W	108pcs
JP-1144ST	1200X1000X800	960L	7200W	27000W	144pcs

How to use an ultrasonic cleaner ?

Cleaning prior to lacquering

Ultrasonic clean 130° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate

Chemistry, Brulin 815GD, 12 ounces per gallon of water

Spray rinse with de-ionized* water to remove gross detergent

Immersion rinse in flowing warm de-ionized* water (30 seconds)

Spray rinse with de-ionized* water (final rinse)

Blow dry with clean compressed air or dry nitrogen

Cleaning to remove calcium buildup (replaces "chem-clean")

Ultrasonic clean <110° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate

Chemistry, Ultra-power 132, 1 to 1½ ounces per gallon of water

Spray rinse with de-ionized* water to remove gross detergent

Immersion rinse in flowing warm de-ionized* water (30 seconds)

Spray rinse with de-ionized* water (final rinse)

Blow dry with clean compressed air or dry nitrogen

Package by polywooden case:

Before and after :

CLEANING EFFECT

Better cleaning when cleaning with detergent



Our service:

1.Warranty:

12 months warranty for Skymen ultrasonic cleaner.

If any technical problem during warranty time, replacement parts will be sent free of charge.

Technical support is also available in whole time.

2.After-sales

Our machines undergo an extensive and strict testing and quality control procedure, ensuring every item purchased meet global quality standards.

◆Payment Methods◆

These payments of T/T,Western Union,Paypal are accepted. If you have any problem with the payment, please leave a message to us.

◆Logistics◆

DHL, EMS and Fedex are our choices. If you prefer other reliable shipping company, please leave a message to us.

◆Tracking Number◆

Tracking number will be informed within 2-3 work days after delivery goods. If you have any problem with it, please leave a message to us.

◆Feedback◆

Any comments, suggestions are accepted. We will be very grateful to your positive footprints left in our company. If you have any problem with

our products, please leave a message to us.

◆**Refund**◆

Any damage or shortage of our goods after you receive your items, please take some photos for a witness. We will deal with it in 24 hours. Frequently, we will send a new part of items for heavy-damage. Before refund is accepted, please leave a message to us.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen