FCC 5.81 Gallon 22L Portable Ultrasonic Cleaner for PCB

Basic Information

Place of Origin: ChinaBrand Name: Skymen

Certification: CE ROHS FCC SGS

Model Number: JP-080S
Minimum Order Quantity: 1 unit
Price: Negotiation
Packaging Details: 1 unit per box
Delivery Time: In Stock

Supply Ability: 8000 pcs per month



Product Specification

Model: JP-080SFrequency: 40KHz

• Capacity: 5.81 Gallon, 22L

Tank Size: 12*9*6 Inch, 500*300*150mm
Ultrasonic Power: 480W/240W Adjustable

Heating Power: 500W
Material: SUS304
G.W: 14KG
Degas Function: Yes
Semi-wave: Yes

• Use: Degreasing, Critical Cleaning / Residue Free,

Dental, Sterilizing / Disinfecting, Descaling /

Stripping

• Condition: New

• Cleaning Process: Solvent Cleaning, Hot Water Cleaning, Cold

Water Cleaning, Multiple Cleaning Media,



More Images





Product Description

5.81 Gallon 22L Portable Ultrasonic Cleaner For Printing Screen Stencil

Model of Portable Ultrasonic Cleaner	JP-080S
Ultrasonic Frequency	40KHz
Transducer Quantity	8pcs
Ultrasonic Power	480/240W
Heating Power	500W
Tank Capacity Portable Ultrasonic	00L/F 01Callain
Cleaner	22L/5.81Gallon
Tank Size	500*300*150mm
Machine size	585*330*280mm
Packing size	690*460*360mm
Net weight	14KG
Gross weight	15KG
Time Range Portable Ultrasonic	0~30 minutes
Cleaner	0°-30 minutes
Temperature Range	Room temperature~80°C/176°F
Tank material	SUS304
Tank thickness	1.1mm
Shell thickness	0.8mm
Slope panel degree	20°
Noisy of Portable Ultrasonic Cleaner	Slight
Drain Valve	7
General switch	7
Degas	/
Semi-wave	7
Lid	7
Basket	/
Voltage	110V; 220V
Plug	European Plug; US plug; Austrslian Plug; British Plu
Detergent suggestion	No stronger acid or alkali
OEM	Yes
OEM MOQ	20pcs
Origin of Portable Ultrasonic Cleaner	Guangdong China
Business category	Manufacturer
Lead time	7 days after payment if order quantity is below 20pcs
Payment term	By cash; by credit card; by Paypal
Warranty of Portable Ultrasonic Cleaner	1 year

- (1) Machinery industry: removal of anti-rust grease; cleaning of measuring tools; degreasing and rust removal of mechanical parts; cleaning of engines, carburetors and auto parts; dredging and cleaning of filters and screens, etc.
- (2) Surface treatment industry: degreasing and rust removal before electroplating; cleaning before ion plating; phosphating treatment; removing carbon deposits; removing oxide scale; removing polishing paste; surface activation treatment of metal workpieces, etc.
- (3) Instrumentation industry: high cleanliness of precision parts, cleaning before assembly, etc.
- (4) Electronic industry: Removal of rosin and solder spots on printed circuit boards; cleaning of mechanical and electronic parts such as high voltage contacts.
- (5) Medical industry: cleaning, disinfection, sterilization of medical equipment, cleaning of laboratory utensils, etc.
- (6) Semiconductor industry: high cleanliness cleaning of semiconductor wafers.
- (7) Watch first and decoration industry: remove sludge, dust, oxide layer, polishing paste, etc.
- (8) Chemical and biological industries: cleaning and descaling of laboratory utensils.
- (9) Optical industry: degreasing, sweating and dust removal of optical devices.
- (10) Textile printing and dyeing industry: cleaning textile spindles, spinnerets, etc.
- (11) Petrochemical industry: cleaning and dredging of metal filters, cleaning of chemical containers, exchangers, etc.

Product Show of Portable Ultrasonic Cleaner:



Application Area:

COMPARISON OF CLEANING EFFECT






















Stainless Bench Top



Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency	Tank thickness	Material
	(L)	(L*W*H)mm	(W)	(W)	(KHz)	(mm)	SUS304
JP-008	0.8	150*85*65	35	0	40	1	SUS304
JP-009	0.9	150*135*65	60	100	40	1	SUS304
JP-010T	2	150*165*100	60	100	40	1	SUS304
JP-020S	3.2	240*135*100	120	100	40	1	SUS304
JP-030S	4.5	300*150*100	180	200	40	1	SUS304
JP-031S	6.5	300*150*150	180	200	40	1	SUS304
JP-040S	10	300*240*150	240	200	40	1	SUS304
JP-060S	15	330*300*150	360	300	40	1	SUS304
JP-080S	22	500*300*150	480	500	40	1	SUS304
JP-100S	30	500*300*200	600	500	40	1	SUS304

Industrial Ultrasonic Cleaning Machine



Model	Capacit	Tank Size	Transducer	Ultrasonic	Heating Power	Tank thickness	Frequency
	у		S	Power	ŭ		
	(L)	(L*W*H)mm	(pcs)	(W)	(W)	(mm)	(KHz)
JP-120ST	38	500X300X250	12	600	1500	2	28/40
JP-180ST	53	500X350X300	18	900	1500	2	28/40
JP-240ST	77	550X400X350	24	120	3000	2	28/40
JP-300ST	99	550X450X400	30	1500	3000	2	28/40
JP-301ST	99	800X300X400	30	1500	3000	2	28/40
JP-360ST	135	600X500X450	36	1800	4500	2	28/40
JP-480ST	175	700X500X500	48	2400	6000	2	28/40
JP-600ST	264	800X600X550	60	3000	6000	2	28/40
JP-720ST	360	1000X600X600	72	3600	9000	2	28/40
JP-	540	1000X900X600	108	5400	18000	2	28/40
1108ST	- 10			2.00		_	
JP-	960	960 1200X1000X800	144	7200	27000	2	28/40
1144ST	300						

Immersible Transducer Plate Image:





Model	Plate Size	Transducer s	Ultrasonic Power	Generator	Suitable tank
	(L*W*H)mm	(pcs)	(W)	(set)	(L)
JP-1006I	305*205*100	6	300	1	10~15
JP-1012I	355*305*100	12	600	1	30~40
JP-1018I	340*280*100	18	900	1	60~70
JP-1024I	430*280*100	24	1200	1	70~80
JP-1030I	460*370*100	30	1500	1	90~100
JP-1036I	550*450*100	36	1800	1	130~140
JP-1048I	600*450*100	48	2400	2	170~180

Immersible Transducer Tube Image:



				=		
	Tube Size	Transduce	Ultrasonic Power	Generat	Length of wire	
Model	1000 0120	rs	Olli doornio 1 owor	or		
	(D*H)mm	(pcs)	(W)	(set)	(M)	
JM-1003	57*180	3	150	1	1.5	
JM-1006	57*300	6	300	1	1.5	
JM-1012	57*550	12	600	1	1.5	
JM-1018	57*750	18	900	1	1.5	
JM-1024	57*1000	24	1200	1	1.5	
JM-1036	57*1520	36	1800	1		

Immersible Transducer Plate/tube can be put in any tank, but it doesn't have heating function.

The price of tube is much higher than plate, Ultrasonic Tube is only used for special purpose, such as in Lab. Portable Ultrasonic Cleaner



Skymen Technology Corporation Limited



86-755-27094405





skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen