SUS201 95 Gallon Ultrasonic Injector Filter 360L 28kHz

Basic Information

Place of Origin: Shenzhen, China

• Brand Name: Skymen

• Certification: RoHS, CE, FCC, SGS

Model Number: JP-720G

Minimum Order Quantity:

Price: Negotiation
Packaging Details: Wooden case
Delivery Time: In Stock
Payment Terms: T/T

Supply Ability: 800 pcs per month



Product Specification

Model: JP-720G
Tank Volume: 360L
Ultrasonic Power: 3600W
Heating Power: 9000W

• Frequency: 40KHz/28KHz

Internal Tank Size: 1000X600X600mm (L*W*H)

Filter Cycle System: 1 SetGross Weight: 350KG

• Highlight: 95 Gallon Ultrasonic Injector Filter,

SUS201 Ultrasonic Injector Filter,

28kHz Ultrasonic Vibration Cleaning Machine



More Images








95 gallon Industrial Ultrasonic Injector Filter Vibration Cleaning Machine System

Specification:

<u>'</u>				
Model	JP-720G			
Tank Volume	360L			
Internal tank size	1000X600X600mm			
Transducers	72pcs 50W of every transducer			
Ultrasonic Power	3600W			
Heating Power	9000W			
Frenquency	28KHz/40KHz			
Filtration Cycle	1 set			
System	1 361			
Unit size	1200*1250*1000mm			
Packing size	1380*1350*1150mm			
Timer	0~99 minutes adjustable			
Heater	Room temperature~99°C adjustable			
Shell material	SUS201			
Shell thickness	1mm			
Tank thickness	2mm			
Tank Material	SUS 304 default, can be SUS 316			
Power Supply	AC 110V ; AC 220V			
N.W.	320KG			
G.W.	350KG Wrapped by film in wooden case			
Lead time	12 working days			
Warranty	1 year warranty period, technique support all time			
Certificates	CE, RoHS, FCC, SGS			
Advantage Filter the dirty water; keep the water clear in tank; lower the frequency of changing water				

Same series with different size:

Model	Tank size	Volume	Ultrasoni c Power	Heating Power	Transducer				
	L*W*H (mm)	(L)	(W)	(W)	(pcs)				
JP-120G	500X300X25 0	38L	600W	1500W	12pcs				
JP-180G	500X350X30 0	53L	900W	1500W	18pcs				
JP-240G	550X400X35 0	77L	1200W	3000W	24pcs				
JP-300G	550X450X40 0	99L	1500W	3000W	30pcs				
JP-301G	800X300X40 0	96L	1500W	3000W	30pcs				
JP-360G	600X500X45 0	135L	1800W	4500W	36pcs				
JP-480G	700X500X50 0	175L	2400W	6000W	48pcs				
JP-600G	800X600X55 0	246L	3000W	6000W	60pcs				
JP-720G	1000X600X6 00	360L	3600W	9000W	72pcs				
JP-1108G	1000X900X6 00	540L	5400W	18000W	108pcs				
JP-1144G	1200X1000X 800	960L	7200W	27000W	144pcs				







SKYMEN INDUSTRIAL ULTRASONIC CLEANING MACHINE WITH FILTRATION

External generator

✓ SUS304 stainless steel

✓ Industrial transducer









Model	Capacity	Tank size	Packing size	Frequency	Ultrasonic power	Heating power	Timer	Heater	Filter
	(L)	(mm)	(mm)	(kHz)	(W)	(W)	(h)	('C)	
JP-120G	38	500*300*250	885*1110*750	28/40	0-600	1500	1-99	20-95	Yes
JP-180G	53	500*350*300	740*1000*735	28/40	0.900	1500	1-99	20-95	Yes
JP-240G	77	550*400*350	780*1050*805	28/40	0-1200	3000	1-99	20-95	Yes
JP-300G	99	550*450*400	820*1150*835	28/40	0-1500	4500	1-99	20-95	Yes
JP-301G	96	800*300*400	1080*1000*850	28/40	0-1500	4500	1-99	20-95	Yes
JP-360G	135	600*500*450	860*1310*800	28/40	0-1800	4500	1-99	20-95	Yes
JP-480G	175	700*500*500	975*1300*810	28/40	0-2400	6000	1-99	20-95	Yes
JP-600G	264	800*600*550	1060*1400*950	28/40	0-3000	9000	1-99	20-95	Yes
JP-720G	360	1000*600*600	1280*1500*1000	28/40	0-3600	12000	1-99	20-95	Yes
JP-1108G	540	1000*900*600	1300*1600*1050	28/40	0-5400	18000	1-99	20-95	Yes
JP-1144G	960	1200*1000*800	1500*2150*1250	28/40	0-7200	24000	1-99	20-95	Yes

Features

- 1. Digital LED screen display
- 2. Fast and effective cleaning, convenient for users
- 3. Clean rings, earrings, necklaces, new features of diamonds,
- 4. Use only tap water or add a small amount of detergent for better cleaning
- 5. The cleaning effect is obvious
- 6. Cleaning items shine like new ones
- 7. Compact cover design to reduce noise

Cleaning Effect show:

CLEANING EFFECT


Better cleaning when cleaning with detergent





Working Principle:

The principle of the ultrasonic cleaning machine is mainly to convert the sound energy of the power ultrasonic frequency source into mechanical vibration through the transducer, and to irradiate the ultrasonic wave into the cleaning liquid in the groove through the cleaning tank wall. Due to the radiation of the ultrasonic waves, the microbubbles in the liquid in the tank can be kept vibrated by the action of the sound waves. The adsorption of the dirt and the surface of the cleaning member is destroyed, causing fatigue damage of the dirt layer to be rejected, and the vibration of the gas type bubble scrubs the solid surface.



Our Advantages

13+

13+ years R&D experience

10,000+

10,000+ square meters factory

200+

200+ experienced employees


120+

120+ countries and areas exported

Our Factory



PRODUCTION PROCESS



Our RD Team









Our Sales Team











Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen