

China

1 unit

Skymen

JP-040PLUS

Negotiation

Foam carton

In Stock

## Degassing 3 Gallon Sonic Ultrasonic Cleaner 480W For Metal Stamping Parts

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification: CE, ROHS, FCC
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:



### **Product Specification**

- Ultrasonic Power:
- Heating Power:

Tank Capacity:

- Inner Tank Size:
- Machine Dimension:
- Gross Weight:
- Highlight:

200W
10L
11.8x9.4x5.9
15x11.4x11"
8.6G

240/480W

Degassing Sonic Ultrasonic Cleaner, 3 Gallon Sonic Ultrasonic Cleaner, 480W Industrial Ultrasonic Parts Cleaner



Brand	Skymen					
Model	JP-040PLUS					
Tank size	300*240*150mm	Unit size	380°290°280mm			
Tank material	SUS 304	Thickness	1.1mm			
Capacity	100	Control panel	20" slope Touch control			
Ultrasonic power	240W	Plus power	480W			
Frequency	40KHz	Transducer pcs	8 pcs			
Heating power	200W	Drain value	Yes			
Timer	0-99minutes	Basket	AC 110V; AC 220V			
Heater	Normal-80°C	Plus power	N.W.7.3KG G.W.8.4KG			
Application	Ultrasonic clean, emulsily, mixing, extraction, disperse, ect.					
Spare part	Basket, warranty card, certificate of quality, manual					

#### **Product Description**

#### Ultrasonic Cleaner for Precision Metal Stamping Parts 3 Gallon Ultrasonic Bath

Degassing is used for the reliable removal of gas from samples (e.g. for the removal of carbon dioxide) or for the degassing of HPLC solvents in the analytical lab.

Mixing combines two liquids that are not ordinarily mixable, e.g. oil in water.

Dispersing is used with for substances that are not ordinarily mixable, for example solid substances in liquid such as pigments in water.

Cleaning applies to laboratory glassware or laboratory instruments, even joints of articulated components and in hollow bodies. A special application is cleaning analytical sieves. Combined with elma lab clean chemicals this is an environmentally friendly application.

#### Specifications:

opecifications.	
Model No.	JP-040PLUS
Function	Ultrasonic cleaning + Hot water cleaning
Ultrasonic Frequency	40kHz
Tank Material	SUS 304
Tank Capacity	10 Liter
Inner tank dimension	300*240*150mm / 11.8x9.4x5.9" (Length*width*deep)
Machine dimension	380*290*280mm / 15x11.4x11"(Length*width*height)
Gross weight of machine	8.6KG; packed by foam in carton
Ultrasonic Power	240/480W
Heating Power	200W
Time setting of Ultrasonic	0~30 minutes
Temperature setting	Room temperature ~ 80°C / 176°F adjustable
Drain value	Yes
Lid	Yes
Basket	Yes
Power supply	220V, 110V
Warranty	1 Year, free spare parts within 1 year, online technical support
Certificate	CE; RoHS; FCC; REACH
Lead time	3 Working days
Shipping time	5~7 day by express



# **Skymen New Arrival PLUS Series**

Digital Timing and heating adjustable



#### Same serie machine with different capacity:

Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequenc y	Tank thickness	Material

	(L)	(L*W*H)mm	(W)	(W)	(KHz)	(mm)	SUS304
JP- 020PLU S	3.2	240*135*10 0	120/180	100	40	1	SUS304
JP- 030PLU S	4.5	300*150*10 0	180/300	200	40	1	SUS304
JP- 031PLU S	6.5	300*150*15 0	180/300	200	40	1	SUS304
JP- 040PLU S	10	300*240*15 0	240/480	200	40	1	SUS304
JP- 060PLU S	15	330*300*15 0	360/600	300	40	1	SUS304
JP- 080PLU S	22	500*300*15 0	480/840	500	40	1	SUS304
JP- 100PLU S	30	500*300*20 0	600/1080	500	40	1	SUS304
Cleaning	Cleaning effect show:						

