

CE 840W 22L Ultrasonic Pcb Cleaner SUS304 For Hardware Fitting

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Skymen
- Certification: CE, ROHS, FCC
- Model Number: JP-080PLUS
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: Foam carton
- Delivery Time: In Stock



Product Specification

- Ultrasonic Power: 480/840W
- Heating Power: 500W
- Tank Capacity: 22L
- Inner Tank Size: 19.7x11.8x5.9"
- Machine Dimension: 23x13x11"
- Gross Weight: 15KG
- Highlight: **840W Ultrasonic Pcb Cleaner, 22L Ultrasonic Pcb Cleaner, SUS304 Table Top Ultrasonic Bath**



Brand		Skymen	
Model		JP-080PLUS	
Tank size		300*300*150mm	Unit size 580*330*280mm
Tank material		SUS 304	Thickness 1.1mm
Capacity		22L	Control panel 29" slope Touch control
Ultrasonic power		480W	Plus power 840W
Frequency		40KHz	Transducer pcs 14pcs
Heating power		500W	Drain valve Yes
Timer		0-99 minutes	Basket stainless steel basket
Heater		Normal-80°C	Plus power AC 110V-AC 220V
Application		Ultrasonic clean, emulsion, mixing, extraction, dispersion, etc.	
Spare part		Basket, warranty card, certificate of quality, manual.	

for more products please visit us on skymenultrasonic.com

Product Description

Ultrasonic Cleaner for Precision Hardware Fitting 22L Ultrasonic Bath With CE Certificate

Stainless steel – most of the cleaners are constructed with either of the materials, and this makes the ultrasonic cleaning machines durable and lasts a lifetime.

Piezoceramic transducers - they are always found at the bottom or side of the tank

Tank – many of the cleaners come with a tank. Each tank varies in size and accommodates different gallons of solvent. There are some without tanks. You will need a bowl or sink to use them. Sonic Soak is a perfect example.

On and off switch – found in all models. Some models offer automatic shut off

Timers and temperature controllers – this feature is not found in all models

Drainer – not all ultrasonic machines have this feature, but for the ones that have, the drainer helps to drain solution after cleaning

Electrical energy – it powers the transducers. Most ultrasonic cleaners run at an average power of 50 watts to 100 watts per gallon.

Operating modes – some ultrasonic cleaning machines has sweep modes that give a slight fluctuation in the frequency and a pulse mode that boosts ultrasonic power.

Rack or basket – helps to prevent scratches or etch while cleaning your item

Specifications:

Model No.	JP-080PLUS
Function	Ultrasonic cleaning + Hot water cleaning
Ultrasonic Frequency	40kHz
Tank Material	SUS304
Tank Capacity	22 Liter
Inner tank dimension	500*300*150mm / 19.7x11.8x5.9" (Length*width*deep)
Machine dimension	585*330*280mm / 23x13x11"(Length*width*height)
Gross weight of machine	15KG; packed by foam in carton
Ultrasonic Power	480/840W
Heating Power	500W
Time setting of Ultrasonic	0~30 minutes
Temperature setting	Room temperature ~ 80°C / 176°F adjustable
Drain value	Yes
Lid	Yes
Basket	Yes
Power supply	220V, 110V
Warranty	1 Year, free spare parts within 1 year, online technical support
Certificate	CE; RoHS; FCC; REACH
Lead time	3 Working days
Shipping time	5~7 day by express



Sky men New Arrival PLUS Series

Digital Timing and heating adjustable




Same serie machine with different capacity:

Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequenc y (KHz)	Tank thickness (mm)	Material
JP-020PLUS	3.2	240*135*100	120/180	100	40	1	SUS304
JP-030PLUS	4.5	300*150*100	180/300	200	40	1	SUS304
JP-031PLUS	6.5	300*150*150	180/300	200	40	1	SUS304
JP-040PLUS	10	300*240*150	240/480	200	40	1	SUS304
JP-060PLUS	15	330*300*150	360/600	300	40	1	SUS304
JP-080PLUS	22	500*300*150	480/840	500	40	1	SUS304
JP-100PLUS	30	500*300*200	600/1080	500	40	1	SUS304

Cleaning effect show:

Before & After Cleaning Comparison



Skymen – the specialists for ultrasonic technology work in close cooperation with the customers to develop new ultrasonic cleaning processes for laboratory applications, such as analyzing, sample processing and cleaning of laboratory instruments. The range of our ultrasonic units is optimized for use in laboratories. The Skyman units are indispensable both for research and for the practical use in the lab to find solutions for problems and to get reproducible test results. Skyman offers various different types of ultrasonic cleaners. Each series consists of units of different sizes. They are designed for special applications and meet the requirements of the everyday work in a lab.



Skyman Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an

