

1.3L FCC Stainless Steel Ultrasonic Cleaner For Dental Instruments

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE ROHS FCC
- Model Number: JP-009
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1 unit per color box, 8 units per big carton
- Delivery Time: In Stock
- Supply Ability: 8000 pcs per month



Product Specification

- Application: Cleaning Jewelry
- Function: Ultrasonic Cleaning+heating
- Tank Volume: 1.3 Liter
- Heating Power: 100W
- Ultrasonic Power: 35W
- Material: SUS304
- Inner Tank Size: 5.9x5.3x2.6"
- Packing Size: 6.9x6.3x6.9"
- Highlight: FCC Stainless Steel Ultrasonic Cleaner, 1.3L Stainless Steel Ultrasonic Cleaner, Dental Instruments Benchtop Ultrasonic Cleaner



Product Description

0.5 Gallon Ultrasonic Cleaner for Sapphire/Ruby with Heating Ultrasonic Bath

Placing instruments in an ULTRASONIC CLEANER is the most common method used by dental teams to clean instruments prior to sterilization. The ultrasonic activity — also known as cavitation — combined with detergent solutions, removes blood, saliva, and other debris from instruments. Without this cleaning process, heat sterilization of dental instruments is not effective. But which ultrasonic solution is most appropriate? To determine this, let's take a look at the desired characteristics of an ultrasonic cleaning solution. One of the most important characteristics is that the solution be compatible with the dental instruments and other items that will be cleaned. But the solution must also be compatible with the tank or chamber where the instruments are placed, which is metal.

JP-009 product specification:

Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Tank thickness	1mm
Capacity	1.3L
Timer	Digital control, 0~60 mins
Heater	100W
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Transducer q'ty	1pcs
Ultrasonic power	60W
Tank inner dimension	150*135*65mm
Unit dimension	175*160*175mm
Inner Packing size	255*250*240mm
Big carton for 12pcs	525*500*490mm for 8pcs
N.W.	2.2kg
G.W.	2.5kg
OEM	Support
Certificate	ISO9001:2008 & CE & RoHS
Lead time	3 days after payment

Same series machine with different capacity:

Model	Capacity (Gallon)	Tank Size (L*W*H)inch	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
JP-008	0.21	5.9x3.3x2.6"	35	0	40
JP-009	0.34	5.9x5.3x2.6"	60	100	40
JP-010T	0.53	5.9x5.3x3.9"	60	100	40
JP-020S	0.85	9.4x5.3x3.9"	120	100	40
JP-030S	1.19	11.8x5.9x3.9"	180	200	40
JP-031S	1.72	11.8x5.9x5.9"	180	200	40
JP-040S	2.64	11.8x9.4x5.9"	240	200	40
JP-060S	3.96	13x11.8x5.9"	360	300	40
JP-080S	5.81	19.7x11.8x5.9"	480	500	40
JP-100S	7.93	19.7x11.8x7.9"	600	500	40
JP-120S	10.04	19.7x11.8x9.9"	720	800	40

Images of this model:



JP-009

1.3L



CE RoHS ISO9001

Cleaning effect:



Package Includes:

- 1 x Digital Ultrasonic Cleaner
- 1 x Cleaning Basket
- 1 x Manual



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen