

# SUS316 3600W Automatic Ultrasonic Cleaner 135L With Convey **Belt**

# **Basic Information**

- Place of Origin:
- Brand Name: Certification:
- Shenzhen, China Skymen

JTM-3072AD

Negotiation

In Stock

T/T

Wooden case

800 pcs per month

RoHS, CE, FCC, SGS

1

- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



# **Product Specification**

- Functions:
- Working Way:
- Ultrasonic Power:
- Heating Power:
- Custom Size:
- Single Stage Size:
- Highlight:
- Cleaning, heating, Cooling; Drying, Etc Automated

- 3600W 6000W
- Available
  - 600\*500\*450mm
- Convey Belt Automatic Ultrasonic Cleaner, 3600W Automatic Ultrasonic Cleaner, SUS316 Digital Ultrasonic Cleaner

# **Product Description**


## Automated Multi-Tank Ultrasonic Cleaner With Cleaning, Agitation, Drying Functions

Regardless of the type of filter element, after a long period of use, the filter element will be clogged, which will affect the efficiency of use and need to be cleaned regularly. Ordinary manual cleaning is difficult to clean thoroughly and also damages the internal structure of the filter element. Ultrasonic cleaning of the filter element can be completed within 30 minutes, and batch cleaning. Just put the filter element in the basket, the automatic ultrasonic cleaning machine will automatically send the basket for cleaning, and it will automatically dry after cleaning. Do not require manual operation and do not damage the filter element.

#### Specification sheet:

1	ecification she	JTM-3072AD					
<u> </u>	Model	Function	Ultrasonic cleaning + Filter+ Hot water cleaning				
	1	Ultrasonic Frequency	28/40kHz (other frequency can be customized)				
		Tank Material	SUS 304 (SUS316 can be customized)				
		Thickness of tank	2mm				
2	1st Chamber	Inner tank dimension	600*500*450mm				
			135L				
		Tank Capacity Transducer	36pcs				
		Ultrasonic Power	1800W				
		Heating Power	4500W				
		-	450077				
		l lltrasonic	0~99 hours				
		Temperature setting	Room temperature ~ 95°C adjustable				
		Drain value	Yes				
		Water inlet/outlet	Yes				
		Filter	1 set, connect with 1st tank				
		Size of filter tank	500*300*300mm				
			5/10µ				
		Generator	1pcs				
			1800W				
		Basket	Yes				
		Basket load	150KG				
			Ultrasonic cleaning + Bubbling + Hot water				
	2nd Chamber		cleaning				
		Ultrasonic Frequency	28/40kHz (other frequency can be customized)				
		Tank Material	SUS 304 (SUS 316 can be customized)				
		Thickness of tank	2mm				
		Inner tank dimension	600*500*450mm				
		Tank Capacity	135L				
		Transducer	36pcs				
		Ultrasonic Power	1800W				
_		Heating Power	4500W				
3		Time setting of					
		Ultrasonic	0~99 hours				
		Temperature setting	Room temperature ~ 95°C adjustable				
		Drain value	Yes				
		Water inlet/outlet	Yes				
		Bubbling system	Yes, air compressor is provided by user				
		Generator	1pcs				
		Generator power control	1800W				
		Basket	Yes				
		Basket load	150KG				
<u> </u>	3rd Chamber	Function	Hot air drying tank				
~		Inner tank dimension	600*500*450mm				
3		Turbines power	750W				
		Dryer power	3000W				
4	Working way of machine	Working way	Full automatic				
		Loading and unloding	Yes				
		platform Moving way of basket	Py machanical arm				
			By mechanical arm				
5	Morroct	Control way	PLC touch screen				
5	Warranty		parts, all life technical support				
6	Certificate	CE, RoHS; FCC, REACH					
7	Production time	35 working days after deposit					

Cleaning process: (cleaning direction: from left to right)



#### Working way

The entire process of putting the basket into the cleaning tank, removing the basket and moving the basket between the tanks is automatically completed by a single-arm manipulator. This ultrasonic cleaning machine has a total of 3 working tanks, plus 1 loading and unloading station, a total of 4 stations.

Model	Size of every tank	Tank Volume	Ultrasoni c Power	Heating Power of Ultrasonic tank	Heating Power of drying tank	Transducer
	L*W*H (mm)	(L)	(W)	(W)	750W	(pcs)
JTM-3024AD	500X300X2 50	38L*3	600W	1500W*2	750W	24pcs
JTM-3036AD	500X350X3 00	53L*3	900W	1500W*2	750W	36pcs
JTM-3048AD	550X400X3 50	77L*3	1200W	3000W*2	750W	48pcs
JTM-3060AD	550X450X4 00	99L*3	1500W	3000W*2	750W	60pcs
JTM-3072AD	600X500X4 50	135L*3	1800W	4500W*2	750W	72pcs
JTM-3096AD	700X500X5 00	175L*3	2400W	6000W*2	750W	96pcs
JTM-3120AD	800X600X5 50	264L*3	3000W	6000W*2	750W	120pcs
JTM-3144AD	1000X600X 600	360L*3	3600W	9000W*2	750W	144pcs
JTM-3216AD	1000X900X 600	540L*3	5400W	18000W*2	1100W	216pcs
JTM-3288AD	12000*1000 *800	960L*3	7200W	24000W*2	1500W	288pcs

## Same series with different size for your choice:

## Images:





#### History:

Skymen Cleaning Equipment Shenzhen Co., Ltd., was founded in 2007, which follows the brand development strategy of "based in Shenzhen, radiating throughout the country, expanding overseas". Skymen also owns a professional R&D team to keep the pace with international ultrasonic technology. A passionate and young sales team sell to the world through different channels.

