

# SUS304 Lab Ultrasonic Cleaning Equipment 480W JP-080S Remove Grease Rust

### **Basic Information**

Place of Origin: ChinaBrand Name: Skymen

Certification: CE ROHS FCC SGS

Model Number: JP-080S
Minimum Order Quantity: 1 unit
Price: Negotiation
Packaging Details: 1 unit per box
Delivery Time: In Stock
Payment Terms: L/C, T/T

• Supply Ability: 8000 pcs per month



# **Product Specification**

Model: JP-080SHeating Power: 500WTank Capacity: 30L

• Unit Size: 585\*330\*280mm ( L X W X H )

Industry Used: Electronic IndustryUse: Engineer Parts Cleaning

Highlight: SUS304 Lab Ultrasonic Cleaning Equipment,
 Lab Ultrasonic Cleaning Equipment 480W,

JP-080S Ultrasonic Instrument Cleaner



## More Images







### **Product Description**

### 22L Lab Ultrasonic Cleaning Equipment 480W JP-080S Remove Grease Rust 40KHz Frequency

**Ultrasonic Cleaner Features** 

- 1. high power and two available choice 480w/240w. you can degrade the cleaning strength by degrading the power according to your cleaning articles.
- 2. stainless steel tank has resistance to wear and long work life.
- 3. tank

capacity:22L(5.8gallon), with digital timer & heater control

- 4. with Stainless steel basket
- 5.Use just tab water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
- 6.industrial control chip micro controller. flexible circuit boards control, more secure & stable
- 7.temperature tunable from 20°C to 80°C

### **Ultrasonic Cleaner Product Specification**

Ultrasonic Frequency	40,000 Hz		
Material	Stainless Steel SUS304		
Tank Capacity	22L		
Timer	1-30minutes, digital timer		
Power Supply	AC 100 ~ 120V, 50 / 60Hz		
	AC 220 ~ 240V, 50 / 60 Hz		
Ultrasonic Power	480W/240W		
Heating Power	500 W		
Unit Size	585*330*280mm ( L x W x H )		
Tank Size	500*300*150 mm ( L x W x H )		
Package Size	635*410*335( L x W x H )		
N.W.	12.6kg		
G.W.	14kg		

### Stainless Bench Top

Model	Capacity		Ultrasonic	Heating	Frequenc	Tank	Material
			Power Power y	,	thickness		
	(L)	(L*W*H)mm	(W)	(W)	(KHz)	(mm)	SUS304
JP-008	0.8	150*85*65	35	0	40	1	SUS304
JP-009	0.9	150*135*65	60	100	40	1	SUS304
JP-010T	2	150*165*10 0	60	100	40	1	SUS304
JP-020S	3.2	240*135*10 0	120	100	40	1	SUS304
JP-030S	4.5	300*150*10 0	180	200	40	1	SUS304
JP-031S	6.5	300*150*15 0	180	200	40	1	SUS304
JP-040S	10	300*240*15 0	240	200	40	1	SUS304
JP-060S	15	330*300*15 0	360	300	40	1	SUS304
JP-080S	22	500*300*15 0	480	500	40	1	SUS304

JP-100S	30	500*300*20 0	600	500	40	1	SUS304
---------	----	-----------------	-----	-----	----	---	--------

**Product Show:** 

# SKYMEN DIGITAL ULTRASONIC CLEANER



Timer







Degas Semiwave

Heater



# **UPGRADED CONTROL PANEL**

User-friendly 20-degree tilt design interface for easier operation.





## Shipping & packing:

- 1. Measurement for 1pcs:0.018CBM; 48pcs per CBM
- 2. The machine will be packed by box and foam; The machine will be delivered immediately once the payment is clear.



# **FAQ**

#### How about after sales services?

12 months warranty for SKYMEN ultrasonic cleaner. Any technical problem during warranty time, free replacement parts will be sent to your door. And technical support is also available after 1 year.

### What are advantages of ultrasound over traditional cleaning methods?

- 1).minimizes the use of manual labor
- 2).makes cleaning and degreasing without the use of organic solvents
- 3).reaches every area of product and remove all types of dirt
- 4).shorten processes such as extraction, dispersion, purification, and chemical reactions.
- 5).eliminates costly mechanical and chemical cleaning of heat exchangers

#### Will ultrasonic cleaning damage item's parts?

Ultrasonic cleaning is considered as safe cleaning way for most parts; In some cases, it is necessary to observe carefully. The effect of thousands of implosions per second is very powerful, and the cleaning process is safe.



## **Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen