

## SUS304 Ultrasonic Gun Cleaner JP-100S 30L 40KHz CE FCC REACH

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE ROHS FCC SGS
- Model Number: JP-080S
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1 unit per box
- Delivery Time: In Stock
- Payment Terms: L/C, T/T
- Supply Ability: 8000 pcs per month



### Product Specification

- Model: JP-080S
- Heating Power: 500W
- Tank Capacity: 30L
- Unit Size: 585\*330\*280mm ( L X W X H )
- Industry Used: Electronic Industry
- Use: Engineer Parts Cleaning
- Highlight: SUS304 Ultrasonic Gun Cleaner,  
Ultrasonic Gun Cleaner JP-100S,  
FCC REACH Digital Ultrasonic Cleaner



### More Images



## Product Description

### CE FCC REACH Ultrasonic Gun Cleaner JP-100S 30L 40KHz SUS304 For Gun Cleaning Machine

#### Ultrasonic Cleaner Features

1. Stainless steel tank has resistance to wear and long work life.
2. Tank capacity: 30L(8gallon), with digital timer & heater control
3. With Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. Industrial control chip microcontroller.flexible circuit boards control, more secure & stable
6. Temperature tunable from 20°C to 80°C
7. With drainage
8. Certification: CE&RoHS

#### Ultrasonic Cleaner Product Specification

Ultrasonic Frequency	40,000 Hz
Material	Stainless Steel SUS304
Tank Capacity	30 L
Timer	1-30minutes , Digital timer
Heater	20°C to 80°C
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Ultrasonic Power	600 W Adjustable
Heating Power	500 W, Digital Heating
Tank Size	500 x 300 x 200 mm ( L x W x H )
Unit Size	530 x 325 x 325 mm ( L x W x H )
Package Size	635 x 405 x 390 mm ( L x W x H )
N.W. / G.W.	15.0kg / 16.0kg
Warranty	1 year

#### Stainless Bench Top

Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)	Tank thickness (mm)	Material
JP-008	0.8	150*85*65	35	0	40	1	SUS304
JP-009	0.9	150*135*65	60	100	40	1	SUS304
JP-010T	2	150*165*100	60	100	40	1	SUS304
JP-020S	3.2	240*135*100	120	100	40	1	SUS304
JP-030S	4.5	300*150*100	180	200	40	1	SUS304
JP-031S	6.5	300*150*150	180	200	40	1	SUS304
JP-040S	10	300*240*150	240	200	40	1	SUS304
JP-060S	15	330*300*150	360	300	40	1	SUS304

JP-080S	22	500*300*150	480	500	40	1	SUS304
JP-100S	30	500*300*200	600	500	40	1	SUS304

Ultrasonic Cleaner Product Show:

## SKYMEN DIGITAL ULTRASONIC CLEANER



Timer



Degas



Semiwave



Heater



## UPGRADED CONTROL PANEL

User-friendly 20-degree tilt design interface for easier operation.



## MULTIPURPOSE CLEANING

It's efficient for most of industry items that could be used to clean.  
get the best cleaning effects with the least effort




### Ultrasonic Cleaner Shipping & packing:

1. Measurement for 1pcs:0.018CBM; 48pcs per CBM
2. The machine will be packed by box and foam; The machine will be delivered immediately once the payment is clear.

### PRODUCT PACKAGING

- ✓ Cleaning bath
- ✓ Cleaning basket
- ✓ Instruction manual
- ✓ Power cord



## FAQ

### How about after sales services?

12 months warranty for SKYMEN ultrasonic cleaner. Any technical problem during warranty time, free replacement parts will be sent to your door. And technical support is also available after 1 year.

**What are advantages of ultrasound over traditional cleaning methods?**

- 1).minimizes the use of manual labor
- 2).makes cleaning and degreasing without the use of organic solvents
- 3).reaches every area of product and remove all types of dirt
- 4).shorten processes such as extraction, dispersion, purification, and chemical reactions.
- 5).eliminates costly mechanical and chemical cleaning of heat exchangers

**Will ultrasonic cleaning damage item's parts?**

Ultrasonic cleaning is considered as safe cleaning way for most parts; In some cases, it is necessary to observe carefully. The effect of thousands of implosions per second is very powerful, and the cleaning process is safe.

**SkyMen Technology Corporation Limited**

86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen