



## 38L Heat Exchanger Ultrasonic Cleaner SUS304 600W LCD Skymen JP-120ST

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Skymen
- Certification: CE,FCC,Rohs
- Model Number: JP-120ST
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: Wooden case packag size: 1120\*1460\*1070mm Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 1000PCS/month



#### Product Specification

- Certification: CE, RoHS, CSA, FCC, EMF
- Material: Stainless Steel
- Machine Type: Industrial Ultrasonic Cleaner
- Frequency: 28KHz/40KHz
- Capacity: 38L
- Name: Heat Exchanger Ultrasonic Cleaner
- Highlight: **Heat Exchanger Ultrasonic Cleaner SUS304, 38L Heat Exchanger Ultrasonic Cleaner, 60600W LCD Benchtop Ultrasonic Cleaner**

## Product Description

### Skymen JP-120ST 38L Digital Industrial Heat Exchanger Ultrasonic Cleaner With CE FCC RoHS

#### Ultrasonic Cleaner's Description:

High power transducer cleaning effect significantly, usable macroscopic observation;  
 After cleaning objects as new again ;  
 Digital LCD control boot time;  
 The stainless steel and the lid, bladder, more upscale;  
 Waterproof properties is greatly improved, more safety products last;  
 With constant temperature system with heating.  
 Save huge labor cost at your workshop.

#### Ultrasonic Cleaner's Applications:

Laboratories field;  
 Medical field (such as surgical instrument);  
 Electronic parts field (such as PCB Board)  
 Car/motor/Aircraft parts field (such as engine block, radiator, etc.)  
 Industrial field;

#### Ultrasonic Cleaner's Specifications:

Model	JP-120ST
Ultrasonic frequency	40000 Hz
The tank material	stainless steel SUS304 stamping slot
Shell material	SUS304
Capacity	38 L
Time control	digital control display (1-99 minutes)
TEMP control	20~80 °C
Power Control	240 ~ 600W
Ultrasonic power	600 W, 12 MEDALS head shock
The tank size	500 x 300 x 250 mm (L x W x H)
Shape dimension	675 x 475 x 655 mm (L x W x H)
N.W./ G.W.	35 kg/50 kg

#### Similar models with different tank volume:

Model	Tank size	Volume	Ultrasonic Power	Heating Power	Transducer
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
<b>JP-120ST</b>	500X300X250	38L	600W	1500W	12pcs
<b>JP-180ST</b>	<b>500X350X300</b>	<b>53L</b>	<b>900W</b>	<b>1500W</b>	<b>18pcs</b>
<b>JP-240ST</b>	550X400X350	77L	1200W	3000W	24pcs
<b>JP-300ST</b>	550X450X400	99L	1500W	4500W	30pcs
<b>JP-301ST</b>	800X300X400	96L	1500W	4500W	30pcs
<b>JP-360ST</b>	600X500X450	135L	1800W	4500W	36pcs
<b>JP-480ST</b>	700X500X500	175L	2400W	6000W	48pcs
<b>JP-600ST</b>	800X600X550	246L	3000W	6000W	60pcs
<b>JP-720ST</b>	1000X600X600	360L	3600W	9000W	72pcs
<b>JP-1108ST</b>	1000X900X600	540L	5400W	18000W	108pcs
<b>JP-1144ST</b>	1200X1000X800	960L	7200W	27000W	144pcs

#### How to use an ultrasonic cleaner ?

Cleaning prior to lacquering

Ultrasonic clean 130° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate

Chemistry, Brulin 815GD, 12 ounces per gallon of water

Spray rinse with de-ionized\* water to remove gross detergent

Immersion rinse in flowing warm de-ionized\* water (30 seconds)

Spray rinse with de-ionized\* water (final rinse)

Blow dry with clean compressed air or dry nitrogen

Cleaning to remove calcium buildup (replaces "chem-clean")

Ultrasonic clean <110° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate

Chemistry, Ultra-power 132, 1 to 1½ ounces per gallon of water

Spray rinse with de-ionized\* water to remove gross detergent

Immersion rinse in flowing warm de-ionized\* water (30 seconds)

Spray rinse with de-ionized\* water (final rinse)

Blow dry with clean compressed air or dry nitrogen

Package by polywooden case:

**Ultrasonic Cleaner's Cleaning Effect:**

**Skymer JP-120ST 38L Digital Industrial Heat Exchanger Ultrasonic Cleaner With CE FCC RoHS**

---






Packing & Delivery

## Company Profile

**Skymen Cleaning Equipment Shenzhen Co. Ltd.**, that has worked on ultrasonic cleaner for more than 13 years.Our ultrasonic products fully range from mini household ultrasonic cleaner, benchtop stainless steel small ultrasonic cleaner, and industrial large tank ultrasonic cleaner as well as Immersible ultrasonic transducer system.Our company devote to research and development, with strong engineer teams.Otherwise, we accept customer's idea and want to develop new products together.





**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen