



175L CSA Ultrasonic Metal Cleaner Sky men JP-480ST For DPF Filter Intake Manifold

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Sky men
- Certification: CE, FCC, Rohs
- Model Number: JP-480ST
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: Wooden case packag size: 1120*1460*1070mm Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 1000PCS/month



Product Specification

- Certification: CE, RoHS, CSA, FCC, EMF
- Material: Stainless Steel
- Machine Type: Industrial Ultrasonic Cleaner
- Frequency: 28KHz/40KHz
- Capacity: 175L
- Name: Ultrasound Cleaning Equipment
- Highlight: **DPF Filter Ultrasonic Metal Cleaner, 38L CSA Ultrasonic Metal Cleaner, Sky men JP-480ST Heated Ultrasonic Cleaner**



Product Description

175L CSA Ultrasonic Metal Cleaner Skymen JP-480ST For DPF Filter Intake Manifold

DPF Ultrasonic Cleaner's Description

DPF Ultrasonic Cleaner's FEATURES

1. stainless steel tank has resistance to wear and long work life.

2. tank capacity:175L, with Digital timer & heater

control

3. with Stainless steel basket

4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning

requirement

5. industrial control chip
microcontroller. flexible circuit boards control,
more secure & stable

6. with drainage

DPF Ultrasonic Cleaner's Application

Clean DPF, injector, industrial application
professionally applied in car workshops,
diesel work shops, plating factory, electronics
factory, molding factory, electronics
workshops, tattoo shops, scientific & bio-
chemical laboratory, hospital and dental
clinics, jewelry shops, antique shops, and
electronics workshops, golf clubs, etc.

DPF Ultrasonic Cleaner's Including:

1* cleaning machine

1* lid

1* basket

DPF Ultrasonic Cleaner's Specificatoin:

Model	JP-480ST
Ultrasonic power	2400W (48pcs transducers)
Frequency	40KHz / 28KHz
Housing material	SUS304
Tank material	SUS304 / 316
Heating power	6000W
Tank capacity	175L
Timer	Digital 1-99 min adjustable
Heater	0~80°C
Voltage	AC 220V, 3phase 50Hz AC 380V, 3phase 50Hz
Tank size	700X500X500mm
Unit size	980*755*800mm
Packing size	1040*815*920mm Wooden case
N.W.	115 Kg
G.W.	120 Kg
Certificate	ISO9001:2008 CE & RoHS

DPF Ultrasonic Cleaner's Similar Models with Different Volume:

Model	Tank size	Volume	Ultrasonic	Heating	Transducer
	L*W*H (mm)	(L)	Power (W)	Power (W)	(pcs)
JP-120ST	500X300X250	38L	600W	1500W	12pcs
JP-180ST	500X350X300	53L	900W	1500W	18pcs
JP-240ST	550X400X350	77L	1200W	3000W	24pcs
JP-300ST	550X450X400	99L	1500W	4500W	30pcs
JP-301ST	800X300X400	96L	1500W	4500W	30pcs
JP-360ST	600X500X450	135L	1800W	4500W	36pcs
JP-480ST	700X500X500	175L	2400W	6000W	48pcs
JP-600ST	800X600X550	246L	3000W	6000W	60pcs
JP-720ST	1000X600X600	360L	3600W	9000W	72pcs
JP-1108ST	1000X900X600	540L	5400W	18000W	108pcs
JP-1144ST	1200X1000X800	960L	7200W	27000W	144pcs

How to use ultrasonic cleaner to clean DPF?

Cleaning prior to lacquering

Ultrasonic clean 130° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate

Chemistry, Brulin 815GD, 12 ounces per gallon of water

Spray rinse with de-ionized* water to remove gross detergent

Immersion rinse in flowing warm de-ionized* water (30 seconds)

Spray rinse with de-ionized* water (final rinse)

Blow dry with clean compressed air or dry nitrogen

Cleaning to remove calcium buildup (replaces "chem-clean")

Ultrasonic clean <110° F, 2 to 3 minutes, 38 to 40 kHz sweep, 300 Hz sweep rate

Chemistry, Ultra-power 132, 1 to 1½ ounces per gallon of water

Spray rinse with de-ionized* water to remove gross detergent

Immersion rinse in flowing warm de-ionized* water (30 seconds)

Spray rinse with de-ionized* water (final rinse)



Blow dry with clean compressed air or dry nitrogen

Package by polywooden case:

DPF Ultrasonic Cleaner's Cleaning Effect:

CLEANING EFFECT

Better cleaning when cleaning with detergent





86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen