Our Product Introduction

96L CSA Ultrasonic Auto Cleaner Deburring Parts For DPF Cylinder **Throttle**

Basic Information

. Place of Origin: China . Brand Name: Skymen

CE, FCC, Rohs · Certification: JP-301ST Model Number: • Minimum Order Quantity: 1 unit • Price: Negotiation

Wooden case packag size: Packaging Details:

1120*1460*1070mm Wooden case

• Delivery Time: In Stock T/T Payment Terms:

1000PCS/month . Supply Ability:



Product Specification

· Certification: CE,RoHS,CSA,FCC,EMF . Cleaning Type: Industrial Ultrasonic Cleaner

. Industry Used: Auto Industry 1500W Power: • Frequency: 28KHz/40KHz

• Tank Capacity:

Highlight: **DPF Cylinder Throttle Ultrasonic Auto Cleaner**,

96L CSA Ultrasonic Auto Cleaner, **Deburring Parts Digital Ultrasonic Cleaner**

Product Description

96L Ultrasonic Cleaner JP-301ST for Cleaning DPF Cylinder Throttle Cleaning for Industrial Using

Why clean parts with ultrasonic?

Delivering and using clean parts is not always obvious, certainly, no one wants to handle a dirty parts or install it into a critical machine, but, dirty, debris and contaminants can cause problems for manufactures and end users, from the merely frustrating to catastrophic, dirty parts can cause critical components to exceed tolerances and even fail damaging valuable equipment and property while contamination (everything from grease, oil and chemicals to viruses and bacteria) can seriously harm users.

APPLICATION

- 1. Car service: Flushing carburetors, injectors, injectors, fuel filter mesh cleaning (petrol), individual parts, assemblies, and entire blocks.
- 2. Medicine: Washing and polishing of optics, sterilization and cleaning of surgical instruments, vials, dental and pharmaceutical industries; cleaner reusable, molds.
- 3. Engineering: Cleaning of parts, pipes, wires, etc. before finishing, machining parts and components to the preservation, processing of parts after reopening, welding, grinding, polishing, cleaning strainers in the fuel and hydraulic systems, deburring parts.
- 4. Instrumentation: Washing and polishing of optics, precision mechanics components, integrated circuits and printed circuit boards.

Ultrasonic Frequency	40KHz
Material	Stainless Steel SUS304
Tank Capacity	96L
Transduce r	30PCS
Timer	1-99minutes adjustable
Heater	20°C to 95°C adjustable
Power Supply	AC220V, 1 phase 50Hz, AC110V, 1 phase 60Hz,
Heating Power	3000W, Digital Heating
Ultrasonic Power	1500W (40%-100% adjuatable)
Tank Size (LxWxH)	550x450x400mm
Unit Size (LxWxH)	820x685x835mm
Package Size (LxWxH)	900x780x960mm (wooden case)
N.W./G.W.	105KG/110KG
Warranty	1 year

From 10 galles to 200 gallons, the size of tank could be customized.

The whole set machine including:

- 1* cleaning machine 1* lid
- 1* basket



Similar models with different tank volume:

Model	Tank size	Volume	Ultrasonic	Heating	Transducer
			Power	Power	
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
<u>JP-120ST</u>	500X300X250	38L	600W	1500W	12pcs
<u>JP-180ST</u>	500X350X300	53L	900W	1500W	18pcs
JP-240ST	550X400X350	77L	1200W	3000W	24pcs
<u>JP-300ST</u>	550X450X400	99L	1500W	4500W	30pcs
<u>JP-301ST</u>	800X300X400	96L	1500W	4500W	30pcs
JP-360ST	600X500X450	135L	1800W	4500W	36pcs
<u>JP-480ST</u>	700X500X500	175L	2400W	6000W	48pcs
JP-600ST	800X600X550	246L	3000W	6000W	60pcs
<u>JP-720ST</u>	1000X600X600	360L	3600W	9000W	72pcs
<u>JP-1108ST</u>	1000X900X600	540L	5400W	18000W	108pcs
<u>JP-1144ST</u>	1200X1000X800	960L	7200W	27000W	144pcs

Ultrasonic Cleaner's Cleaning Effect:

CLEANING EFFECT

Better cleaning when cleaning with detergent





Skymen Technology Corporation Limited

86-755-27094405

info@skymen.cc

skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen