

China Mainland

CE/Rohs/ ISO/Form A

1pcs / wooden case packing

Skymen

JP-2048GH

Negotiation

In Stock

# Skymen JP-2048GH 175L EMF Industrial Ultrasonic Cleaner 2400W Micro Motor

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 unit
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, Western Union/, L/C, D/A
- Supply Ability:



## **Product Specification**

- Ultrasonic Frequency:
- Ultrasonic Max Power:
- Optional:
- Timer:
- Heating Power:
- Material:
- Highlight:

- 2400W
  - Oil Filtration System

28khz Or 40khz

1000 units /month

- 1~99 Hours
- 6KW
- Stainless Steel
- Skymen JP-2048GH Industrial Ultrasonic Cleaner
- , 175L EMF Industrial Ultrasonic Cleaner, 2400W Micro Motor Ultrasonic Cleaner


### **Product Description**

### Skymen JP-2048GH 2400W 175L Ultrasonic Cleaner Digital Filter Two Tanks Micro Motor Ultrasound Cleaning

| Ultrasonic Frequency | 40KHz or 28KHZ          |
|----------------------|-------------------------|
| Material             | Stainless Steel SUS304  |
| Tank Capacity        | 175Liter                |
| Transducer           | 48pcs                   |
| Timer                | 1-99Hours adjustable    |
| Heater               | 20°C to 95°C adjustable |
| Power Supply         | AC380V, 3 phase/50Hz    |
| Heating Power        | 6000W                   |
| Ultrasonic Power     | 2400W                   |
| Inlet Pipe           | Diameter 1.2 inch       |
| Drain Value          | Diameter 1.2 inch       |
| All direction wheel  | Diameter 65mm           |
| Current Lead         | 3m                      |
| Generator            | 2pcs                    |
| Tank Size (LxWxH)    | 700*500*500mm           |
| Packing Size         | 2000x1360x1220mm        |
| Warranty             | 1 year                  |




Ultrasonic cleaner is a very effective cleaning tool for rust ,oil, carbon for:



 Cleaning effect will be much better if using the machine together with proper solvent.







As ultrasonic wave through the solution in the tank, cause alternating high and low pressures in the solution.

During the low pressure stage, millions of microscopic bubbles form and grow. This process is called "CAVITATION". During the high pressure stage, the bubbles implode releasing enormous amounts of energy. They work in all directions, attacking surface and invading all recesses and openings.

#### Same series with different size for your choice:

| Model    | Size of every tank | Tank<br>Volume | Ultrasoni<br>c<br>Power Ultrasonic tank |        | of drying tank | Transduc<br>er |
|----------|--------------------|----------------|---|--------|----------------|----------------|
|          | L*W*H (mm)         | (L)            | (W)                                     | (W)    | 750W           | (pcs)          |
| JP-2012H | 500X300X25<br>0    | 38L*2          | 600W                                    | 1500W  | 750W           | 12pcs          |
| JP-2018H | 500X350X30<br>0    | 53L*2          | 900W                                    | 1500W  | 750W           | 18pcs          |
| JP-2024H | 550X400X35<br>0    | 77L*2          | 1200W                                   | 3000W  | 750W           | 24pcs          |
| JP-2030H | 550X450X40<br>0    | 99L*2          | 1500W                                   | 3000W  | 750W           | 30pcs          |
| JP-2036H | 600X500X45<br>0    | 135L*2         | 1800W                                   | 4500W  | 750W           | 36pcs          |
| JP-2048H | 700X500X50<br>0    | 175L*2         | 2400W                                   | 6000W  | 750W           | 48pcs          |
| JP-2060H | 800X600X55<br>0    | 264L*2         | 3000W                                   | 6000W  | 750W           | 60pcs          |
| JP-2072H | 1000X600X6<br>00   | 360L*2         | 3600W                                   | 9000W  | 750W           | 72cs           |
| JP-2108H | 1000X900X6<br>00   | 540L*2         | 5400W                                   | 18000W | 1100W          | 108pcs         |
| JP-2144H | 12000*1000*<br>800 | 960L*2         | 7200W                                   | 24000W | 1500W          | 144pcs         |


#### Features:

With inlet and outlet for cleaning solution

Stainless steel tank has resistance to wear and long work life. Free setting from 1 min to 99mins.

Normal 95°C temperature . With Stainless steel basket Industrial trade power cord, more safer With drainage With the filter system save detergent, more environmentally friendly Use just tab water, or industrial alcohol and solvent cleaner for more higher cleaning requirement 100% brand new and high quality!


#### Remove buildup carbon



Remove paint







## FAQ

Q: What's the advantage of Skymen ultrasonic cleaner?

A: Skymen ultrasonic cleaner is the best way to have thorough cleaning without damaging objects. It helps to remove stubborn dirt and dust from the watch, eyeglasses, jewelry, etc, make them look new once again. It's very safe and easy to operate, proves to be the best helping hand for you at home.

- Q: How often should I change the cleaning fluid in my tank?
- A: Changed whenever it becomes visibly too contaminated, or when the cleaning process is not as effective.
- Q: Why do I need to use a basket?
- A: Basket would help to load objects together, and get a better cleaning effect.
- Q:Can ultrasonic cleaning damage parts?

A: Although the effect of thousands of implosions per second is very powerful, the cleaning process is safe. No damage to your daily objects.

Q: What about the warranty?

A: 1 Year warranty for Skymen ultrasonic cleaner. If any technical problem during warranty time, replacement parts will be sent free of charge. And technical support is also available after 1 year.

| Skymen Technology Corporation Limited   |                 |                |                      |  |  |  |
|---|-----------------|----------------|----------------------|--|--|--|
| O   | 86-755-27094405 | info@skymen.cc | skymenultrasonic.com |  |  |  |
| Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an<br>District, Shenzhen |                 |                |                      |  |  |  |