

SUS304 Ultrasonic Heat Exchanger Cleaner with 288 pcs Transducer and 1920 Liters Capacity

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China Mainland
- Brand Name: Skymen
- Certification: CE RoHS
- Model Number: JP-1288ST
- Minimum Order Quantity: 10pcs
- Price: 700
- Packaging Details: 1pcs/ carton
- Delivery Time: In Stock
- Payment Terms: T/T, Credit card
- Supply Ability: 1000pcs/month



Product Specification

- Application: Heat Exchanger
- Tank Dimension: 35*8*6 Inch
- Rinsing Tank: Available
- Transducer: 288pcs
- Ultrasonic Power: 14400W
- Capacity: 1920 Liters
- Highlight: SUS304 Ultrasonic Heat Exchanger Cleaner, Skymen Ultrasonic Heat Exchanger Cleaner, 1920 Liters Heat Exchanger Cleaner



More Images



SUS304 Ultrasonic Heat Exchanger 14400W Double Tanks For Maintaining

500W Ultrasonic Heat Exchanger for Maintaining with Double Tanks

Ultrasonic Action - an Alternative to Heat Exchanger

Ultrasonic cleaning is much more effective when compared to manually cleaning and lubricating with Heat Exchanger solvents. While it's not practical in the field, it provides more thorough cleaning and lubricating on a periodic basis depending on usage frequency.

- Why ultrasonic cleaners are preferred
- Why they are so effective
- How ultrasonic Heat Exchanger work
- Equipment options for cleaning
- Heat Exchanger exercises

Product Specifications112

Model name	JP-1288ST
Application	Heat Exchanger
Inner tank size	35*8*6 inch
Tank material	SUS304
Machine dimension	51*22*26 inch
Time control	0~30minutes
Temperature control	Room temp~160°F
Transducer	10pcs
Ultrasonic power	500W
Heating power	1500W
Drain value	Available
Lid	Available
Basket mesh	Available
Gross weight	45KG
Warranty	1 year
Lead time	15 days

Other Capacity Options

Stainless Bench Top Models

Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
JP-008	0.8	150*85*65	35	0	40
JP-009	0.9	150*135*65	60	100	40
JP-010T	2	150*165*100	60	100	40
JP-020S	3.2	240*135*100	120	100	40
JP-030S	4.5	300*150*100	180	200	40
JP-031S	6.5	300*150*150	180	200	40
JP-040S	10	300*240*150	240	200	40
JP-060S	15	330*300*150	360	300	40

JP-080S	22	500*300*150	480	500	40
JP-100S	30	500*300*200	600	500	40
JP-120S	30	500*300*250	720	800	40

Industrial Ultrasonic Cleaning Machine Models

Model	Capacity (L)	Tank Size (L*W*H)mm	Transducers (pcs)	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
JP-120ST	38	500X300X250	12	600	1500	28/40
JP-180ST	53	500X350X300	18	900	1500	28/40
JP-240ST	77	550X400X350	24	120	3000	28/40
JP-300ST	99	550X450X400	30	1500	3000	28/40
JP-301ST	99	800X300X400	30	1500	3000	28/40
JP-360ST	135	600X500X450	36	1800	4500	28/40
JP-480ST	175	700X500X500	48	2400	6000	28/40
JP-600ST	264	800X600X550	60	3000	6000	28/40
JP-720ST	360	1000X600X600	72	3600	9000	28/40
JP-1108ST	540	1000X900X600	108	5400	18000	28/40
JP-1144ST	960	1200X1000X800	144	7200	27000	28/40



Skymen Technology Corporation Limited



+86 13528763370



sales3@skymen.cc



skymenultrasonic.com