

Ultrasonic Cleaning Machine Equipment with Cooling System and Explosion Proof

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Sky men
- Certification: RoHS, CE, FCC, SGS
- Model Number: JTS-1060FB
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T



Product Specification



for more products please visit us on skymenultrasonic.com

Product Description

Ultrasonic Cleaning Machine Equipment with Cooling System and Explosion Proof

Specification:

Model	JTS-1060FB
Tank Volume	264L
Internal tank size	800X600X550mm
Transducers	12pcs 50W of each transducer
Ultrasonic Power	3000W
Heating Power	1500W
Frequency	28KHz/40KHz
Filtration Cycle System	Available
Explosion system	Available
Cooling system	Available
Timer	0~99 minutes adjustable
Heater	Room temperature~99 adjustable
Shell thickness	1mm
Tank thickness	2mm
Tank Material	SUS 304 default, can be SUS 316
Power Supply	AC 110V ; AC 220V
N.W.	150KG
G.W.	180KG Wrapped by film in wooden case
Lead time	20 working days
Warranty	1 year warranty period, technique support all time
Certificates	CE, RoHS, FCC, SGS
Advantage	Filter the dirty water; keep the water clear in tank; lower the frequency of changing water

Same series with different size:

Features

1. Digital LED screen display
2. Fast and effective cleaning, convenient for users
3. Clean rings, earrings, necklaces, new features of diamonds,
4. Use only tap water or add a small amount of detergent for better cleaning
5. The cleaning effect is obvious
6. Cleaning items shine like new ones
7. Compact cover design to reduce noise

Cleaning Effect show:

CLEANING EFFECT

Better cleaning when cleaning with detergent



Working Principle:

The principle of the ultrasonic cleaning machine is mainly to convert the sound energy of the power ultrasonic frequency source into mechanical vibration through the transducer, and to irradiate the ultrasonic wave into the cleaning liquid in the groove through the cleaning tank wall. Due to the radiation of the ultrasonic waves, the microbubbles in the liquid in the tank can be kept vibrated by the action of the sound waves. The adsorption of the dirt and the surface of the cleaning member is destroyed, causing fatigue damage of the dirt layer to be rejected, and the vibration of the gas type bubble scrubs the solid surface.



Professional Ultrasonic Cleaning Equipment Manufacturer

Our Advantages

13+

13+ years R&D
experience

10,000+

10,000+ square
meters factory

200+

200+ experienced
employees

120+

120+ countries and
areas exported

Our Factory



PRODUCTION PROCESS



1 Raw Material




2 Board Cutting



3 Tank Welding



4 Transducer Installation



5 Skymen Transducer Wiring



6 Tank Polishing



7 Assembling



8 Age Testing



9 Skymen Factory Shipping

Our RD Team



Our Sales Team



Authorized
Online Agent

Skymen Technology Corporation Limited



+86 13528763370



sales3@skymen.cc



skymenultrasonic.com