

Oil Filter 3 Tanks Ultrasonic Cleaner Equipment 38L Degreasing 600W AC220V with washing, rinsing, drying function

Basic Information

Place of Origin: ChinaBrand Name: skymen

• Certification: CE, ROHS, FCC, PSE, SGS, ISO9001

Model Number: JP-3024GHMinimum Order Quantity: 1 UnitPrice: Negotiation

• Packaging Details: wooden case: 2650*1350*1250mm

Delivery Time: In StockPayment Terms: T/T

Supply Ability: 100 units per month



Product Specification

• Fuel: Electric

Tank Size: 500x300x250 Mm
Industry Used: All Industry
Use: Degreasing

• Heating Power: 1500W

• Cleaning Process: Hot Water Cleaning, Solvent Cleaning

Ultrasonic Power (w): 600WFrequency: 28KHz/40KHz

• Tank Capacity: 38L

• Highlight: Oil Filter Ultrasonic Cleaner Equipment,

38L Degreasing Ultrasonic Cleaner Equipment, AC220V Ultrasonic Instrument Cleaner



More Images



Product Description

3 Tanks Cleaning Rinsing Drying Function 28Khz 40Khz Ultrasonic Cleaning Machine

Specification	Ultrasonic Frequency	40K Hz or 28KHz					
	Material	Stainless Steel SUS 304					
	Tank thickness	2 mm					
	Ultrasonc Tank	38L					
	Capacity						
	Rinsing Tank Capacity	38L					
	Drying tank capacity	38L					
	Timer	1~99Hours adjustable					
	Heater	20°C to 95°C adjustable					
	Machine voltage	AC 220V/380V, 3phases , Or other					
	Generator voltage	AC 110V/220V, 1phase					
	cleaning tank	600W					
	ultrasonic						
	Rinsing tank ultrasonic	600W					
	Drying tank ultrasonic	V					
	Cleaning tank heater	1500W					
	Rinsing tank heater	1500W					
	Drying tank heater	30000W					
	Drain valve	1 inch					
Packing	Ultrasonic Tank Size	500*300*250mm (L x W x H)					
	Rinsing Tank size	500*300*250mm (L x W x H)					
	Drying Tank size	500*300*250mm (L x W x H)					
	Unit Size	2300*1100*1000mm					
	Package Size	Wooden case 2650*1350*1250mm					
	N.W. / G.W.	324 kg /430 kg					
	Warranty	1 year					









Details Specification

Model	Tank Size(mm)	Capacity	Timer	Frequency	Transducer pcs	Ultrasonic Power	Heating Power	Filtration	Drying Power	Drying Temperature
JP-3024GH	500X300X250	38L	1-99h	40/28KHz	24	600W*2	1.5KW*2	YES	3000W	20-150°C
JP-3036GH	500X350X300	53L	1-99h	40/28KHz	36	900W*2	1.5KW*2	YES	3000W	20-150°C
JP-3048GH	550X400X350	77L	1-99h	40/28KHz	48	1200W*2	3KW*2	YES	3000W	20-150°C
JP-3060GH	550X450X400	99L	1-99h	40/28KHz	60	1500W*2	3KW*2	YES	4500W	20-150°C
JP-3061GH	800X300X400	96L	1-99h	40/28KHz	30	1500W*2	3KW*2	YES	4500W	20-150°C
JP-3072GH	600X500X450	135L	1-99h	40/28KHz	72	1800W*2	4.5KW*2	YES	4500W	20-150°C
JP-3096GH	700X500X500	175L	1-99h	40/28KHz	96	2400W*2	6KW*2	YES	6000W	20-150°C
JP-3120GH	800X600X550	264L	1-99h	40/28KHz	120	3000W*2	6KW*2	YES	6000W	20-150°C
JP-3144GH	1000*600*600	360L	1-99h	40/28KHz	144	3600W*2	9KW*2	YES	6000W	20-150°C
JP-3168GH	1500X700X400	420L	1-99h	40/28KHz	168	4200W*2	15KW*2	YES	6000W	20-150°C
JP-3192GH	1200X500X800	480L	1-99h	40/28KHz	192	4800W*2	15KW*2	YES	9000W	20-150°C
JP-3216GH	1000X900X600	540L	1-99h	40/28KHz	216	5400W*2	18KW*2	YES	9000W	20-150°C
JP-3240GH	1000X800X800	640L	1-99h	40/28KHz	240	6000W*2	18KW*2	YES	9000W	20-150°C
JP-3264GH	1000X1000X800	800L	1-99h	40/28KHz	264	6600W*2	24KW*2	YES	12000W	20-150°C
JP-3288GH	1200X1000X800	960L	1-99h	40/28KHz	288	7200W*2	30KW*2	YES	12000W	20-150°C
JP-3432GH	1500X1000X1000	1500L	1-99h	40/28KHz	432	10800W*2	36KW*2	YES	18000W	20-150°C

The Reason For Choosing Us

ULTRASONIC CLEANER



Skymen Brand Ultrasonic Cleaner Button Panel, Concise and Saving Effort





Other Brand, Inconvenient Operation



Skymen Brand Concave cylinder Mouth design, No Overflowing Water good noise elimination






Other brand cleaning machine flat cylinder mouth, water is easy to splash out



Skymen brand using self-developed ultrasonic generator, digital automatic frequency scanning stable output





Other Brands,Using older mechanical generators

Cleaning Comparison Example

No contrast, no harm



























Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen