




38L Tank Degreasing Ultrasonic Cleaner 3 Tanks AC380V For Metal Shell

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE, ROHS, FCC, PSE, SGS, ISO9001
- Model Number: JP-3024GH
- Minimum Order Quantity: 1 Unit
- Price: Negotiation
- Packaging Details: wooden case: 2650*1350*1250mm
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 100 units per month



Product Specification

- Fuel: Electric
- Tank Size: 500x300x250 Mm
- Use: Degreasing
- Heating Power: 1500W
- Cleaning Process: Hot Water Cleaning, Solvent Cleaning
- Ultrasonic Power (w): 600W
- Frequency: 28KHz/40KHz
- Tank Capacity: 38L
- Highlight: **38L Tank Degreasing Ultrasonic Cleaner, AC380V Degreasing Ultrasonic Cleaner, Metal Shell Benchtop Ultrasonic Cleaner**



More Images



Product Description

3 Tanks Cleaning Rinsing Drying Function 28Khz 40Khz Ultrasonic Cleaning Machine

Product Description

1. Automatic frequency tracking generator MCU-SWEEP drive, modular design of the whole machine, easy to operation, convenience to maintenance
2. Digital controlled Display, one-button to start degassing, can quick remove the air in water, and have strong ultrasonic effect, 3.20-100 °C heating temperature adjustable, 0-100% ultrasonic power adjustable, cleaning time can be adjusted in minutes or hours to meet the cleaning requirements of different products, constant power output, ultrasonic effect homogeneous and strong,
4. High Q ultrasonic transducers, high strength glue bonding, have higher ultrasonic transfer efficiency and longer service life, the tank body is welded by SUS304 2.0-2.5mm, the vibration surface is plated with environmental protection chromium treatment, when the machine has no liquid level protection, the ultrasonic work will have abnormal alarm function
5. Pass 2500V high voltage test, strict production process and aging process, have mute cover/ 304 stainless steel washing basket, etc. and certificated by CE/ROSH/FCC
6. Additional filtration and circulation, automatic basket lifting system can be added too.

Product parameters

Specification	Ultrasonic Frequency	40K Hz or 28KHz
	Material	Stainless Steel SUS304
	Tank thickness	2 mm
	Ultrasonic Tank Capacity	38L
	Rinsing Tank Capacity	38L
	Drying tank capacity	38L
	Timer	1~99Hours adjustable
	Heater	20°C to 95°C adjustable
	Machine voltage	AC 220V/380V, 3phases , Or other
	Generator voltage	AC 110V/220V, 1phase
	cleaning tank ultrasonic	600W
	Rinsing tank ultrasonic	600W
	Drying tank ultrasonic	/
	Cleaning tank heater	1500W
	Rinsing tank heater	1500W
	Drying tank heater	3000W
Packing	Drain valve	1 inch
	Ultrasonic Tank Size	500*300*250mm (L x W x H)
	Rinsing Tank size	500*300*250mm (L x W x H)
	Drying Tank size	500*300*250mm (L x W x H)
	Unit Size	2300*1100*1000mm
	Package Size	Wooden case 2650*1350*1250mm
	N.W. / G.W.	324 kg /430 kg
	Warranty	1 year

Details Specification

Model	Tank Size(mm)	Capacity	Timer	Frequency	Transducer pcs	Ultrasonic Power	Heating Power	Filtration	Drying Power	Drying Temperature
JP-3024GH	500X300X250	38L	1-99h	40/28KHz	24	600W*2	1.5KW*2	YES	3000W	20-150°C
JP-3036GH	500X350X300	53L	1-99h	40/28KHz	36	900W*2	1.5KW*2	YES	3000W	20-150°C
JP-3048GH	550X400X350	77L	1-99h	40/28KHz	48	1200W*2	3KW*2	YES	3000W	20-150°C
JP-3060GH	550X450X400	99L	1-99h	40/28KHz	60	1500W*2	3KW*2	YES	4500W	20-150°C
JP-3061GH	800X300X400	96L	1-99h	40/28KHz	30	1500W*2	3KW*2	YES	4500W	20-150°C
JP-3072GH	600X500X450	135L	1-99h	40/28KHz	72	1800W*2	4.5KW*2	YES	4500W	20-150°C
JP-3096GH	700X500X500	175L	1-99h	40/28KHz	96	2400W*2	6KW*2	YES	6000W	20-150°C
JP-3120GH	800X600X550	264L	1-99h	40/28KHz	120	3000W*2	6KW*2	YES	6000W	20-150°C
JP-3144GH	1000*600*600	360L	1-99h	40/28KHz	144	3600W*2	9KW*2	YES	6000W	20-150°C
JP-3168GH	1500X700X400	420L	1-99h	40/28KHz	168	4200W*2	15KW*2	YES	6000W	20-150°C
JP-3192GH	1200X500X800	480L	1-99h	40/28KHz	192	4800W*2	15KW*2	YES	9000W	20-150°C
JP-3216GH	1000X900X600	540L	1-99h	40/28KHz	216	5400W*2	18KW*2	YES	9000W	20-150°C
JP-3240GH	1000X800X800	640L	1-99h	40/28KHz	240	6000W*2	18KW*2	YES	9000W	20-150°C
JP-3264GH	1000X1000X800	800L	1-99h	40/28KHz	264	6600W*2	24KW*2	YES	12000W	20-150°C
JP-3288GH	1200X1000X800	960L	1-99h	40/28KHz	288	7200W*2	30KW*2	YES	12000W	20-150°C
JP-3432GH	1500X1000X1000	1500L	1-99h	40/28KHz	432	10800W*2	36KW*2	YES	18000W	20-150°C





The Reason For Choosing Us

U L T R A S O N I C C L E A N E R



Skymen Brand Ultrasonic Cleaner
Button Panel, Concise and Saving
Effort

VS



Other Brand, Inconvenient Operation



Skymen Brand Concave cylinder
Mouth design, No Overflowing Water
good noise elimination

VS



Other brand cleaning machine flat
cylinder mouth, water is easy to
splash out



Skymen brand using self-developed
ultrasonic generator, digital
automatic frequency scanning
stable output

VS



Other Brands, Using older
mechanical generators

Cleaning Effect

Better cleaning effect with cleaning agent





Sufficient Inventory

Own a large warehouse of 3000 square meters, wholesale products, no need to worry

OEM manufacturer

Provide processing services



Project research and development

Custom design/mold development/mutual cooperation

Cooperation Partner



If you have any inquiry or problem, please directly contact me to know your need.



Skymen Focus On Ultrasonic Cleaning

Shirley Lee

Business
Development
Manager



SKYMEN CLEANING EQUIPMENT SHENZHEN CO.,LTD
SKYMEN INTERNATIONAL (HK) LIMITED

3F,A1 Block,Fuhai Technology Park Building,FuYong Street,Baoan District,ShenZhen,GuangDong,China

MOB/Whatsapp/Wechat: +86 18929346883

www.skymen.cc

sales7@skymen.cc

Skymen Sonic





Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen