



SUS Degreasing Ultrasonic Parts Cleaners 38L to 1500L Degreasing 600W 4 Tanks AC220V

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: China
- Brand Name: skymen
- Certification: CE, ROHS, FCC, PSE, SGS, ISO9001
- Model Number: JP-4024GPH
- Minimum Order Quantity: 1 Unit
- Price: Negotiation
- Packaging Details: wooden case: 2650*1350*1250mm
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 100 units per month



Product Specification

- Fuel: Electric
- Tank Size: 500x300x250 Mm
- Industry Used: All Industry
- Use: Degreasing
- Heating Power: 1500W
- Cleaning Process: Hot Water Cleaning, Solvent Cleaning
- Ultrasonic Power (w): 600W
- Frequency: 28KHz/40KHz
- Tank Capacity: 38L
- Highlight: SUS Degreasing Ultrasonic Parts Cleaners, AC220V Ultrasonic Parts Cleaners, 38L Degreasing Ultrasonic Cleaning Machine



More Images



Product Description

4 Tanks Cleaning Rinsing Drying Function 28Khz 40Khz Ultrasonic Cleaning Machine

Specification	Ultrasonic Frequency	40K Hz or 28KHz
	Material	Stainless Steel SUS 304
	Tank thickness	2 mm
	Ultrasonic Tank Capacity	38L
	Rinsing Tank Capacity	38L
	Drying tank capacity	38L
	Timer	1~99Hours adjustable
	Heater	20°C to 95°C adjustable
	Machine voltage	AC 220V/380V, 3phases , Or other
	Generator voltage	AC 110V/220V, 1phase
	cleaning tank ultrasonic	600W
	Rinsing tank ultrasonic	600W
	Drying tank ultrasonic	/
	Cleaning tank heater	1500W
	Rinsing tank heater	1500W
	Drying tank heater	3000W
	Drain valve	1 inch
Packing	Ultrasonic Tank Size	500*300*250mm (L x W x H)
	Rinsing Tank size	500*300*250mm (L x W x H)
	Drying Tank size	500*300*250mm (L x W x H)
	Unit Size	2750*1100*1000mm
	Package Size	Wooden case 3000*1350*1250mm
	N.W. / G.W.	424 kg /530 kg
	Warranty	1 year





Four tank coarse washing, filtering, rinsing, spraying and drying integrated equipment.

Model	Frequency (KHz)	Capacity (L)	Tank Size (MM)	Ultrasonic Power(W)	Heating Power(W)	Filtration System	Spray	Dry Power(W)	Timer (H)	Heater (°C)
JP-4024GH	28/40	38	500*300*250	0-600	1500	YES	YES	3000	1-99	20-95
JP-4036GH	28/40	53	500*350*300	0-900	1500	YES	YES	3000	1-99	20-95
JP-4048GH	28/40	77	550*400*350	0-1200	3000	YES	YES	3000	1-99	20-95
JP-4060GH	28/40	99	550*450*400	0-1500	3000	YES	YES	3000	1-99	20-95
JP-4062GH	28/40	96	800*300*400	0-1500	3000	YES	YES	3000	1-99	20-95
JP-4072GH	28/40	135	600*500*450	0-1800	4500	YES	YES	3000	1-99	20-95
JP-4096GH	28/40	175	700*500*500	0-2400	6000	YES	YES	3000	1-99	20-95
JP-4120GH	28/40	264	800*600*550	0-3000	6000	YES	YES	3000	1-99	20-95
JP-4144GH	28/40	360	1000*600*600	0-3600	9000	YES	YES	6000	1-99	20-95
JP-4168GH	28/40	420	1500*700*400	0-4200	15000	YES	YES	6000	1-99	20-95
JP-4192GH	28/40	480	1200*500*800	0-4800	15000	YES	YES	9000	1-99	20-95
JP-4216GH	28/40	540	1000*900*600	0-5400	18000	YES	YES	9000	1-99	20-95
JP-4240GH	28/40	640	1000*800*800	0-6000	21000	YES	YES	9000	1-99	20-95
JP-4264GH	28/40	800	1000*1000*800	0-6600	24000	YES	YES	12000	1-99	20-95
JP-4288GH	28/40	960	1200*1000*800	0-7200	27000	YES	YES	12000	1-99	20-95
JP-4432GH	28/40	1500	1500*1000*1000	0-10800	27000	YES	YES	21000	1-99	20-95

Customized service: process plan design, frequency, power, size, etc. can be provided by Skymen technical engineering department tailored.

Equipment production process



① Raw Material



② Board Cutting



③ Tank Welding



④ Transducer Installation



⑤ Skymen Transducer Wiring



⑥ Tank Polishing



⑦ Assembling



⑧ Age Testing



⑨ Skymen Factory Shipping



Ultrasonic Cleaner. Skymen Made.

Ultrasonic cleaning solution process service provider



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen