



Skymen Heated Kitchen Soak Tank 1500W 168L Remove Carbon Fats Grease

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Skymen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-168
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



Product Specification

- Model: JP168L
- Tank Volume: 168L
- Heating Power: 1500W
- Internal Tank Size: 655*410*625MM
- Basket Size: 605*390*595MM
- Gross Weight: 120KG
- Highlight: Skymen Heated Kitchen Soak Tank, 1500W Kitchen Soak Tank, 168L Adjustable Soaking Tank



More Images



Product Description

Skyemen Kitchen Heated Soak Tank Remove Carbon Fats Grease for Hotel

What a heating soak tank can do ?

Heated Soak Tank used in Commercial Kitchens and Bakeries to clean Carbon Build up and Fats, Oils & Grease from equipment including aluminum baking pans, hood filters, baking racks, floor mats and more.

What items is to clean:

Pots; Pans; Sheet Pans ;Oven Racks; Muffin Pans; Roasting Dishes; Rubber Mats; Cutting Boards Wire Baskets; Baking Racks

Grills; Hood Filters; Stove parts

Application Industrial:

Restaurants;

Bakery shops;

Hotel;

Supermarkets;

Schools, colleges, caterers;

Food production facilities

Small tank: for canopy filterers, grill tops, pans and small trays;

Medium tank(popular size): suitable for busy medium sized pans and large trays & oven racks;

Large tank: suitable for greasy filters, pots, baking trays, etc;

Skyemen also offer custom sizes for larger applications.

Directions for use

Step 1



Fill the with (preferably hot) water to the 'Fill Line' marked on the inside, plug the tank into an electrical outlet, and switch ON

Step 2



Slowly add the oil/Carbon-Removal Powder

Step 3



Load the tank with your dirty pots, pans, vent hood filters into the tank and Close the lid, leaving the items in the tank to soak, and walk away!

Step 4



Remove the items from the tank, then simply rinse off any loose or softened carbon fragments.

PRODUCT CONFIGURATION







PRODUCT SPECIFICATIONS

1	Model	JP-168	
2	1st Tank	Function	Hot water cleaning/soaking
		Tank Material	SUS 304 (SUS 316 can be customized)
		Inner tank dimension	655*410*625mm
		Tank Capacity	168L
		Heating tube	1pcs
		Heating Power	1500W
		Time setting	0~99 hours
		Temperature setting	Room temperature ~ 80°C adjustable
		Thickness of tank	2mm
		Drain value	Yes, in the right side of machine
		Water inlet/outlet	Yes
		Lid	Yes, hinged with machine body, with gasket
	Handle of the basket	Yes	
	Basket load	200KG	
4	Packing	Overall size	755*510*785mm
		Packing size	855*610*920cm
		Packing detail	By wooden case(No logs, free of fumigation)
5	Warranty	1 year warranty for spare parts, all life technical support	
6	Certificate	CE, RoHS; FCC, REACH	
7	Production time	5 days if there is stock; 20 days if there is no stock	

Suggest cleaning time:

Item	Cleaning time
Pot& Pans	Initial soak 12 hours
Hot plates & grills	Minimum of 12 hours
Deep fry baskets	Minimum 3~4 hours
Hood filter	1 hour
Roasting pans	Initial soak 12 hours
Gas rings& Cooker tops	Minimum 12 hours
Bakery trays and racks	Initial soak 12 hours
Serving dishes	1-2 hours
Oven Racks	Initial soak 12 hours

Other Specification:

Model	JP-483
Materials	Stainless steel 304 SUS 304
Tank thickness	2mm
Tank capacity	483 Liters
Heater	20-95°C Adjustable
Machine voltage	AC 220V/380V 3 phase
Heating power	6KW
Features	with basket with brake
Tank size	1365*520*680mm
Unit size	1465*620*875mm
Packing	wooden case
Warranty	1 year

The system is the most efficient and cost effective method of **removing Carbon and FOG (Fats, Oils & Grease)**.

We have different size, please choose the size fits for you, or cotact for professional suggestions

Model	Volume	Tank size (mm)	Unit Size (mm)	Basket size (mm)
JP-168	168L	655*410*625	755*510*785	605*390*595
JP-211	211L	750*450*625	850*550*785	700*430*595
JP-258	258L	890*480*605	990*580*800	840*460*575
JP-274	274L	840*480*680	940*580*875	790*460*650
JP-338	388L;	1080*460*680	1480*560*875	1060*440*650
JP-483	483L	1365*520*680	1465*620*875	1315*500*650

Cleaning Effect show:

Korean BBQ Grill Plate Cleaner



Bakery Rack Cleaner




Roasting Pan Cleaner



Sheet Pan Cleaner



Cake Pan Cleaner



Muffin Pan Cleaner



Rotisserie Basket Cleaner




Pot Cleaner



Pan Cleaner



Floor Mat Cleaner



Hood Filter Cleaner



Impinger Belt Cleaner



Pizza Pan Cleaner



Soaking tank with different capacity:

Model	Volume(L)	Internal tank size(MM)	Basket size(MM)	Unit size(MM)	Heating power	Material
JP-168	168L	655*410*625	605*390*595	755*510*785	1.5KW	SUS 304
JP-211	211L	750*450*625	700*430*595	850*550*785	1.5KW	SUS 304
JP-258	258L	890*480*605	840*460*575	990*580*800	3KW	
JP-274	274L	840*480*680	790*460*650	940*580*875	3KW	SUS 304
JP-388	388L	1080*460*680	1060*440*650	1480*560*875	4.5KW	SUS 304
JP-483	483L	1365*520*680	1315*500*650	1465*620*875	6KW	SUS 304



Skyemen Technology Corporation Limited

☎ 86-755-27094405

✉ info@skymen.cc

🌐 skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an

