Curtain Industrial Ultrasonic Cleaner 3m Length 3600W Ultrasonic Blind Cleaning Machine

Basic Information

Place of Origin:
 Shenzhen, China

• Brand Name: Skymen

• Certification: RoHS, CE, FCC, SGS

Model Number: JTS-11920G

Minimum Order Quantity:

Price: 6000USD / UNIT
Packaging Details: Wooden case
Delivery Time: In Stock
Payment Terms: T/T

Supply Ability: 800 pcs per month




Product Specification

Usable Dimension: 3000x220x500mm

Vessel Volume: 336L
Ultrasonic Power: 3.6 KW
Heating Power: 9 KW
Generator: 2pcs
Weight (KG): 300 Kg

• Highlight: Curtain Industrial Ultrasonic Cleaner,

3m Length Industrial Ultrasonic Cleaner, 3600W ultrasonic blind cleaning machine



Product Description

Curtain/Drape/Blind Cleaning Machine 3 Meters Length 330L 3600W Removing Dust blind ultrasonic

cleaner

- 1. It's designed for cleaning curtains.
- 2.The 1st tank is for Ultrasonic clean with heating function, you can put chemicals in this tank to clean, cleaning time is about 15~30 minutes.
- 3. The 2nd tank is rinsing tank for removing the chemicals from curtain. Blind Cleaning Machine
- 4. There is a drying rack between 2 tanks to support the blind curtain, and a drain board to hold the wet curtain on the back side of machine.
- 5. Both fabric curtain and blind can be put in tank to clean, no damage to curtain

Product Description of Blind Cleaning Machine:



FEATURES of Blind Cleaning Machine:

- 1. Fast and thoroughly cleaning
- 2. Saving labor; time; detergent
- 3 Drying rack between 2 tank
- 4. Drain board to hold the wet curtain
- 5. No damage to curtain
- 6. Removing dirt and dust easily
- 7. With emergency stop switch
- 8. SUS 304/SUS 316 tank material
- 9. Liquid level switch can be added
- 10. Thermal insulation can be added
- 11. With water inlet/out let in suitable place
- 12. With stainless steel basket
- 13. Filtration cycle system is available
- 14. Lifting system for basket is available
- 15. Double/Multi frequency is available

APPLICATION of Blind Cleaning Machine

- -Traditional fabric drape -Venetian blind -Roller shutters -Honeycomb shade
- -Cellular Shades -Honeycomb and Pleated Shades
- -Roman Shade

- -Wood woven shade

- -Bamboo curtain splint -Reed screen shade -Artificial fiber curtain



Specification of Blind Cleaning Machine:

Specification of Billio Cleanin	<u> </u>					
Model No.	JP-2072T					
Function	Ultrasonic cleaning + Hot water cleaning + Rinsing					
Application	Clean all kinds of curtain/drape/blind					
Ultrasonic Frequency	28/40kHz (other frequency can be customized 68KHz, 80KHz, 132KHz)					
Tank Material	SUS 304 (SUS 316 can be customized)					
Thickness of tank	2mm					
Ultrasonic tank dimension	3000*220*500mm (Length*width*deep)					
Rinsing tank dimension	3000*220*500mm (Length*width*deep)					
Whole Machine dimension	3700*800*900mm (Length*width*deep)					
Packing dimension	3800*900*1100mm (Length*width*deep)					
Gross weight of machine	350KG					
Tank Capacity for each tank	330 Liter					
Transducer of Ultrasonic Bath	72pcs					
Ultrasonic Power	3600W					
Heating Power	9000W					
Time setting of Ultrasonic	0~99 hours					
Temperature setting	Room temperature ~ 95°C / 203°F adjustable					
Drain hole	On the bottom of inner tank					
Water inlet/outlet	Yes; 1 inch					
Generator	2pcs					
Generator power control	1800W					
Basket	Available					
Length of power line	3 meters					
Power supply	380V/220V 3 Phase; 400V; 415V; 600V is also available					
Warranty	1 year					
Certificate	CE; RoHS; FCC; REACH					
Lead time	20 Working days					




Curtain Ultrasonic Cleaning Machine

- ✓ Clean fabric/blind curtain, No damage to curtain
- ✓ Rinsing tank to intensify cleaning
- Rack for air drying curtain & Drain board for dropping water
- ✓ 0~99 hours and 20~95°C adjustable
- ✓ CE & RoHS & FCC & ISO9001









Model	Capacity	Tank size	Transducer	Ultrasonic Power	Heating Power	Rinsing tank
JP-2036T	160L	200*20*40cm	36pcs	1800W	4.5KW	Yes
JP-2060T	264L	240*22*50cm	60pcs	3000W	6KW	Yes
JP-2072T	330L	300*22*50cm	72pcs	3600W	12KW	Yes



Industrial ultrasonic cleaner Timer: 0-99 hours adjustable timer

Industrial ultrasonic cleaner Heating temperature: 20-95°C digital adjustable

Industrial ultrasonic cleaner Voltage: AC 100-120V, 50/60Hz or AC 220-240V, 50/60Hz

Same Series Machine List of Blind Cleaning Machine:

Model	Tank Size	Capacity	Transducers	Ultrasonic Power	Heating Power
	(mm)	(Liters)	(pcs)	(W)	(W)
JP-2036T	2000×200×400	160	36	0-1800	4500
JP-2060T	2400×220×500	264	60	0-3000	6000
JP-2072T	3000×220×500	330	72	0-3600	9000

Our Company

Skymen Cleaning Equipment Shenzhen Co., Ltd., was founded in 2007. With factory of a 6 floors building (10,000 square meters), Skymen owns a professional R&D team to keep the pace with international ultrasonic technology. In order to make sure the molding quality control, Skymen established its own mold injection department as well.

Ultrosonic Cleaner Production capactiy:

30000pcs /month for household ultrasonic bath;

10000pcs / month for stainless steel Industrial ultrasonic cleaner

Our Devices for Blind Cleaning Machine:

Sub-contract SMT factory, including Bending machine, Cutting plate machine, Turning machine, Milling machine, Grinding machine, EDM machine, Oven machine, Sand blaster, Injection Machine, Punching machine etc.

Test equipment: Hi pot tester Oscillometer, Dynamometer etc.

FAQ of Blind Cleaning Machine

QUESTION: When should I consider adding ultrasonics to a cleaning process?

ANSWER: Usually, the answer is whenever parts are not getting clean enough using the current method. Ultrasonics become a MUST when cleaning issues are negatively impacting productivity, quality and/or the bottom line. Effective cleaning with ultrasonics has been proven in a wide range of industries ranging from microscopic medical devices to reconditioned locomotive shafts, from aerospace parts to parts prior to coating, and more.

Ultrasonics can be included in a new cleaning process or sometimes can be retrofitted into an existing process. In many cases, rejects due to residue on parts can be virtually eliminated with the addition of ultrasonics into clean and/or rinse stations in a properly-configured parts cleaning line.

QUESTION: What's advantage of Skymen industrial ultrasonic cleaner?

ANSWER: Skymen industrial ultrasonic cleaner is the best method to have thorough cleaning without damaging objects. It helps to remove stubborn dirt and oil from almost anything, make them look new once again. It's very safe and easy to operate, proves to be a best helping hand for you.

QUESTION: What is the optimized frenquency for cleaning our parts? ANSWER: Frequency is suggested based on contaminants in the objects. 28 KHz is stronger, better for car, motor, vessel parts cleaning (for removal of oil, grease, pastes) 40 KHz is better for main board and other electronic parts cleaning. The higher precision the cleaning object has, the higher frequency should be choosed.

QUESTION: How often should I change the cleaning fluid in my tank?

ANSWER: Changed whenever it becomes visibly too contaminated, or when the cleaning process is not as effective.

QUESTION: Why do I need to use a basket?

ANSWER: Basket would help to load objects together, and get better cleaning effect.

QUESTION: Will industrial ultrasonic cleaner damage parts?

ANSWER: Although the effect of thousands of implosions per second is powerful, the cleaning process is safe. No damage to your daily objects.

QUESTION: What about the warranty and after sales service?

ANSWER: 1 Year warranty for Skymen industrial heat exchanger ultrasonic cleaner. If any technical problem during warranty time, replacement parts will be sent free of charge. And technical support is also available after 1 year.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen